1998 Index
IEEE Transactions on Electron Devices
Vol. 45

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 1998, and items from previous years that were commented upon or corrected in 1998. In the case of magazines, departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

Abelson, J.R., *see* Weber, C., *T-ED Feb 98* 447-452

Abiko, H., *see* Inoue, K., *T-ED Nov 98* 2312-2318

Abou-Khalil, M.J., A. Rahal, M. Goano, R. Maciejko, K. Wu, and R.G. Bosisio. Predicting nonlinear electrical performance in single and multiple quantum-barrier varactors (QBV's) by the Monte Carlo technique; *T-ED Jul 98* 1399-1406

Abramo, A., *see* Fiegna, C., *T-ED Apr 98* 877-880

Abstreiter, G., *see* Dong Xu, *T-ED Jan 98* 21-30

Acharya, Y.B., and P.D. Vyavahare. Remodeling light emitting diode in low current region; *T-ED Jul 98* 1426-1430

Acovic, A., *see* Selmi, L., *T-ED May 98* 1135-1139

Adenida, I., *see* Arafa, M., *T-ED Jan 98* 62-67

Adenida, I., *see* Mahajan, A., *T-ED Jan 98* 338-340

Adenida, I., *see* Mahajan, A., *T-ED Dec 98* 2422-2429

Adlerstein, M.G. Thermal stability of emitter ballasted HBT's; *T-ED Aug 98* 1653-1655

Agnello, P.D., *see* Wong, H.P., *T-ED Apr 98* 889-894

Ahmad, M.M., *see* Syms, R.R.A., *T-ED Nov 98* 2304-2311

Ahmadpanah, M., *see* Gaci, A., *T-ED Jan 98* 331-334

Ahmed, K.Z., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355

Ajika, N., *see* Sakakibara, K., *T-ED Jun 98* 1336-1341

Ajit, J.S. Characteristics of the base coupled insulated gate thyristor: experiment and analytical modeling; *T-ED Feb 98* 543-553

Alcubilla, R., *see* Pallares, J., *T-ED Jan 98* 54-61

Algora, C., and V. Diaz. Design and optimization of very high power density monochromatic GaAs photovoltaic cells; *T-ED Sep 98* 2047-2054

Allen, S.T., *see* Hatfield, C.W., *T-ED Sep 98* 2072-2074

Amamiya, Y., *see* Tanaka, S., *T-ED Jan 98* 36-44

Amazawa, T., E. Yamamoto, and Y. Arita. Planarized multilevel interconnection using chemical mechanical polishing of selective CVD-Al via plugs; *T-ED Apr 98* 815-820

Amerasekera, A., *see* Chen, J.Z., *T-ED Dec 98* 2448-2456

Andersson, K., *see* Hermansson, W., *T-ED Apr 98* 957-965

Ando, T., *see* Sawada, K., *T-ED Jan 98* 321-325

Ando, Y., and A. Cappy. Proposal of low-noise amplifier utilizing resonant tunneling transistors; *T-ED Jan 98* 31-35

Andoh, E., M. Kosugi, T. Kawamura, S. Araki, and K. Taketoshi. Development of a novel image intensifier of an amplified metal-oxide semiconductor imager overlaid with electron-bombarded amorphous silicon; *T-ED Apr 98* 778-784

Andres, J., *see* Merten, J., *T-ED Feb 98* 423-429

Ang, D.S., and C.H. Ling. A unified model for the self-limiting hot-carrier degradation in LDD n-MOSFETs; *T-ED Jan 98* 149-159

Ang, D.S., and C.H. Ling. A comparison of hot-carrier degradation in tungsten polycide gate and poly gate p-MOSFETs; *T-ED Apr 98* 895-903

Anghinolfi, F., *see* Faccio, F., *T-ED May 98* 1033-1038

Anjoh, I., A. Nishimura, and S. Eguchi. Advanced IC packaging for the future applications; *T-ED Mar 98* 743-752

Antoniadis, D.A., *see* Wei, A., *T-ED Feb 98* 430-438

Antoniadis, D.A., *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459

Anwar, A.F.M., and R.T. Webster. On the possible effects of AlGaAsSb growth parameters on the 2-DEG concentration in AlGaAsSb/InGaAs/AlGaAsSb QW's; *T-ED Jun 98* 1170-1175

Apetz, R., *see* Vonsovici, A., *T-ED Feb 98* 538-542

Arafa, M., W.A. Wohlmuth, P. Fay, and I. Adesida. Effect of diffraction and interference in submicron metal-semiconductor-metal photodetectors; *T-ED Jan 98* 62-67

Arafa, M., *see* Mahajan, A., *T-ED Jan 98* 338-340

Arafa, M., *see* Mahajan, A., *T-ED Dec 98* 2422-2429

Araki, S., *see* Andoh, E., *T-ED Apr 98* 778-784

Arimoto, K., *see* Eimori, T., *T-ED May 98* 1000-1009

Arimoto, Y., *see* Matsumoto, S., *T-ED Jan 98* 105-109

Arimoto, Y., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945

Arita, Y., *see* Amazawa, T., *T-ED Apr 98* 815-820

Arikone, S., *see* Satoh, S., *T-ED Feb 98* 482-486

Asbeck, P.M., *see* Johnson, R.A., *T-ED May 98* 1047-1054

Asenov, A., *see* Babiker, S., *T-ED Aug 98* 1644-1652

Asenov, A. Random dopant induced threshold voltage lowering and fluctuation in sub-0.1 μm MOSFET's: A 3-D "atomistic" simulation study; *T-ED Dec 98* 2505-2513

Asensi, J.M., *see* Merten, J., *T-ED Feb 98* 423-429

Ashburn, P., *see* Wainwright, S.P., *T-ED Dec 98* 2437-2447

Ashida, M., *see* Maeda, S., *T-ED Jan 98* 165-172

Ashokan, R., *see* Dhar, V., *T-ED Feb 98* 487-493

Aslam, D.M., *see* Dongsung Hong, *T-ED Apr 98* 977-985

Asthana, N.C., and S. Singh. On the "Effect of diffusion and modulated frequency in an ion-implanted OPFET" [correction]; *T-ED Jun 98* 1383

Aum, P.K., R. Brandshaft, D. Brandshaft, and T.B. Dao. Controlling plasma charge damage in advanced semiconductor manufacturing. Challenge of small feature size device, large chip size, and large wafer size; *T-ED Mar 98* 722-730

Auth, C.P., and J.D. Plummer. A simple model for threshold voltage of surrounding-gate MOSFET's; *T-ED Nov 98* 2381-2383

Awadelkarim, O.O., *see* El Hassan, M.G., *T-ED Apr 98* 861-866

Aymerich, X., *see* Rodriguez, R., *T-ED Apr 98* 881-888

Azhar Iqbal, M., and B.K. Jones. A comparison of the trap properties and locations within GaAs field effect transistors measured under different bias conditions; *T-ED Aug 98* 1663-1670

B

Babiker, S., A. Asenov, N. Cameron, S.P. Beaumont, and J.R. Barker. Complete Monte Carlo RF analysis of "real" short-channel compound FET's; *T-ED Aug 98* 1644-1652

Bachtold, W., *see* Duran, H.C., *T-ED Jun 98* 1219-1225

Bachtold, W., *see* Morf, T., *T-ED Jul 98* 1407-1413

Baets, R.G.F., *see* de Vreede, L.C.N., *T-ED Jan 98* 277-285

Baeyens, Y., *see* Borgarino, M., *T-ED Feb 98* 366-372

Bai Yibin, *see* Yibin Bai, *T-ED Aug 98* 1784-1790

Balestra, F., *see* Shing-Hwa Renn, *T-ED May 98* 1140-1146

Balestra, F., *see* Shing-Hwa Renn, *T-ED Oct 98* 2146-2152

Balestra, F., *see* Shing-Hwa Renn, *T-ED Nov 98* 2335-2342

Banna, S.R., C.H. Chan, Mansun Chan, S.K.H. Fung, and P.K. Ko. A unified understanding on fully-depleted SOI NMOSFET hot-carrier degradation; *T-ED Jan 98* 206-212

Baoping Wang, J.K.O. Sin, Jun Cai, V.M.C. Poon, Chen Wang, Yongming Tang, and Linsu Tong. Numerical and experimental characterization of single- and double-gate race-track-shaped field emitter structures; *T-ED Feb 98* 554-559

Barker, J.R., *see* Babiker, S., *T-ED Aug 98* 1644-1652

Barnett, A.M., *see* Yibin Bai, *T-ED Aug 98* 1784-1790

Bass, R., *see* Boos, J.B., *T-ED Sep 98* 1869-1875

Basu, B.N., *see* Datta, S.K., *T-ED Sep 98* 2055-2062

Baureis, P., *see* Bovolon, N., *T-ED Aug 98* 1846-1848

Beaumont, S.P., *see* Babiker, S., *T-ED Aug 98* 1644-1652

Beck, M., *see* Duran, H.C., *T-ED Jun 98* 1219-1225

Beck, R.B., *see* Ikraiam, F.A., *T-ED May 98* 1026-1032

Becker, A.J., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816

Begoms, M., *see* Duran, H.C., *T-ED Jun 98* 1219-1225

Beling, C.D., *see* Chen, T.P., *T-ED Sep 98* 1972-1977

Bellsmak, B., *see* Paulsen, R.E., *T-ED Mar 98* 655-664

Bellens, R., *see* Degraeve, R., *T-ED Feb 98* 472-481

Bellens, R., *see* Degraeve, R., *T-ED Apr 98* 904-911

Bendix, P., *see* Sung, R., *T-ED Aug 98* 1769-1775

Bennett, B.R., *see* Boos, J.B., *T-ED Sep 98* 1869-1875
Benvenuti, A., *see* Spinelli, A.S., *T-ED Jun 98* 1342-1349
Berman, M., *see* Stine, B.E., *T-ED Mar 98* 665-679
Bez, R., *see* Villa, S., *T-ED Jan 98* 110-115
Bhan, R.K., *see* Dhar, V., *T-ED Feb 98* 487-493
Biber, C., *see* Morf, T., *T-ED Jul 98* 1407-1413
Biesemans, S., M. Hendriks, S. Kubicek, and K. De Meyer. Practical accuracy analysis of some existing effective channel length and series resistance extraction methods for MOSFET's; *T-ED Jun 98* 1310-1316
Bilbro, G.L., *see* Hatfield, C.W., *T-ED Sep 98* 2072-2074
Billman, C.A., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Bin Yu, Dong-Hyuk Ju, Wen-Chin Lee, N. Kepler, Tsu-Jae King, and Chenming Hu. Gate engineering for deep-submicron CMOS transistors; *T-ED Jun 98* 1253-1262
Bishop, W.L., *see* Stake, J., *T-ED Nov 98* 2298-2303
Blair, C., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Bohm, G., *see* Dong Xu, *T-ED Jan 98* 21-30
Bohm, M., *see* Zhu, Q., *T-ED Jul 98* 1393-1398
Bohr, M.T., and Y.A. El-Mansy. Technology for advanced high-performance microprocessors; *T-ED Mar 98* 620-625
Bollaert, S., *see* Happy, H., *T-ED Oct 98* 2089-2095
Bonani, F., G. Ghione, M.R. Pinto, and R.K. Smith. An efficient approach to noise analysis through multidimensional physics-based models; *T-ED Jan 98* 261-269
Boning, D.S., *see* Stine, B.E., *T-ED Mar 98* 665-679
Boos, J.B., W. Kruppa, B.R. Bennett, D. Park, S.W. Kirchoefer, R. Bass, and H.B. Dietrich. AlSb/InAs HEMT's for low-voltage, high-speed applications; *T-ED Sep 98* 1869-1875
Booth, T.E., *see* Gray, M.G., *T-ED Apr 98* 918-924
Bordelon, M., *see* Yassine, A.M., *T-ED Nov 98* 2375-2378
Borgarino, M., R. Menozzi, Y. Baeyens, P. Cova, and F. Fantini. Hot electron degradation of the DC and RF characteristics of AlGaAs/InGaAs/GaAs PHEMT's; *T-ED Feb 98* 366-372
Bos, P.J., *see* Okada, H., *T-ED Jul 98* 1445-1452
Bosisio, R.G., *see* Abou-Khalil, M.J., *T-ED Jul 98* 1399-1406
Bosman, G., *see* Hou, F.-C., *T-ED Dec 98* 2528-2536
Boucher, J., *see* Gaci, A., *T-ED Jan 98* 331-334
Boulin, D.M., *see* Selmi, L., *T-ED Apr 98* 802-808
Bovolon, N., P. Baureis, J.-E. Muller, P. Zwicknagl, R. Schultheis, and E. Zanoni. A simple method for the thermal resistance measurement of AlGaAs/GaAs heterojunction bipolar transistors; *T-ED Aug 98* 1846-1848
Bo Woo Kim, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Brandshaft, D., *see* Aum, P.K., *T-ED Mar 98* 722-730
Brandshaft, R., *see* Aum, P.K., *T-ED Mar 98* 722-730
Breitholtz, B., *see* Hermansson, W., *T-ED Apr 98* 957-965
Brennan, C.R., M.F. Chriss, C. Taylor, N.M. Haegel, and A.M. White. Electron beam induced current imaging of near-contact regions in semi-insulating GaAs; *T-ED Sep 98* 2024-2031
Brennan, K.F., *see* Parks, J.W., *T-ED Feb 98* 394-400
Brett, M.J., *see* Xiang Gui, *T-ED Feb 98* 380-386
Brett, M.J., *see* Smy, T., *T-ED Jul 98* 1414-1425
Brews, J.R., *see* Ip, B.K., *T-ED Oct 98* 2213-2221
Broughton, J.N., *see* Smy, T., *T-ED Jul 98* 1414-1425
Brown, K., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Brown, T.M., *see* Lui, O.K.B., *T-ED Jan 98* 213-217
Buchanan, M., *see* Wenzhong Shen, *T-ED Aug 98* 1671-1677
Buchanan, M., *see* Ershov, M., *T-ED Oct 98* 2196-2206
Bucher, E., *see* Keller, S., *T-ED Jul 98* 1569-1574
Bude, J.D., *see* Selmi, L., *T-ED Apr 98* 802-808
Bundara, S.V., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Burghartz, J.N., *see* Jenkins, K.A., *T-ED Jun 98* 1369-1373
Burnham, M.E., *see* Joardar, K., *T-ED Jan 98* 134-148
Burns, J.A., *see* Liu, H.I., *T-ED May 98* 1099-1104
Button, C.C., *see* Flitcroft, R.M., *T-ED Jun 98* 1207-1212
Button, C.C., *see* Lye, B.-C., *T-ED Dec 98* 2417-2421
Byeong Kwon Ju, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Byung Cheon Lim, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076

C

Cahay, M.M., *see* Datta, S., *T-ED Aug 98* 1634-1643
Cai Jun, *see* Baoping Wang, *T-ED Feb 98* 554-559
Caillat, T., *see* Foote, M.C., *T-ED Sep 98* 1896-1902
Calderer, J., *see* Pallares, J., *T-ED Jan 98* 54-61
Cameron, N., *see* Babiker, S., *T-ED Aug 98* 1644-1652
Camilletti, L., *see* Stine, B.E., *T-ED Mar 98* 665-679
Campisano, S.U., *see* Lombardo, S.A., *T-ED Jul 98* 1531-1537
Canali, C., *see* Menozzi, R., *T-ED Nov 98* 2261-2267
Canesu, C., *see* Mahajan, A., *T-ED Dec 98* 2422-2429
Canido, J.A., *see* Vaitneia, J.F., *T-ED Jun 98* 1201-1206
Cappy, A., *see* Ando, Y., *T-ED Jan 98* 31-35
Cappy, A., *see* Mateos, J., *T-ED Sep 98* 2081-2083
Cappy, A., *see* Happy, H., *T-ED Oct 98* 2089-2095
Cappy, A., *see* Danneville, F., *T-ED Oct 98* 2207-2212
Caputo, D., G. de Cesare, and F. Palma. Modeling and realization of an amorphous silicon device with negative differential resistance; *T-ED Jan 98* 270-276
Carceller, J.E., *see* Garniz, F., *T-ED May 98* 1122-1126
Carceller, J.E., *see* Roldan, J.B., *T-ED Apr 98* 993-995
Carceller, J.E., *see* Roldan, J.B., *T-ED Oct 98* 2249-2251
Carr, W.N., *see* Okojie, R.S., *T-ED Apr 98* 785-790
Carralejo, R., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Cartujo, P., *see* Garniz, F., *T-ED May 98* 1122-1126
Cartujo, P., *see* Roldan, J.B., *T-ED Oct 98* 2249-2251
Chamberlain, S.G., *see* GadelRab, S.M., *T-ED Feb 98* 465
Chamberlain, S.G., *see* GadelRab, S.M., *T-ED Feb 98* 560-563
Chamberlain, S.G., *see* GadelRab, S.M., *T-ED Oct 98* 2179-2186
Chan, A.B.Y., *see* Kuehne, S.C., *T-ED May 98* 1084-1091
Chan, C.H., *see* Banna, S.R., *T-ED Jan 98* 206-212
Chan, C.H., *see* Wei Jin, *T-ED Aug 98* 1717-1724
Chan, D.S.-H., *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Chan, K., *see* Smy, T., *T-ED Jul 98* 1414-1425
Chan, M., *see* Fung, S.K.H., *T-ED May 98* 1105-1110
Chan, W.W.T., J.K.O. Sin, and S.S. Wong. A novel crosstalk isolation structure for bulk CMOS power IC's; *T-ED Jul 98* 1580-1586
Chan Chung, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Chang, C.E., *see* Johnson, R.A., *T-ED May 98* 1047-1054
Chang, C.S., *see* Su, Y.-K., *T-ED Apr 98* 763-767
Chang, R.T., *see* Wong, H.P., *T-ED Apr 98* 889-894
Chang, S.-J., *see* Su, Y.-K., *T-ED Apr 98* 763-767
Chang, T.-E., *see* Wang, T., *T-ED Jul 98* 1511-1517
Chang, W.H., *see* Chen, C.-J., *T-ED Jul 98* 1431-1437
Chang-Gyu Hwang, *see* Kinam Kim, *T-ED Mar 98* 598-608
Chang Hun-Hsien, *see* Hun-Hsien Chang, *T-ED Sep 98* 2076-2078
Chang Kow-Ming, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Chang Ming-Chien, *see* Kuo-Feng You, *T-ED Jan 98* 239-246
Chang Soo Kim, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Chang Tien-Chang, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Chang Tse-En, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Chang Wen-Lung, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Chang-Woo Kim, N. Goto, and K. Honjo. Thermal behavior depending on emitter finger and substrate configurations in power heterojunction bipolar transistors; *T-ED Jun 98* 1190-1195
Chan Mansun, *see* Banna, S.R., *T-ED Jan 98* 206-212
Chan Mansun, *see* Mansun Chan, *T-ED Apr 98* 834-841
Chan Mansun, *see* Wei Jin, *T-ED Aug 98* 1717-1724
Chao Sung Lai, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Chao-Sung Lai, *see* Chyuan-Haur Kao, *T-ED Sep 98* 1927-1933
Chao Tien Sheng, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Charles Ching-Hsiang Hsu, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Chatterjee, A., M. Rodder, and Ih-Chin Chen. A transistor performance figure-of-merit including the effect of gate resistance and its application to scaling to sub-0.25-μm CMOS logic technologies; *T-ED Jun 98* 1246-1252
Chen, C., Z.-Z. Liu, and T.-P. Ma. Analysis of enhanced hot-carrier effects in scaled flash memory devices; *T-ED Jul 98* 1524-1530
Chen, C.-J., K.-K. Choi, W.H. Chang, and D.C. Tsui. Corrugated quantum well infrared photodetectors with polyimide planarization for detector array applications; *T-ED Jul 98* 1431-1437
Chen, D., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Chen, G.S., *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Chen, J., *see* Okada, H., *T-ED Jul 98* 1445-1452
Chen, J.Z., A. Amerasekera, and C. Duvvury. Design methodology and optimization of gate-driven NMOS ESD protection circuits in submicron CMOS processes; *T-ED Dec 98* 2448-2456
Chen, T.M., *see* Yassine, A.M., *T-ED Nov 98* 2375-2378
Chen, T.P., Stella Li, S. Fung, and K.F. Lo. Interface trap generation by FN injection under dynamic oxide field stress; *T-ED Sep 98* 1920-1926
Chen, T.P., Stella Li, S. Fung, C.D. Beling, and K.F. Lo. Post-stress interface trap generation induced by oxide-field stress with FN injection; *T-ED Sep 98* 1972-1977
Chen, Y., *see* Singh, R., *T-ED Mar 98* 643-654
Chen Chin-Yang, *see* Chin-Yang Chen, *T-ED Jan 98* 247-253
Chen Chun, *see* Chun Chen, *T-ED Feb 98* 512-520
Cheng, Y.C., *see* Lai, P.T., *T-ED Feb 98* 521-528
Cheng, Y.C., *see* Lai, P.T., *T-ED Apr 98* 947-952
Cheng Juing-Yi, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Cheng Shiou-Ying, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Cheng Shui-Ming, *see* Cherng-Ming Yih, *T-ED Nov 98* 2343-2348
Chen Hsin-Li, *see* Hsin-Li Chen, *T-ED Oct 98* 2245-2247
Chen Ih-Chin, *see* Chatterjee, A., *T-ED Jun 98* 1246-1252
Chen Jian, *see* Raskin, J.-P., *T-ED May 98* 1017-1025
Chen Jing-Yuh, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379

Chenming Hu, *see* Noda, K., *T-ED Apr 98* 809-814
Chenming Hu, *see* Mansun Chan, *T-ED Apr 98* 834-841
Chenming Hu, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Chenming Hu, *see* Qiuxia Xu, *T-ED Sep 98* 2002-2009
Chen Pin-Fan, *see* Johnson, R.A., *T-ED May 98* 1047-1054
Chen Wang, *see* Baoping Wang, *T-ED Feb 98* 554-559
Chen Yen-Kuang, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Cheol Choi Kyung, *see* Kyung Cheol Choi, *T-ED Jun 98* 1356-1360
Cheon Lim Byung, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Cheon Seo Kim, *see* Min Park, *T-ED Sep 98* 1953-1959
Cherng-Ming Yih, Shui-Ming Cheng, and S.S. Chung. A new approach to simulating n-MOSFET gate current degradation by including hot-electron induced oxide damage; *T-ED Nov 98* 2343-2348
Che Ta Clement Hsu, *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736
Chiang, C.Y.-T., Che Ta Clement Hsu, Y.T. Yeow, and R. Ghodsi. Measurement of MOSFET substrate dopant profile via inversion layer-to-substrate capacitance; *T-ED Aug 98* 1732-1736
Chiang, L.-P., *see* Wang, T., *T-ED Jul 98* 1511-1517
Chiang Lu-Ping, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Chiang Meng-Hsueh, *see* Fossum, J.G., *T-ED May 98* 1055-1062
Chih-Chieh Shen, J. Murguia, N. Goldsman, M. Peckerar, J. Melngailis, and D.A. Antoniadis. Use of focused-ion-beam and modeling to optimize submicron MOSFET characteristics; *T-ED Feb 98* 453-459
Chih-Tang Sah, *see* Han, K.M., *T-ED Jun 98* 1380-1382
Chih-Wen Lu, and Chung Len Lee. A physical simulation model for field emission triode; *T-ED Oct 98* 2238-2244
Chi-Horng Li, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Chikaki, S., *see* Inoue, K., *T-ED Nov 98* 2312-2318
Chimoon Huang, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Chim Wai-Kin, *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Chindalore, G.L., *see* Hareland, S.A., *T-ED Jan 98* 179-186
Chindalore, G.L., J.B. McKeon, S. Mudanai, S.A. Hareland, W.-K. Shih, C. Wang, A.F. Tasch, Jr., and C.M. Maziar. An improved technique and experimental results for the extraction of electron and hole mobilities in MOS accumulation layers; *T-ED Feb 98* 502-511
Chindalore, G.L., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Ching-Hsiang Hsu Charles, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Ching-Ting Lee Optically induced sidegating current isolation of GaAs MESFET by multiquantum barrier; *T-ED Sep 98* 2083-2085
Ching-Yuan Wu, *see* Hsin-Ming Hou, *T-ED Jan 98* 200-205
Ching-Yuan Wu, *see* Kuo-Feng You, *T-ED Jan 98* 239-246
Ching-Yuan Wu, *see* Hsin-Li Chen, *T-ED Oct 98* 2245-2247
Chin-Min Shyu, *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Chin-Shown Shieu, *see* Hsin-Ming Hou, *T-ED Jan 98* 200-205
Chin-Yang Chen, Ming-Jer Jeng, and Jenn-Gwo Hwu. Rapid thermal postoxidation anneal engineering in thin gate oxides with Al gates; *T-ED Jan 98* 247-253
Cho, M.K., *see* Kim, D.M., *T-ED Aug 98* 1696-1702
Cho, M.K., *see* Kim, D.M., *T-ED Aug 98* 1703-1709
Choi, K.-K., *see* Chen, C.-J., *T-ED Jul 98* 1431-1437
Choi Jong Hyun, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Choi Kwangsoo, *see* Kwangsoo Choi, *T-ED Feb 98* 401-405
Choi Kwon-Young, *see* Kwon-Young Choi, *T-ED Jun 98* 1272-1279
Choi Kyung Cheol, *see* Kyung Cheol Choi, *T-ED Jun 98* 1356-1360
Choi Seokjin, *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Choon-Leong Lou, Wai-Kin Chim, D.S.-H. Chan, and Tang Pan. A novel single-device DC method for extraction of the effective mobility and source-drain resistances of fresh and hot-carrier degraded drain-engineered MOSFET's; *T-ED Jun 98* 1317-1323
Cho Shih-Kang, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Chou, M.H., *see* Guo, J.-C., *T-ED Jul 98* 1518-1523
Christ, M.F., *see* Brennan, C.R., *T-ED Sep 98* 2024-2031
Chuang Ming-Yeh, *see* Ming-Yeh Chuang, *T-ED Feb 98* 439-446
Chuang Ming-Yeh, *see* Ming-Yeh Chuang, *T-ED Sep 98* 1993-2001
Chun Chen, and Tso-Ping Ma. Direct lateral profiling of hot-carrier-induced oxide charge and interface traps in thin gate MOSFET's; *T-ED Feb 98* 512-520
Chung, H.W.M., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Chung, J.E., *see* Stine, B.E., *T-ED Mar 98* 665-679
Chung, S.S., *see* Cherng-Ming Yih, *T-ED Nov 98* 2343-2348
Chung Chan, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Chung-Kuang Huang, W.E. Zhang, and C.H. Yang. Two-dimensional numerical simulation of Schottky barrier MOSFET with channel length to 10 nm; *T-ED Apr 98* 842-848
Chung Len Lee, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Chung Len Lee, *see* Lurng Shehng Lee, *T-ED Aug 98* 1737-1744
Chung-Len Lee, *see* Chyuan-Haur Kao, *T-ED Sep 98* 1927-1933
Chung Len Lee, *see* Chih-Wen Lu, *T-ED Oct 98* 2238-2244
Chung Sang-Koo, *see* Sang-Koo Chung, *T-ED Jun 98* 1374-1376
Chung Sang-Koo, *see* Sang-Koo Chung, *T-ED Aug 98* 1850-1854
Chung Suk Jae, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Chwan-Gwo Chyau, and Sheng-Lyang Jang. A compact pre- and post-stress I-V model for submicrometer buried-channel pMOSFETs; *T-ED Oct 98* 2167-2178
Chyau, C.-G., *see* Liu, S.-S., *T-ED Jul 98* 1538-1547
Chyau Chwan-Gwo, *see* Chwan-Gwo Chyau, *T-ED Oct 98* 2167-2178
Chyuan-Haur Kao, Chao-Sung Lai, and Chung-Len Lee. The TEOS oxide deposited on phosphorus in-situ/POCl$_3$ doped polysilicon with rapid thermal annealing in N_2O; *T-ED Sep 98* 1927-1933
Claeys, C., *see* Hou, F.-C., *T-ED Dec 98* 2528-2536
Clement, J.J., *see* Riege, S.P., *T-ED Oct 98* 2254-2257
Clement Hsu Che Ta, *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736
Colalongo, L., M. Valdinoci, A. Pellegrini, and M. Rudan. Dynamic modeling of amorphous- and polycrystalline-silicon devices; *T-ED Apr 98* 826-833
Colinge, J.-P. Fully-depleted SOI CMOS for analog applications; *T-ED May 98* 1010-1016
Colinge, J.-P., *see* Raskin, J.-P., *T-ED May 98* 1017-1025
Collins, S.D., *see* Jamash, S., *T-ED Jun 98* 1239-1245
Cong, H.-I., *see* Vuong, H.-H., *T-ED Apr 98* 991-993
Cooper, J.A., *see* Schoen, K.P., *T-ED Jul 98* 1595-1604
Cooper, J.A., Jr., *see* Sei-Hyung Ryu, *T-ED Jan 98* 45-53
Cooper, J.A., Jr., *see* Lam, M.P., *T-ED Feb 98* 565-567
Coors, S., *see* Zhu, Q., *T-ED Jul 98* 1393-1398
Coriatan, D., *see* Neyts, K., *T-ED Apr 98* 768-777
Correig, X., *see* Pallares, J., *T-ED Jan 98* 54-61
Cova, P., *see* Borgarino, M., *T-ED Feb 98* 366-372
Crabbe, E., *see* Wong, H.P., *T-ED Apr 98* 889-894
Cressler, J.D., *see* Niu, G., *T-ED Dec 98* 2499-2504
Cristoloveanu, S., *see* Fossum, J.G., *T-ED May 98* 998-999
Cristoloveanu, S., *see* Faccio, F., *T-ED May 98* 1033-1038
Cristoloveanu, S., *see* Munteanu, D., *T-ED Aug 98* 1678-1683
Crowe, T.W., *see* Gelmont, B.L., *T-ED Dec 98* 2521-2527
Crupi, F., R. Degraeve, G. Groeseneken, T. Nigam, and H.E. Maes. On the properties of the gate and substrate current after soft breakdown in ultrathin oxide layers; *T-ED Nov 98* 2329-2334

D

D'Agostino, S., F. Emma, and C. Psoloni. Accurate analysis of helix slow-wave structures; *T-ED Jul 98* 1605-1613
Dah-Bin Kao, M. Manley, C. Blair, G. Scott, H.W.M. Chung, K. Brown, N. Narahari, E.R. Myers, and Chin-Min Shyu. Two-dimensional effects in titanium silicidation; *T-ED Jan 98* 187-193
Dahl, P., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Dambrine, G., *see* Danneville, F., *T-ED Oct 98* 2207-2212
Daniel, E.S., *see* Pettersson, P.O., *T-ED Jan 98* 286-292
Danneville, F., *see* Mateos, J., *T-ED Sep 98* 2081-2083
Danneville, F., G. Dambrine, and A. Cappy. Noise modeling in MESFET and HEMT mixers using a uniform noisy line model; *T-ED Oct 98* 2207-2212
Dao, T.B., *see* Aum, P.K., *T-ED Mar 98* 722-730
Darling, R.B., *see* Zurek, S.J., *T-ED Jan 98* 2-8
Darwish, B., *see* Zebda, Y., *T-ED Jan 98* 85-90
Das, M.B., *see* Sung, R., *T-ED Aug 98* 1769-1775
Das, M.K., *see* Lam, M.P., *T-ED Feb 98* 565-567
DasGupta, A., *see* DasGupta, N., *T-ED Jul 98* 1494-1500
DasGupta, N., and A. DasGupta. A new SPICE MOSFET Level 3-like model of HEMT's for circuit simulation; *T-ED Jul 98* 1494-1500
Datta, S., Shen Shi, K.P. Roenker, M.M. Cahay, and W.E. Stanchina. Simulation and design of InAlAs/InGaAs pnp heterojunction bipolar transistors; *T-ED Aug 98* 1634-1643
Datta, S.K., P.K. Jain, M.D.R. Narayan, and B.N. Basu. Nonlinear Eulerian hydrodynamical analysis of helix traveling-wave tubes; *T-ED Sep 98* 2055-2062
David, J.P.R., *see* Flitcroft, R.M., *T-ED Jun 98* 1207-1212
David, J.P.R., *see* Ong, D.S., *T-ED Aug 98* 1804-1810
David, J.P.R., *see* Ghin, R., *T-ED Oct 98* 2096-2101
David, J.P.R., *see* Li, K.F., *T-ED Oct 98* 2102-2107
Davis, J.A., V.K. De, and J.D. Meindl. A stochastic wire-length distribution for gigascale integration (GSI). I. Derivation and validation; *T-ED Mar 98* 580-589
Davis, J.A., V.K. De, and J.D. Meindl. A stochastic wire-length distribution for gigascale integration (GSI). II. Applications to clock frequency, power dissipation, and chip size estimation; *T-ED Mar 98* 590-597
Dayton, J.A., Jr., *see* Kory, C.L., *T-ED Apr 98* 966-971
Dayton, J.A., Jr., *see* Kory, C.L., *T-ED Apr 98* 972-976
Dayton, J.A., Jr, *see* Kory, C.L., *T-ED Sep 98* 2063-2071
De, V.K., *see* Davis, J.A., *T-ED Mar 98* 580-589
De, V.K., *see* Davis, J.A., *T-ED Mar 98* 590-597
de Blauwe, J., J. van Heudt, D. Wellekens, G. Groeseneken, and H.E. Maes. SILC-related effects in flash E^{2}PROM's-Part I: A quantitative model for steady-state SILC; *T-ED Aug 98* 1745-1750
de Blauwe, J., J. van Heudt, D. Wellekens, G. Groeseneken, and H.E. Maes. SILC-related effects in flash E^{2}PROM's-Part II: Prediction of

steady-state SILC-related disturb characteristics; *T-ED Aug 98* 1751-1760

De Blauwe, J., D. Wellekens, G. Groeseneken, L. Haspeslagh, Van Houdt J., L. Deferm, and H.E. Maes. Read-disturb and endurance of SSI-flash E^{2}PROM devices at high operating temperatures; *T-ED Dec 98* 2466-2474

DeBoer, S.J., *see* Thakur, R.P.S., *T-ED Mar 98* 609-619

de Cesare, G., *see* Caputo, D., *T-ED Jan 98* 270-276

Deferm, L., *see* De Blauwe, J., *T-ED Dec 98* 2466-2474

de Graaff, H.C., *see* de Vreede, L.C.N., *T-ED Jan 98* 277-285

de Graaff, H.C., *see* Rinaldi, N.F., *T-ED Aug 98* 1817-1825

Degraeve, R., J.L. Ogier, R. Bellens, P.J. Roussel, G. Groeseneken, and H.E. Maes. A new model for the field dependence of intrinsic and extrinsic time-dependent dielectric breakdown; *T-ED Feb 98* 472-481

Degraeve, R., G. Groeseneken, R. Bellens, J.L. Ogier, M. Depas, P.J. Roussel, and H.E. Maes. New insights in the relation between electron trap generation and the statistical properties of oxide breakdown; *T-ED Apr 98* 904-911

Degraeve, R., *see* Crupi, F., *T-ED Nov 98* 2329-2334

de la Houssaye, P.R., *see* Johnson, R.A., *T-ED May 98* 1047-1054

Del Alamo, J.A., *see* Ernst, A.N., *T-ED Jan 98* 9-13

Del Alamo, J.A., *see* Somerville, M.H., *T-ED Sep 98* 1883-1889

Delhunde, J., C.R. Mirasso, M.C. Torrent, and J.M. Sancho. Generator of ultrashort optical pulses for time division multiplexing; *T-ED Oct 98* 2122-2130

De Meyer, K., *see* Biesemans, S., *T-ED Jun 98* 1310-1316

Depas, M., *see* Degraeve, R., *T-ED Apr 98* 904-911

De Raedt, W., *see* van Meer, H., *T-ED Dec 98* 2475-2482

de Vreede, L.C.N., H.C. de Graaff, J.L. Tauritz, and R.G.F. Baets. Extension of the collector charge description for compact bipolar epilayer models; *T-ED Jan 98* 277-285

Dew, S.K., *see* Xiang Gui, *T-ED Feb 98* 380-386

Dew, S.K., *see* Smy, T., *T-ED Jul 98* 1414-1425

de Zwart, S.T., *see* Hendriks, B.H.W., *T-ED Aug 98* 1836-1842

Dhanda, S., *see* Ying Shi, *T-ED Nov 98* 2355-2360

Dhar, V., R.K. Bhan, and R. Ashokan. A new 2-D model for operating point shift in large LWIR HgCdTe FPA's; *T-ED Feb 98* 487-493

Diaz, V., *see* Algora, C., *T-ED Sep 98* 2047-2054

Dietrich, H.B., *see* Boos, J.B., *T-ED Sep 98* 1869-1875

Dilliner, L., *see* Stake, J., *T-ED Nov 98* 2298-2303

Diodato, P.W., *see* Vuong, H.-H., *T-ED Apr 98* 991-993

Dong-Hyuk Ju, *see* Bin Yu, *T-ED Jun 98* 1253-1262

Dongsung Hong, and D.M. Aslam. Technology and characterization of diamond field emitter structures; *T-ED Apr 98* 977-985

Dong Xu, H.G. Heiss, S.A. Kraus, M. Sexl, G. Bohm, G. Trankle, G. Weimann, and G. Abstreiter. Design and fabrication of double modulation doped InAlAs/InGaAs/InAs heterojunction FETs for high-speed and millimeter-wave applications; *T-ED Jan 98* 21-30

Doshi, P., and A. Rohatgi. 18% efficient silicon photovoltaic devices by rapid thermal diffusion and oxidation; *T-ED Aug 98* 1710-1716

Duan, F.I., *see* Ioannou, D.E., *T-ED May 98* 1147-1154

Duncan, A., U. Ravaioli, and J. Jakumeit. Full-band Monte Carlo investigation of hot carrier trends in the scaling of metal-oxide-semiconductor field-effect transistors; *T-ED Apr 98* 867-876

Dunn, G.M., *see* Ong, D.S., *T-ED Aug 98* 1804-1810

Duran, H.C., L. Ren, M. Beck, M.A. Py, M. Begems, and W. Bachtold. Low-frequency noise properties of selectively dry etched InP HEMT's; *T-ED Jun 98* 1219-1225

Duvvury, C., *see* Chen, J.Z., *T-ED Dec 98* 2448-2456

E

Eccleston, W., *see* Zhang, J.F., *T-ED Jan 98* 116-124

Eguchi, S., *see* Anjoh, I., *T-ED Mar 98* 743-752

Ehara, H., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458

Eimori, T., T. Oashi, F. Morishita, T. Iwamatsu, Y. Yamaguchi, F. Okuda, K. Shimomura, H. Shimano, N. Sakashita, K. Arimoto, Y. Inoue, S. Komori, M. Inuishi, T. Nishimura, and H. Miyoshi. Approaches to extra low voltage DRAM operation by SOI-DRAM; *T-ED May 98* 1000-1009

Elgamel, H.E.A. High efficiency polycrystalline silicon solar cells using low temperature PECVD process; *T-ED Oct 98* 2131-2137

El Hassan, M.G., O.O. Awadelkarim, and J.D. Werking. The impact of metal-1 plasma processing-induced hot carrier injection on the characteristics and reliability of n-MOSFETs; *T-ED Apr 98* 861-866

El-Mansy, Y.A., *see* Bohr, M.T., *T-ED Mar 98* 620-625

Emma, F., *see* D'Agostino, S., *T-ED Jul 98* 1605-1613

Enda, T., *see* Shigyo, N., *T-ED Feb 98* 460-464

Endoh, T., K. Shimizu, H. Iizuka, and F. Masuoka. A new write/erase method to improve the read disturb characteristics based on the decay phenomena of stress leakage current for flash memories; *T-ED Jan 98* 98-104

Enoki, T., *see* Suemitsu, T., *T-ED Dec 98* 2390-2399

Equi, E.R., *see* Stine, B.E., *T-ED Mar 98* 665-679

Eriguchi, K., and Y. Kosaka. Correlation between two time-dependent dielectric breakdown measurements for the gate oxides damaged by plasma processing; *T-ED Jan 98* 160-164

Ernst, A.N., M.H. Somerville, and J.A. Del Alamo. A new Z_{11} impedance technique to extract mobility and sheet carrier concentration in HFETs and MESFETs; *T-ED Jan 98* 9-13

Ershov, M., H.C. Liu, L. Li, M. Buchanan, Z.R. Wasilewski, and A.K. Jonscher. Negative capacitance effect in semiconductor devices; *T-ED Oct 98* 2196-2206

Eshraghi, S.A., *see* Vuong, H.-H., *T-ED Apr 98* 991-993

Esseni, D., A. Pieracci, M. Quadrelli, and B. Ricco. Hot-carrier-induced alterations of MOSFET capacitances: a quantitative monitor for electrical degradation; *T-ED Nov 98* 2319-2328

F

Faccio, F., F. Anghinolfi, E.H.M. Heijne, P. Jarron, and S. Cristoloveanu. Noise contribution of the body resistance in partially-depleted SOI MOSFETs; *T-ED May 98* 1033-1038

Fagotto, E.A.M., S.M. Rossi, and E. Moschim. Geometry effects on the electronic properties of multi-open dots structures; *T-ED Nov 98* 2361-2364

Fang, Y.K., *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088

Fantini, F., *see* Borgarino, M., *T-ED Feb 98* 366-372

Fath, P., *see* Keller, S., *T-ED Jul 98* 1569-1574

Fay, P., *see* Arafa, M., *T-ED Jan 98* 62-67

Fay, P., *see* Mahajan, A., *T-ED Jan 98* 338-340

Fay, P., *see* Mahajan, A., *T-ED Dec 98* 2422-2429

Fayaot, O., *see* Munteanu, D., *T-ED Aug 98* 1678-1683

Fenner, J.S., *see* Lu, J.-C., *T-ED Mar 98* 634-642

Fiegna, C., *see* Ohguro, T., *T-ED Mar 98* 717-721

Fiegna, C., and A. Abramo. Analysis of quantum effects in nonuniformly doped MOS structures; *T-ED Apr 98* 877-880

Finaldi, N.F. Modeling of small-signal minority-carrier transport in bipolar devices at arbitrary injection levels; *T-ED Jul 98* 1501-1510

Flitcroft, R.M., J.P.R. David, P.A. Houston, and C.C. Button. Avalanche multiplication in GaInP/GaAs single heterojunction bipolar transistors; *T-ED Jun 98* 1207-1212

Foerstner, J., *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380

Foley, M.C., *see* Zurek, S.J., *T-ED Jan 98* 2-8

Foote, M.C., E.W. Jones, and T. Caillat. Uncooled thermopile infrared detector linear arrays with detectivity greater than 10^9 cmHz$^{1/2}$/W; *T-ED Sep 98* 1896-1902

Fossum, J.G., *see* Workman, G.O., *T-ED Jan 98* 125-133

Fossum, J.G., S. Cristoloveanu, and M. Yoshimi. Foreword [intro. to the special issue on SOI integrated circuits and devices]; *T-ED May 98* 998-999

Fossum, J.G., Meng-Hsueh Chiang, and T.W. Houston. Design issues and insights for low-voltage high-density SOI DRAM; *T-ED May 98* 1055-1062

Fossum, J.G., *see* Munteanu, D., *T-ED Aug 98* 1678-1683

Fossum, J.G., *see* Workman, G.O., *T-ED Oct 98* 2138-2145

Foure, H., *see* Happy, H., *T-ED Oct 98* 2089-2095

Fragale, W., *see* Venkatesan, V., *T-ED Jan 98* 329-331

Francombe, M.H., *see* Wenzhong Shen, *T-ED Aug 98* 1671-1677

Frei, M.R., *see* Ng, K.K., *T-ED Aug 98* 1854-1855

Fujii, Y., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488

Fujimoto, R., *see* Saito, M., *T-ED Mar 98* 737-742

Fukaishi, M., *see* Wada, S., *T-ED Jun 98* 1183-1189

Fukaishi, M., *see* Wada, S., *T-ED Aug 98* 1656-1662

Fukano, H., *see* Takanashi, Y., *T-ED Dec 98* 2400-2406

Fukuda, S., *see* Shigyo, N., *T-ED Feb 98* 460-464

Fukui, M., *see* Takatani, S., *T-ED Jan 98* 14-20

Fu Lei Tan, *see* Yung Hao Lin, *T-ED Feb 98* 567-570

Fu Lei Tan, *see* Tan Fu Lei, *T-ED Apr 98* 912-917

Fung, S., *see* Chen, T.P., *T-ED Sep 98* 1920-1926

Fung, S., *see* Chen, T.P., *T-ED Sep 98* 1972-1977

Fung, S.K.H., *see* Banna, S.R., *T-ED Jan 98* 206-212

Fung, S.K.H., M. Chan, and P.K. Ko. Impact of scaling silicon film thickness and channel width on SOI MOSFET with reoxidized MESA isolation; *T-ED May 98* 1105-1110

Furuhata, N., *see* Wada, S., *T-ED Jun 98* 1183-1189

G

Gabl, R., and M. Reisch. Emitter series resistance from open-collector measurements - Influence of the collector region and the parasitic pnp transistor; *T-ED Dec 98* 2457-2465

Gael, A., B. Raiff, M. Ahmadpanah, and J. Boucher. Space-charge generation-recombination current in an abrupt P-N junction subjected to small bias voltage; *T-ED Jan 98* 331-334

GadelRab, S.M., and S.G. Chamberlain. Thick-layered etched-contact amorphous silicon transistors; *T-ED Feb 98* 465

GadelRab, S.M., A.M. Miri, and S.G. Chamberlain. A comparison of the performance and reliability of wet-etched and dry-etched a-Si:H TFTs; *T-ED Feb 98* 560-563

GadelRab, S.M., and S.G. Chamberlain. Improvement of the reliability of amorphous silicon transistors by conduction-band tail width reduction; *T-ED Oct 98* 2179-2186

Gamiz, F., J.A. Lopez-Villanueva, J.B. Roldan, J.E. Carceller, and P. Cartujo. Monte Carlo simulation of electron transport properties in extremely thin SOI MOSFET's; *T-ED May 98* 1122-1126

Gamiz, F., *see* Roldan, J.B., *T-ED Apr 98* 993-995

Gamiz, F., *see* Roldan, J.B., *T-ED Oct 98* 2249-2251

Garcia, G.A., *see* Johnson, R.A., *T-ED May 98* 1047-1054

Gartner, M., D. Vietzke, D. Reznik, M. Stoisiek, K.-G. Oppermann, and W. Gerlach. Bistability and hysteresis in the characteristics of segmented-anode lateral IGBTs; *T-ED Jul 98* 1575-1579

Gaudet, J.A., *see* Jalali, H., *T-ED Aug 98* 1761-1768

Gelatos, C., *see* Karzhavin, Y., *T-ED Mar 98* 753-755

Gelmont, B.L., D.L. Woolard, J.L. Hesler, and T.W. Crowe. A degenerately-doped GaAs Schottky diode model applicable for terahertz frequency regime operation; *T-ED Dec 98* 2521-2527

Geng Wang, *see* Tian, S., *T-ED Jun 98* 1226-1238

Gerlach, W., *see* Gartner, M., *T-ED Jul 98* 1575-1579

Ghezzi, C., *see* Menozzi, R., *T-ED Nov 98* 2261-2267

Ghis, R., J.P.R. David, S.A. Plimmer, M. Hopkinson, G.J. Rees, D.C. Herbert, and D.R. Wight. Avalanche multiplication and breakdown in $GaAs_{0.53}In_{0.47}P$ diodes; *T-ED Oct 98* 2096-2101

Ghione, G., *see* Bonani, F., *T-ED Jan 98* 261-269

Ghodsi, R., *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736

Gibbons, J.F., *see* Takagi, S., *T-ED Feb 98* 494-501

Gidenblat, G., *see* Vatannia, S., *T-ED Jul 98* 1616-1619

Gil Lee Jong, *see* Kinam Kim, *T-ED Mar 98* 598-608

Gillon, R., *see* Raskin, J.-P., *T-ED May 98* 1017-1025

Ginsberg, M.D., *see* Vatannia, S., *T-ED Jul 98* 1616-1619

Giovanetto, M., *see* Paulsen, R.E., *T-ED Mar 98* 655-664

Glust, G.K., and T.W. Sigmon. High-performance thin-film transistors fabricated using excimer laser processing and grain engineering; *T-ED Apr 98* 925-932

Gleskova, H., *see* Qing Zhang, *T-ED Jan 98* 343-345

Gonno, M., *see* Abou-Khalil, M.J., *T-ED Jul 98* 1399-1406

Goldsman, N., *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459

Goldys, E.M., *see* Subekti, A., *T-ED Oct 98* 2247-2248

Gonzalez, T., *see* Mateos, J., *T-ED Sep 98* 2081-2083

Gornstia, S., S. Muthuvenkatraman, and R. Venkat. A model for thermal growth of ultrathin silicon dioxide in O_2 ambient: a rate equation approach; *T-ED Jan 98* 336-338

Goser, K.F., *see* Horstmann, J.T., *T-ED Jan 98* 299-306

Gosney, W.M., *see* Romanenko, A.Y., *T-ED Jan 98* 218-223

Goto, N., *see* Tanaka, S., *T-ED Jan 98* 36-44

Goto, N., *see* Chang-Woo Kim, *T-ED Jun 98* 1190-1195

Gozzi, G., *see* Ricco, B., *T-ED Jul 98* 1554-1560

Grasnick, E. Noise characteristics of avalanche photodiode arrays of the bevel-edge type; *T-ED Jul 98* 1587-1594

Granatstein, V.L., *see* Saraph, G.P., *T-ED Apr 98* 986-990

Gray, M.G., T.E. Booth, T.J.T. Kwan, and C.M. Snell. A multicomb variance reduction scheme for Monte Carlo semiconductor simulators; *T-ED Apr 98* 918-924

Graziano, V., *see* Speciale, N., *T-ED Sep 98* 2037-2046

Grey, R., *see* Li, K.F., *T-ED Oct 98* 2102-2107

Grinberg, A.A., and S. Luryi. On electron transport across interfaces connecting materials with different effective masses; *T-ED Jul 98* 1561-1568

Groenig, P., *see* Venkatesan, V., *T-ED Jan 98* 329-331

Groeseneken, G., *see* Degraeve, R., *T-ED Feb 98* 472-481

Groeseneken, G., *see* Degraeve, R., *T-ED Apr 98* 904-911

Groeseneken, G., *see* de Blauwe, J., *T-ED Aug 98* 1745-1750

Groeseneken, G., *see* de Blauwe, J., *T-ED Aug 98* 1751-1760

Groeseneken, G., *see* Crupi, F., *T-ED Nov 98* 2329-2334

Groeseneken, G., *see* De Blauwe, J., *T-ED Dec 98* 2466-2474

Gui Xiang, *see* Xiang Gui, *T-ED Feb 98* 380-386

Gullapalli, K.K., *see* Joardar, K., *T-ED Jan 98* 134-148

Gunapala, S.D., S.V. Bundara, J.K. Liu, Winn Hong, Mani Sundaram, P.D. Maker, R.E. Muller, C.A. Shott, and R. Carralejo. Long-wavelength 640486 GaAs-AlGaAs quantum well infrared photodetector snap-shot camera; *T-ED Sep 98* 1890-1895

Guo, J.-C., Y.-C. Liu, M.H. Chou, M.T. Wang, and F. Shone. A three-terminal band-trap-band tunneling model for drain engineering and substrate bias effect on GIDL in MOSFET; *T-ED Jul 98* 1518-1523

Gupta, R.S., *see* Rajesh, S., *T-ED Jan 98* 334-336

H

Haegel, N.M., *see* Brennan, C.R., *T-ED Sep 98* 2024-2031

Hafizi, M. New submicron HBT IC technology demonstrates ultra-fast, low-power integrated circuits; *T-ED Sep 98* 1862-1868

Haiheng Wang, *see* Hareland, S.A., *T-ED Jan 98* 179-186

Halkias, G., and A. Vegiri. Device parameter optimization of strained Si channel SiGe/Si n-MODFET's using a one-dimensional charge control model; *T-ED Dec 98* 2430-2436

Hall, S., *see* Wainwright, S.P., *T-ED Dec 98* 2437-2447

Hamaguchi, C., *see* Perron, L.M., *T-ED Nov 98* 2372-2375

Hamamoto, T., S. Sugiura, and S. Sawada. On the retention time distribution of dynamic random access memory (DRAM); *T-ED Jun 98* 1300-1309

Han, K.M., and Chih-Tang Sah. Reduction of interface traps in p-channel MOS transistors during channel-hot-hole stress; *T-ED Jun 98* 1380-1382

Han, K.M., and C.-T. Sah. Positive oxide charge from hot hole injection during channel-hot-electron stress; *T-ED Jul 98* 1624-1627

Han Min-Koo, *see* Kwon-Young Choi, *T-ED Jun 98* 1272-1279

Han Seung-Youp, *see* Sang-Koo Chung, *T-ED Jun 98* 1374-1376

Hao Lin Yung, *see* Yung Hao Lin, *T-ED Feb 98* 567-570

Happy, H., S. Bollaert, H. Fours, and A. Cappy. Numerical analysis of device performance of metamorphic $In_xAl_{1-x}As/In_xGa_{1-x}As$ (0.3 ≤ x ≤ 0.6) HEMTs on GaAs substrate; *T-ED Oct 98* 2089-2095

Harada, M., C. Yamaguchi, and T. Suchiya. Investigation of a multigigahertz MOSFET amplifier with an on-chip inductor fabricated on a SIMOX wafer; *T-ED Jan 98* 173-178

Hareland, S.A., S. Jallepalli, Wei-Kai Shih, Haihong Wang, G.L. Chindalore, A.F. Tasch, and C.M. Maziar. A physically-based model for quantization effects in hole inversion layers; *T-ED Jan 98* 179-186

Hareland, S.A., *see* Chindalore, G.L., *T-ED Feb 98* 502-511

Hareland, S.A., M. Manassian; W.-K. Shih, S. Jallepalli, H. Wang, G.L. Chindalore, Al.F. Tasch, and C.M. Maziar. Computationally efficient models for quantization effects in MOS electron and hole accumulation layers; *T-ED Jul 98* 1487-1493

Hartford, A.H., *see* Lu, J.-C., *T-ED Mar 98* 634-642

Haslett, J.W., *see* Xiang Gui, *T-ED Feb 98* 380-386

Haspeslagh, L., *see* De Blauwe, J., *T-ED Dec 98* 2466-2474

Hatakeyama, K., *see* Satoh, S., *T-ED Feb 98* 482-486

Hatfield, C.W., G.L. Bilbro, S.T. Allen, and J.W. Palmour. DC I-V characteristics and RF performance of a 4H-SiC JFET at 773 K; *T-ED Sep 98* 2072-2074

Hauser, J.R., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355

Havart, R., E. Lheurette, O. Vanbesien, P. Mounaix, F. Mollot, and D. Lippens. Step-like heterostructure barrier varactor; *T-ED Nov 98* 2291-2297

Hawkins, M., *see* Venkatesan, V., *T-ED Jan 98* 329-331

Heijkenskjold, L.F., *see* Hermansson, W., *T-ED Apr 98* 957-965

Heljne, E.H.M., *see* Faccio, F., *T-ED May 98* 1033-1038

Heiss, H.G., *see* Dong Xu, *T-ED Jan 98* 21-30

Hemink, G., *see* Satoh, S., *T-ED Feb 98* 482-486

Hendriks, B.H.W., G.G.P. van Gorkom, N. Lambert, and S.T. de Zwart. Monte Carlo calculation of neck charging in cathode-ray tubes; *T-ED Aug 98* 1836-1842

H[illegible]driks, M., see Biesemans, S., *T-ED Jun 98* 1310-1316

h[illegible]i, I., *see* Yano, K., *T-ED Feb 98* 563-565

Henson, W.K., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355

Herbert, D.C. Theory of SiGe waveguide avalanche detectors operating at λ=1.3 μm; *T-ED Apr 98* 791-796

Herbert, D.C., *see* Ghin, R., *T-ED Oct 98* 2096-2101

Hermansson, W., B. Breitholtz, L.C.G. Zdansky, K. Andersson, L.F. Heijkenskjold, R. Revsater, and D. Sigurd. A MOS-controlled high-voltage thyristor with low switching losses; *T-ED Apr 98* 957-965

Her Wang Yeong, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218

Hesler, J.L., *see* Gelmont, B.L., *T-ED Dec 98* 2521-2527

Hess, K., I.C. Kizilyalli, and J.W. Lyding. Giant isotope effect in hot electron degradation of metal oxide silicon devices; *T-ED Feb 98* 406-416

Hida, H., *see* Wada, S., *T-ED Jun 98* 1183-1189

Hida, H., *see* Wada, S., *T-ED Aug 98* 1656-1662

Hi-Deok Lee, and Jeong-Mo Hwang. Accurate extraction of reverse leakage current components of shallow silicided p⁺-n junction for quarter- and sub-quarter-micron MOSFET's; *T-ED Aug 98* 1848-1850

Hi Lee Yun, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237

Hillenius, S.J., *see* Vuong, H.-H., *T-ED Apr 98* 991-993

Hilleringmann, U., *see* Horstmann, J.T., *T-ED Jan 98* 299-306

Hiraoka, Y., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945

Hirata, K., *see* Mochizuki, K., *T-ED Nov 98* 2268-2275

Hirata, K., *see* Oka, T., *T-ED Nov 98* 2276-2282

Hirose, M., *see* Nishihori, K., *T-ED Jul 98* 1385-1392

Hisamoto, D., S. Tanaka, T. Tanimoto, and S. Kimura. Suspended SOI structure for advanced 0.1-μm CMOS RF devices; *T-ED May 98* 1039-1046
Hoashi, T., *see* Onodera, T., *T-ED Aug 98* 1858-1860
Ho Jyh-Jier, *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Holm, P., *see* Rong-Ting Huang, *T-ED Nov 98* 2283-2290
Holton, W.C., *see* Williams, S.C., *T-ED Jan 98* 254-260
Holton, W.C., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Hong Dongsung, *see* Dongsung Hong, *T-ED Apr 98* 977-985
Hong Jyh-Wong, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Hong Kyushik, *see* Marsh, P., *T-ED Feb 98* 349-360
Hong Wins, *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Hosaje, K., *see* Tanaka, S., *T-ED Jan 98* 36-44
Hosaje, K., *see* Chang-Woo Kim, *T-ED Jun 98* 1190-1195
Hoon Jung Jae, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Hoon Kim, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Hopkinson, M., *see* Chin, R., *T-ED Oct 98* 2096-2101
Hor, Y.S.S., *see* Liang, Y.C., *T-ED Jul 98* 1614-1616
Horie, H., *see* Matsumoto, S., *T-ED Jan 98* 105-109
Horiuchi, M., and M. Tamura. BESS: a source structure that fully suppresses the floating body effects in SOI CMOSFETs; *T-ED May 98* 1077-1083
Horiuchi, M., T. Teshima, K. Tokunasu, and K. Yamaguchi. High-current small-parasitic-capacitance MOSFET on a poly-Si interlayered (PSI:Ψ) SOI wafer; *T-ED May 98* 1111-1115
Horwang, B., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355
Horstmann, J.T., U. Hilleringmann, and K.F. Goser. Matching analysis of deposition defined 50-nm MOSFET's; *T-ED Jan 98* 299-306
Hosack, H.H., P.K. Mozumder, and G.P. Pollack. Recent advances in process synthesis for semiconductor devices; *T-ED Mar 98* 626-633
Hou, F.-C., G. Boaman, E. Simoen, J. Vanhellemont, and C. Claeys. Bulk defect induced low-frequency noise in n⁺-p silicon diodes; *T-ED Dec 98* 2528-2536
Houdt J. Van, *see* De Blauwe, J., *T-ED Dec 98* 2466-2474
Hou Hsin-Ming, *see* Hsin-Ming Hou, *T-ED Jan 98* 200-205
Houng Mau Phon, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Houng Mau-Phon, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Houston, P.A., *see* Flitcroft, R.M., *T-ED Jun 98* 1207-1212
Houston, P.A., *see* Lye, B.-C., *T-ED Dec 98* 2417-2421
Houston, T.W., *see* Fossum, J.G., *T-ED May 98* 1055-1062
Hoyt, J.L., *see* Takagi, S., *T-ED Feb 98* 494-501
Hsiao, T.C., Ping Liu, and J.C.S. Woo. Advanced technologies for optimized sub-quarter-micrometer SOI CMOS devices; *T-ED May 98* 1092-1098
Hsiao, T.C., *see* Ping Liu, *T-ED Jun 98* 1280-1286
Hsieh, W.T., *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Hsieh Kuang-Chiou, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Hsien-Chang Wu, and J.B. Kuo. A compact velocity-overshoot model for deep-submicron bipolar devices considering energy transport; *T-ED Feb 98* 417-422
Hsin-Li Chen, and Ching-Yuan Wu. An analytical grain-barrier height model and its characterization for intrinsic poly-Si thin-film transistor; *T-ED Oct 98* 2245-2247
Hsin-Ming Hou, Chin-Shown Sheen, and Ching-Yuan Wu. A novel modeling technique for efficiently computing 3-D capacitances of VLSI multilevel interconnections-BFEM; *T-ED Jan 98* 200-205
Hsu Charles Ching-Hsiang, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Hsu Che Ta Clement , *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736
Hsu Shyh-Yuan, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Huang, C., *see* Wang, T., *T-ED Jul 98* 1511-1517
Huang, C.L., *see* Sheu, S., *T-ED Jan 98* 326-329
Huang, S.C., *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Huang, W.M., *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Huang Chimoon, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Huang Chung-Kuang, *see* Chung-Kuang Huang, *T-ED Apr 98* 842-848
Huang Rong-Ting, *see* Rong-Ting Huang, *T-ED Nov 98* 2283-2290
Huang Ru, *see* Ru Huang, *T-ED Sep 98* 2079-2081
Hu Chenming, *see* Noda, K., *T-ED Apr 98* 809-814
Hu Chenming, *see* Mansun Chan, *T-ED Apr 98* 834-841
Hu Chenming, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Hu Chenning, *see* Qiuxia Xu, *T-ED Sep 98* 2002-2009
Huggins, H., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Hui, K.Y., *see* Mansun Chan, *T-ED Apr 98* 834-841
Hui Wu, *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Hulfachor, R.B., *see* Williams, S.C., *T-ED Jan 98* 254-260
Hu Man-Chun, *see* Man-Chun Hu, *T-ED Apr 98* 797-801
Hun-Hsien Chang, and Ming-Dou Ker. Improved output ESD protection by dynamic gate floating design; *T-ED Sep 98* 2076-2078
Hurt, M.J., G. Meneghesso, E. Zanoni, W.C.B. Peatman, R. Tsai, and M.S. Shur. Breakdown behavior of low-power pseudomorphic AlGaAs/InGaAs 2-D MESFET's; *T-ED Aug 98* 1843-1845
Hussin, I.F., *see* Shu Qin, *T-ED Jun 98* 1324-1328
Hwang, C.-G., *see* Singh, R., *T-ED Mar 98* 574-579
Hwang Chang-Gyu, *see* Kinam Kim, *T-ED Mar 98* 598-608
Hwang Jeong-Mo, *see* Hi-Deok Lee, *T-ED Aug 98* 1848-1850
Hwang Liu Meng, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Hwan Oh Myung, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Hwu Jenn-Gwo, *see* Chin-Yang Chen, *T-ED Jan 98* 247-253
Hyun Chol Jong, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Hyungcheol Shin, M. Racanelli, W.M. Huang, J. Foerstner, Seokjin Choi, and D.K. Schroder. A simple technique to measure generation lifetime in partially depleted SOI MOSFETs; *T-ED Nov 98* 2378-2380
Hyung-Ki Kim, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Hyun Kyu Yu, *see* Min Park, *T-ED Sep 98* 1953-1959

I

Ih-Chin Chen, *see* Chatterjee, A., *T-ED Jun 98* 1246-1252
Iizuka, H., *see* Endoh, T., *T-ED Jan 98* 98-104
Ikraiam, F.A., R.B. Beck, and A. Jakubowski. Modeling of SOI-MOS capacitors C-V behavior: partially- and fully-depleted cases; *T-ED May 98* 1026-1032
Imai, S., *see* Ohguro, T., *T-ED Mar 98* 710-716
Imai, S., *see* Ohguro, T., *T-ED Mar 98* 717-721
Imanishi, K., *see* Iwai, T., *T-ED Jun 98* 1196-1200
Ino, K., *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Inoue, K., K. Mikagi, H. Abiko, S. Chikaki, and T. Kikkawa. A new cobalt salicide technology for 0.15-μm CMOS devices; *T-ED Nov 98* 2312-2318
Inoue, Y., *see* Maeda, S., *T-ED Jan 98* 165-172
Inoue, Y., *see* Eimori, T., *T-ED May 98* 1000-1009
Inoue, Y., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Inuishi, M., *see* Eimori, T., *T-ED May 98* 1000-1009
Ioannou, D.E., F.L. Dunn, S.P. Sinha, and A. Zaleski. Opposite-channel-based injection of hot-carriers in SOI MOSFET's: physics and applications; *T-ED May 98* 1147-1154
Ip, B.K., and J.R. Brews. Quantum effects upon drain current in a biased MOSFET; *T-ED Oct 98* 2213-2221
Ipposhi, T., *see* Maeda, S., *T-ED Jan 98* 165-172
Ipposhi, T., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Ishigaki, Y., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Ishii, Y., *see* Suemitsu, T., *T-ED Dec 98* 2390-2399
Ishimaru, Y., *see* Zhu, Y., *T-ED Sep 98* 2032-2036
Ishiyama, T., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945
Itakura, T., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458
Ito, A., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945
Ito, N., *see* Saito, M., *T-ED Mar 98* 737-742
Iwai, H., *see* Singh, R., *T-ED Mar 98* 574-579
Iwai, H., *see* Momose, H.S., *T-ED Mar 98* 691-700
Iwai, H., *see* Ohguro, T., *T-ED Mar 98* 710-716
Iwai, H., *see* Ohguro, T., *T-ED Mar 98* 717-721
Iwai, H., *see* Saito, M., *T-ED Mar 98* 737-742
Iwai, H., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Iwai, T., S. Ohara, H. Yamada, Y. Yamaguchi, K. Imanishi, and K. Joshin. High efficiency and high linearity InGaP/GaAs HBT power amplifiers: matching techniques of source and load impedance to improve phase distortion and linearity; *T-ED Jun 98* 1196-1200
Iwamatsu, T., *see* Eimori, T., *T-ED May 98* 1000-1009
Iwamatsu, T., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Iwata, N., *see* Yamaguchi, K., *T-ED Feb 98* 361-365
Izpura, J.I., *see* Vaitneia, J.F., *T-ED Jun 98* 1201-1206

J

J. Sun Jie, *see* Jie J. Sun, *T-ED Sep 98* 1946-1952
J. Van Houdt, *see* De Blauwe, J., *T-ED Dec 98* 2466-2474
Jae Chung Suk, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Jae Hoon Jung, Byeong Kwon Ju, Hoon Kim, Yun Hi Lee, Suk Jae Chung, Jin Jang, and Myung Hwan Oh. Effect of diamond-like carbon coating on the emission characteristics of molybdenum field emitter arrays; *T-ED Oct 98* 2232-2237
Jain, P.K., *see* Datta, S.K., *T-ED Sep 98* 2055-2062
Jakubowski, A., *see* Ikraiam, F.A., *T-ED May 98* 1026-1032
Jakubowski, A., *see* Jurczak, M., *T-ED Sep 98* 1985-1992
Jakumeit, J., *see* Duncan, A., *T-ED Apr 98* 867-876
Jalali, H., R.P. Joshi, and J.A. Gaudet. Effects of transverse doping variations on the transient response of silicon avalanche shaper devices; *T-ED Aug 98* 1761-1768
Jallepalli, S., *see* Hareland, S.A., *T-ED Jan 98* 179-186
Jallepalli, S., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Jamasb, S., S.D. Collins, and R.L. Smith. A physical model for threshold voltage instability in Si_3N_4-gate H^+-sensitive FET's (pH ISFET's); *T-ED Jun 98* 1239-1245
Jang, J., *see* Lee, K.H., *T-ED Dec 98* 2548-2551
Jang, S.-L., *see* Liu, S.-S., *T-ED Jul 98* 1538-1547

Jang, S.-L., S.-S. Liu, and C.-J. Sheu. A compact LDD MOSFET I-V model based on nonpinned surface potential; *T-ED Dec 98* 2489-2498
Jang Jin, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Jang Jin, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Jang Sheng-Lyang, *see* Man-Chun Hu, *T-ED Apr 98* 797-801
Jang Sheng-Lyang, *see* Chwan-Owo Chyau, *T-ED Oct 98* 2167-2178
Janik, T., *see* Majkusiak, B., *T-ED May 98* 1127-1134
Janik, T., and B. Majkusiak. Analysis of the MOS transistor based on the self-consistent solution to the Schrodinger and Poisson equations and on the local mobility model; *T-ED Jun 98* 1263-1271
Jarron, P., *see* Faccio, F., *T-ED May 98* 1033-1038
Jayant Baliga, B., *see* Nagapudi, V., *T-ED May 98* 1155-1161
Jeng Ming-Jer, *see* Chin-Yang Chen, *T-ED Jan 98* 247-253
Jenkins, K.A., and J.N. Burghartz. Measurement of the switching speed of single FET's; *T-ED Jun 98* 1369-1373
Jens-Geo Hwu, *see* Chin-Yang Chen, *T-ED Jan 98* 247-253
Jeong-Mo Hwang, *see* Hi-Deok Lee, *T-ED Aug 98* 1848-1850
Jeshin, K., *see* Iwai, T., *T-ED Jun 98* 1196-1200
Jesse, C.A., *see* Thakur, R.P.S., *T-ED Mar 98* 609-619
Jian Chen, *see* Raskin, J.-P., *T-ED May 98* 1017-1025
Jie J. Sun, Jiunn-Yann Tsai, and C.M. Osburn. Elevated n⁺/p junctions by implant into CoSi₂ formed on selective epitaxy for deep submicron MOSFETs; *T-ED Sep 98* 1946-1952
Jing-Yuh Chen, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Jin Jang, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Jin Jang, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Jin Wei, *see* Wei Jin, *T-ED Aug 98* 1717-1724
Jiunn-Yann Tsai, *see* Jie J. Sun, *T-ED Sep 98* 1946-1952
Ji-Woon Yang, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Ji-Yi Yang, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Joardar, K., K.K. Gullapalli, C.C. McAndrew, M.E. Burnham, and A. Wild. An improved MOSFET model for circuit simulation; *T-ED Jan 98* 134-148
Johnson, R.A., P.R. de la Houssaye, C.E. Chang, Pin-Fan Chen, M.E. Wood, G.A. Garcia, I. Lagnado, and P.M. Asbeck. Advanced thin-film silicon-on-sapphire technology: microwave circuit applications; *T-ED May 98* 1047-1054
Jones, B.K., *see* Azhar Iqbal, M., *T-ED Aug 98* 1663-1670
Jones, E.W., *see* Foote, M.C., *T-ED Sep 98* 1896-1902
Jones, J.R., *see* Stake, J., *T-ED Nov 98* 2298-2303
Jones, S.H., *see* Lipsey, R.E., *T-ED Sep 98* 1876-1882
Jones, S.H., *see* Stake, J., *T-ED Nov 98* 2298-2303
Jong Gil Lee, *see* Kinam Kim, *T-ED Mar 98* 598-608
Jong-Ho Lee, Jong-Son Lyu, Tae Moon Roh, and Bo Woo Kim. Effects of buffer layer structure on polysilicon buffer LOCOS for the isolation of submicron silicon devices; *T-ED Oct 98* 2153-2160
Jong Hyun Choi, Chang Soo Kim, Byung Cheon Lim, and Jin Jang. A novel thin film transistor using double amorphous silicon active layer; *T-ED Sep 98* 2074-2076
Jong-Son Lyu, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Jong-Wook Lee, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Jong-Wook Lee, *see* Kwon-Young Choi, *T-ED Jun 98* 1272-1279
Jonscher, A.K., *see* Ershov, M., *T-ED Oct 98* 2196-2206
Joseph, A.J., *see* Niu, G., *T-ED Dec 98* 2499-2504
Joshi, R.P., *see* Jalali, H., *T-ED Aug 98* 1761-1768
Ju, M.S., *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Ju Byeong Kwon, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Ju Dong-Hyuk, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Juing-Yi Cheng, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Jun Cai, *see* Baoping Wang, *T-ED Feb 98* 554-559
Jung Jae Hoon, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Jung-Jeun Lin, *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Jurczak, M., A. Jakubowski, and L. Lukasiak. The effects of high doping on the I-V characteristics of a thin-film SOI MOSFET; *T-ED Sep 98* 1985-1992
Jurkovic, M.J., *see* Zhao, Y., *T-ED Jan 98* 341-342
Jyh-Jier Ho, Y.K. Fang, Kun-Hsien Wu, W.T. Hsieh, S.C. Huang, G.S. Chen, M.S. Ju, and Jung-Jenn Lin. High-speed amorphous silicon germanium infrared sensors prepared on crystalline silicon substrates; *T-ED Sep 98* 2085-2088
Jyh-Wong Hong, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023

K

Kado, Y., *see* Ohno, T., *T-ED May 98* 1071-1076
Kao Chyuan-Haur, *see* Chyuan-Haur Kao, *T-ED Sep 98* 1927-1933
Kao Dah-Bin, *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Kapoor, A., *see* Stine, B.E., *T-ED Mar 98* 665-679
Karmalkar, S. A unified equilibrium treatment of modulation doped heterojunctions and grossly asymmetric homojunctions, and its application to MODFET design; *T-ED Oct 98* 2187-2195
Karzhavin, Y., K.Q. Lao, W. Wu, and C. Gelatos. Plasma-induced charging evaluation using SCA and PDM tools; *T-ED Mar 98* 753-755
Kasuga, M., *see* Yano, K., *T-ED Feb 98* 563-565
Katsuoda, M., *see* Yoshida, I., *T-ED Apr 98* 953-956
Katsumata, Y., *see* Momose, H.S., *T-ED Mar 98* 691-700
Katsumata, Y., *see* Oguro, T., *T-ED Mar 98* 710-716
Katsumata, Y., *see* Oguro, T., *T-ED Mar 98* 717-721
Katsumata, Y., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Kawai, A., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Kawai, K., *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Kawamura, T., *see* Andoh, E., *T-ED Apr 98* 778-784
Kaust, C.L., *see* Liu, H.I., *T-ED May 98* 1099-1104
Kee Soo Nam, *see* Min Park, *T-ED Sep 98* 1953-1959
Keller, S., M. Spiegel, P. Fath, G.P. Willeke, and E. Bucher. A critical evaluation of the effective diffusion length determination in crystalline silicon solar cells from an extended spectral analysis; *T-ED Jul 98* 1569-1574
Kepler, N., *see* Bin Yu, *T-ED Jun 98* 1253-1262
Ker Ming-Dou, *see* Ming-Dou Ker, *T-ED Apr 98* 849-860
Ker Ming-Dou, *see* Hun-Hsien Chang, *T-ED Sep 98* 2076-2078
Khan, R.U., *see* Mitra, H., *T-ED Jan 98* 68-77
Khan, R.U., *see* Shubha, *T-ED Jan 98* 78-84
Khmyrova, I., *see* Ryzhii, V., *T-ED Jan 98* 293-298
Khodier, M., *see* Zebda, Y., *T-ED Jan 98* 85-90
Kikkawa, T., *see* Inoue, K., *T-ED Nov 98* 2312-2318
Kim, D.M., M.K. Cho, and W.H. Kwon. Stacked gate mid-channel injection flash EEPROM cell. I. Programming speed and efficiency versus device structure; *T-ED Aug 98* 1696-1702
Kim, D.M., M.K. Cho, and W.H. Kwon. Stacked gate mid-channel injection flash EEPROM cell-Part II: analysis of gate current and modeling of programming characteristics; *T-ED Aug 98* 1703-1709
Kim, I.-J., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Kim, K.W., *see* Williams, S.C., *T-ED Jan 98* 254-260
Kim, K.W., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Kim, S.U. Analysis of thin gate oxide degradation during fabrication of advanced CMOS ULSI circuits; *T-ED Mar 98* 731-736
Kim Bo Woo, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Kim Chang Soo, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Kim Chang-Woo, *see* Chang-Woo Kim, *T-ED Jun 98* 1190-1195
Kim Cheon Soo, *see* Min Park, *T-ED Sep 98* 1953-1959
Kim Hoon, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Kim Hyung-Ki, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Kimijima, H., *see* Ohguro, T., *T-ED Mar 98* 710-716
Kim Kinam, *see* Kinam Kim, *T-ED Mar 98* 598-608
Kimura, S., *see* Nishida, A., *T-ED Mar 98* 701-709
Kimura, S., *see* Hisamoto, D., *T-ED May 98* 1039-1046
Kinam Kim, Chang-Gyu Hwang, and Jong Gil Lee. DRAM technology perspective for gigabit era; *T-ED Mar 98* 598-608
King, C.-A., *see* Ng, K.K., *T-ED Aug 98* 1854-1855
King Tsu-Jae, *see* Bin Yu, *T-ED Jun 98* 1253-1262
King Tsu-Jae, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Kirchsefer, S.W., *see* Boos, J.B., *T-ED Sep 98* 1869-1875
Kitsura, Y., *see* Nishihori, K., *T-ED Jul 98* 1385-1392
Kleityalli, I.C., *see* Hesz, K., *T-ED Feb 98* 406-416
Klaassen, D.B.M., *see* Stolk, P.A., *T-ED Sep 98* 1960-1971
Klein, K.M., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Knipp, D., *see* Stiebig, H., *T-ED Jul 98* 1438-1444
Ko, P.K., *see* Banna, S.R., *T-ED Jan 98* 206-212
Ko, P.K., *see* Fung, S.K.H., *T-ED May 98* 1105-1110
Ko, P.K., *see* Manzur Chan, *T-ED Apr 98* 834-841
Ko, P.K., *see* Kumar K.P., A., *T-ED Dec 98* 2514-2520
Kokjiro, I., *see* Yoshida, I., *T-ED Apr 98* 953-956
Koh Yo-Hwan, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Koizumi, H., M. Shimaya, and T. Tsuchiya. Suppressing the parasitic bipolar action in fully-depleted MOSFETs/SIMOX by using back-side bias-temperature treatment; *T-ED Apr 98* 933-938
Kollberg, E., *see* Stake, J., *T-ED Nov 98* 2298-2303
Komori, S., *see* Eimori, T., *T-ED May 98* 1000-1009
Kondo, M., K. Oda, E. Ohue, H. Shimamoto, M. Tanabe, T. Onai, and K. Washio. Ultra-low-power and high-speed SiGe base bipolar transistors for wireless telecommunication systems; *T-ED Jun 98* 1287-1294
Kornegay, K.T., *see* Sei-Hyung Ryu, *T-ED Jan 98* 45-53
Kornegay, K.T., *see* Lam, M.P., *T-ED Feb 98* 565-567
Kory, C.L., and J.A. Dayton, Jr. Accurate cold-test model of helical TWT slow-wave circuits; *T-ED Apr 98* 966-971
Kory, C.L., and J.A. Dayton, Jr. Effect of helical slow-wave circuit variations on TWT cold-test characteristics; *T-ED Apr 98* 972-976
Kory, C.L., and J.A. Dayton, Jr. Computational investigation of experimental interaction impedance obtained by perturbation for helical traveling-wave tube structures; *T-ED Sep 98* 2063-2071
Kosaka, Y., *see* Eriguchi, K., *T-ED Jan 98* 160-164
Kosina, H., *see* Wasshuber, C., *T-ED Nov 98* 2365-2371
Koster, A., *see* Vonsovici, A., *T-ED Feb 98* 538-542

Kosugi, M., *see* Andoh, E., *T-ED Apr 98* 778-784
Kow-Ming Chang, Chii-Horng Li, Shih-Wei Wang, Ta-Hsun Yeh, Ji-Yi Yang, and Tzyh-Cheang Lee. The relaxation phenomena of positive charges in thin gate oxide during Fowler-Nordheim tunneling stress; *T-ED Aug 98* 1684-1689
Kraus, S.A., *see* Dong Xu, *T-ED Jan 98* 21-30
Krishnan, S., *see* Workman, G.O., *T-ED Jan 98* 125-133
Kruppa, F., *see* Stine, B.E., *T-ED Mar 98* 665-679
Kruppa, W., *see* Boos, J.B., *T-ED Sep 98* 1869-1875
Krygowski, T., and A. Rohatgi. A simultaneously diffused, textured, in situ oxide AR-coated solar cell process (STAR process) for high-efficiency silicon solar cells; *T-ED Jan 98* 194-199
Kuang-Chien Hsieh, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Kubicek, S., *see* Biesemans, S., *T-ED Jun 98* 1310-1316
Kudo, M., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Kuehne, S.C., A.B.Y. Chan, C.T. Nguyen, and S.S. Wong. SOI MOSFET with buried body strap by wafer bonding; *T-ED May 98* 1084-1091
Kuhn, K.J., *see* Zurek, S.J., *T-ED Jan 98* 2-8
Kumar, M.J., *see* Patri, V.S., *T-ED Aug 98* 1725-1731
Kumar K.P., A., J.K.O. Sin, C.T. Nguyen, and P.K. Ko. Kink-free polycrystalline silicon double-gate elevated-channel thin-film transistors; *T-ED Dec 98* 2514-2520
Kun-Hsien Wu, *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Kuo, J.B., *see* Hsien-Chang Wu, *T-ED Feb 98* 417-422
Kuo-Feng You, Ming-Chien Chang, and Ching-Yuan Wu. A new simulation model for plasma ashing process-induced oxide degradation in MOSFET; *T-ED Jan 98* 239-246
Kurata, H., and T. Sugii. Self-aligned control of threshold voltages in sub-0.2-μm MOSFETs; *T-ED Oct 98* 2161-2166
Kuriyama, H., *see* Maeda, S., *T-ED Jan 98* 165-172
Kuriyama, H., Y. Ishigaki, Y. Fujii, S. Maegawa, S. Maeda, S. Miyamoto, K. Tsutsumi, H. Miyoshi, and A. Yasuoka. A C-switch cell for low-voltage and high-density SRAM's; *T-ED Dec 98* 2483-2488
Kurtz, A.D., *see* Okojie, R.S., *T-ED Apr 98* 785-790
Kuzuhara, M., *see* Yamaguchi, K., *T-ED Feb 98* 361-365
Kwan, T.J.T., *see* Gray, M.G., *T-ED Apr 98* 918-924
Kwangsoo Choi, and M. Matsumura. Poly-Si/poly-SiC_x heterojunction thin-film transistors; *T-ED Feb 98* 401-405
Kwon, W.H., *see* Kim, D.M., *T-ED Aug 98* 1696-1702
Kwon, W.H., *see* Kim, D.M., *T-ED Aug 98* 1703-1709
Kwon Ju Byeong, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Kwon-Young Choi, Jong-Wook Lee, and Min-Koo Han. Gate-overlapped lightly doped drain poly-Si thin-film transistors for large area-AMLCD; *T-ED Jun 98* 1272-1279
Kyono, C.S., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Kyung Cheol Choi, G.F. Saville, and S.C. Lee. Microbridge plasma display panel with high gas pressure; *T-ED Jun 98* 1356-1360
Kyushik Hong, *see* Marsh, P., *T-ED Feb 98* 349-360
Kyu Yu Hyun, *see* Min Park, *T-ED Sep 98* 1953-1959

L

Lacalta, A.L., *see* Zappa, F., *T-ED Jan 98* 91-97
Lacalta, A.L., *see* Villa, S., *T-ED Jan 98* 110-115
Lacalta, A.L., *see* Perron, L.M., *T-ED Nov 98* 2372-2375
Lagnado, I., *see* Johnson, R.A., *T-ED May 98* 1047-1054
Lai, P.T., J.P. Xu, W.M. Wong, H.B. Lo, and Y.C. Cheng. Correlation between hot-carrier-induced interface states and GIDL current increase in n-MOSFET's; *T-ED Feb 98* 521-528
Lai, P.T., J.P. Xu, C.K. Poek, and Y.C. Cheng. Analysis on accuracy of charge-pumping measurement with gate sawtooth pulses [MOSFETs]; *T-ED Apr 98* 947-952
Lai Chao Sung, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Lai Chao-Sung, *see* Chyuan-Haur Kao, *T-ED Sep 98* 1927-1933
Laih Li-Hong, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Laih Lih-Wen, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Lam, M.P., M.K. Das, J.N. Pan, K.T. Kornegay, J.A. Cooper, Jr., and M.R. Melloch. Effects of nitrogen implant activation on the SiC/SiO_2 interface of 6H-SiC self-aligned NMOSFET's; *T-ED Feb 98* 565-567
Lamb, A.C., *see* Wainwright, S.P., *T-ED Dec 98* 2437-2447
Lambert, N., *see* Hendriks, B.H.W., *T-ED Aug 98* 1836-1842
Lanzieri, C., *see* Menozzi, R., *T-ED Nov 98* 2261-2267
Lanzoni, M., *see* Ricco, B., *T-ED Jul 98* 1554-1560
Lao, K.Q., *see* Karzhavin, Y., *T-ED Mar 98* 753-755
La Rosa, G., *see* Lombardo, S.A., *T-ED Jul 98* 1531-1537
Law, M.E., *see* Ming-Yeh Chuang, *T-ED Feb 98* 439-446
Law, M.E., *see* Ming-Yeh Chuang, *T-ED Sep 98* 1993-2001
Lawson, W., *see* Saraph, G.P., *T-ED Apr 98* 986-990
Lee, G.S., *see* Rohdin, H., *T-ED Dec 98* 2407-2416
Lee, K.H., J.H. Park, and J. Jang. A high-performance polycrystalline silicon thin film transistor with a silicon nitride gate insulator; *T-ED Dec 98* 2548-2551
Lee, S.C., *see* Kyung Cheol Choi, *T-ED Jun 98* 1356-1360
Lee Ching-Ting, *see* Ching-Ting Lee, *T-ED Sep 98* 2083-2085
Lee Chung Len, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Lee Chung Len, *see* Lurng Shehng Lee, *T-ED Aug 98* 1737-1744
Lee Chung-Len, *see* Chyuan-Haur Kao, *T-ED Sep 98* 1927-1933
Lee Chung Len, *see* Chih-Wen Lu, *T-ED Oct 98* 2238-2244
Lee Hi-Deok, *see* Hi-Deok Lee, *T-ED Aug 98* 1848-1850
Lee Jong Gil, *see* Kinam Kim, *T-ED Mar 98* 598-608
Lee Jong-Ho, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Lee Jong-Wook, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Lee Jong-Wook, *see* Kwon-Young Choi, *T-ED Jun 98* 1272-1279
Lee Lurng Shehng, *see* Lurng Shehng Lee, *T-ED Aug 98* 1737-1744
Lee Seonghearn, *see* Min Park, *T-ED Sep 98* 1953-1959
Lee Tzyh-Cheang, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Lee Wen-Chin, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Lee Won-Chang, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Lee Yun Hi, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Lei Tan Fu, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Lei Tan Fu, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Lenahan, P.M., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Len Lee Chung, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Len Lee Chung, *see* Lurng Shehng Lee, *T-ED Aug 98* 1737-1744
Len Lee Chung, *see* Chih-Wen Lu, *T-ED Oct 98* 2238-2244
Leone, A., *see* Speciale, N., *T-ED Sep 98* 2037-2046
Leong, S.K., *see* Perugupalli, P., *T-ED Jul 98* 1468-1478
Leung Ying-Keung, *see* Ying-Keung Leung, *T-ED Oct 98* 2251-2254
Levinshtein, M.E., J.W. Palmour, S.L. Rumyantsev, and R. Singh. The critical charge density of 4H-SiC thyristors; *T-ED Jun 98* 307-312
Levy, H.J., *see* Pettersson, P.O., *T-ED Jan 98* 286-292
Lheureette, E., *see* Havart, R., *T-ED Nov 98* 2291-2297
Li, K.F., *see* Ong, D.S., *T-ED Aug 98* 1804-1810
Li, K.F., D.S. Ong, J.P.R. David, G.J. Rees, R.C. Tozer, P.N. Robson, and R. Grey. Avalanche multiplication noise characteristics in thin GaAs p⁺-i-n⁺ diodes; *T-ED Oct 98* 2102-2107
Li, L., *see* Ershov, M., *T-ED Oct 98* 2196-2206
Li, W.-L., *see* Su, Y.-K., *T-ED Apr 98* 763-767
Liang, Y.C., G.S. Samudra, and V.S.S. Hor. Design of integrated current sensor for lateral IGBT power devices; *T-ED Jul 98* 1614-1616
Liao, J.Y., *see* Wang, C.W., *T-ED Apr 98* 757-762
Liaw Ming-Chi, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Li Chii-Horng, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Li-Hong Laih, Tien-Chang Chang, Yen-Ann Chen, Wen-Chin Tsay, and Jyh-Wong Hong. Characteristics of MSM photodetectors with trench electrodes on p-type Si wafer; *T-ED Sep 98* 2018-2023
Lih-Wen Laih, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Lim, L-S., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Lim Byung Cheon, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Ling, C.H., *see* Ang, D.S., *T-ED Jan 98* 149-159
Ling, C.H., *see* Ang, D.S., *T-ED Apr 98* 895-903
Lin Jung-Jenn, *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Lin Po-Hung, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Linsu Tong, *see* Baoping Wang, *T-ED Feb 98* 554-559
Lin Yung Hao, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Liou, J.J., *see* Sheu, S., *T-ED Jan 98* 326-329
Lippens, D., *see* Havart, R., *T-ED Nov 98* 2291-2297
Lipsey, R.E., and S.H. Jones. Accurate design equations for 50-600 GHz GaAs Schottky diode varactor frequency doublers; *T-ED Sep 98* 1876-1882
Li Stella, *see* Chen, T.P., *T-ED Sep 98* 1920-1926
Li Stella, *see* Chen, T.P., *T-ED Sep 98* 1972-1977
Littlejohn, M.A., *see* Williams, S.C., *T-ED Jan 98* 254-260
Littlejohn, M.A., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Liu, H.C., *see* Wenzhong Shen, *T-ED Oct 98* 1671-1677
Liu, H.C., *see* Ershov, M., *T-ED Oct 98* 2196-2206
Liu, H.L., J.A. Burns, C.L. Keast, and P.W. Wyatt. Thin silicide development for fully-depleted SOI CMOS technology; *T-ED May 98* 1099-1104
Liu, J.K., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Liu, S.-S., S.-L. Jang, and C.-G. Chyau. Compact LDD nMOSFET degradation model; *T-ED Jul 98* 1538-1547
Liu, S.-S., *see* Jang, S.-L., *T-ED Dec 98* 2489-2498
Liu, Y.-C., *see* Guo, J.-C., *T-ED Jul 98* 1518-1523
Liu, Y.-X., P. Plotka, K. Suto, Y. Oyama, and J. Nishizawa. Tunneling through ultrathin GaAs n^{++}-p^{++}-n^{++} barrier grown by molecular layer epitaxy; *T-ED Dec 98* 2551-2554
Liu, Z.-Z., *see* Chen, C., *T-ED Jul 98* 1524-1530
Liu Meng Hwang, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Liu Ping, *see* Hsiao, T.C., *T-ED May 98* 1092-1098
Liu Ping, *see* Ping Liu, *T-ED Jun 98* 1280-1286
Liu Wen-Chau, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Li Yujun, *see* Yujun Li, *T-ED Jun 98* 1329-1335

Lo, H.B., *see* Lai, P.T., *T-ED Feb 98* 521-528
Lo, K.F., *see* Chen, T.P., *T-ED Sep 98* 1920-1926
Lo, K.F., *see* Chen, T.P., *T-ED Sep 98* 1972-1977
Loh, W., *see* Stine, B.E., *T-ED Mar 98* 665-679
Lombardo, S.A., V. Privitera, A. Pinto, P. Ward, G. La Rosa, and S.U. Campisano. Band-gap narrowing and high-frequency characteristics of Si/Ge_xSi_{1-x} heterojunction bipolar transistors formed by Ge ion implantation in Si; *T-ED Jul 98* 1531-1537
Long, W., *see* Zhou, X., *T-ED Dec 98* 2546-2548
Lopez-Villanueva, J.A., *see* Gamiz, F., *T-ED May 98* 1122-1126
Lopez-Villanueva, J.A., *see* Roldan, J.B., *T-ED Apr 98* 993-995
Lopez-Villanueva, J.A., *see* Roldan, J.B., *T-ED Oct 98* 2249-2251
Lou Choon-Leong, *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Lu, J.-C., W.C. Holton, J.S. Fenner, S.C. Williams, K.W. Kim, A.H. Hartford, D. Chen, K. Roze, and M.A. Littlejohn. A new device design methodology for manufacturability; *T-ED Mar 98* 634-642
Lu Chih-Wen, *see* Chih-Wen Lu, *T-ED Oct 98* 2238-2244
Lucovsky, G., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355
Lui, O.K.B., M.J. Quinn, S.W.-B. Tam, T.M. Brown, P. Migliorato, and H. Ohshima. Investigation of the low field leakage current mechanism in polysilicon TFT's; *T-ED Jan 98* 213-217
Lukasiak, L., *see* Jurczak, M., *T-ED Sep 98* 1985-1992
Lu-Ping Chiang, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Lurng Shehng Lee, and Chung Len Lee. Argon ion-implantation on polysilicon or amorphous-silicon for boron penetration suppression in p^+ pMOSFET; *T-ED Aug 98* 1737-1744
Luryl, S., *see* Grinberg, A.A., *T-ED Jul 98* 1561-1568
Lu Shifeng, *see* Venkatesan, V., *T-ED Jan 98* 329-331
Lyding, J.W., *see* Hess, K., *T-ED Feb 98* 406-416
Lye, B.-C., P.A. Houston, H.-K. Yow, and C.C. Button. GaInP/AlGaAs/GaInP double heterojunction bipolar transistors with zero conduction band spike at the collector; *T-ED Dec 98* 2417-2421
Lyu Jong-Son, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160

M

Ma, T.P. Making silicon nitride film a viable gate dielectric; *T-ED Mar 98* 680-690
Ma, T.-P., *see* Yujun Li, *T-ED Jun 98* 1329-1335
Ma, T.-P., *see* Chen, C., *T-ED Jul 98* 1524-1530
Ma, T.P., *see* Ying Shi, *T-ED Nov 98* 2355-2360
Maciejko, R., *see* Abou-Khalil, M.J., *T-ED Jul 98* 1399-1406
MacSweeney, D., K.G. McCarthy, A. Mathewson, and B. Mason. A SPICE compatible subcircuit model for lateral bipolar transistors in a CMOS process; *T-ED Sep 98* 1978-1984
Maeda, S., S. Maegawa, T. Ipposhi, H. Kuriyama, M. Ashida, Y. Inoue, H. Miyoshi, and A. Yasuoka. An analytical method of evaluating variation of the threshold voltage shift caused by the negative-bias temperature stress in poly-Si TFTs; *T-ED Jan 98* 165-172
Maeda, S., Y. Yamaguchi, I.-J. Kim, T. Iwamatsu, T. Ipposhi, S. Miyamoto, S. Maegawa, K. Ueda, K. Nii, K. Mashiko, Y. Inoue, T. Nishimura, and H. Miyoshi. Analysis of delay time instability according to the operating frequency in field shield isolated SOI circuits; *T-ED Jul 98* 1479-1486
Maeda, S., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Maeda, T., *see* Wada, S., *T-ED Jun 98* 1183-1189
Maeda, T., *see* Wada, S., *T-ED Aug 98* 1656-1662
Maegawa, S., *see* Maeda, S., *T-ED Jan 98* 165-172
Maegawa, S., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Maegawa, S., *see* Perron, L.M., *T-ED Nov 98* 2372-2375
Maegawa, S., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Maes, H.E., *see* Degraeve, R., *T-ED Feb 98* 472-481
Maes, H.E., *see* Degraeve, R., *T-ED Apr 98* 904-911
Maes, H.E., *see* de Blauwe, J., *T-ED Aug 98* 1745-1750
Maes, H.E., *see* de Blauwe, J., *T-ED Aug 98* 1751-1760
Maes, H.E., *see* Crupi, F., *T-ED Nov 98* 2329-2334
Maes, H.E., *see* De Blauwe, J., *T-ED Dec 98* 2466-2474
Mahajan, A., P. Fay, M. Arafa, and I. Adesida. Integration of InAlAs/InGaAs/InP enhancement- and depletion-mode high electron mobility transistors for high-speed circuit applications; *T-ED Jan 98* 338-340
Mahajan, A., M. Arafa, P. Fay, C. Caneau, and I. Adesida. Enhancement-mode high electron mobility transistors (E-HEMT's) lattice-matched to InP; *T-ED Dec 98* 2422-2429
Majkusiak, B., T. Janik, and J. Walczak. Semiconductor thickness effects in the double-gate SOI MOSFET; *T-ED May 98* 1127-1134
Majkusiak, B., *see* Janik, T., *T-ED Jun 98* 1263-1271
Majkusiak, B. Experimental and theoretical study of the current-voltage characteristics of the MISIM tunnel transistor; *T-ED Sep 98* 1903-1911
Maker, P.D., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Makwana, J., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Manassian, M., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Man-Chun Hu, and Sheng-Lyang Jang. An analytical fully-depleted SOI MOSFET model considering the effects of self-heating and source/drain resistance; *T-ED Apr 98* 797-801
Manfredi, M., *see* Menozzi, R., *T-ED Nov 98* 2261-2267
Mani Sundaram, *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Manklewich, P., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Manley, M., *see* Duh-Bin Kao, *T-ED Jan 98* 187-193
Mann, C., *see* Stake, J., *T-ED Nov 98* 2298-2303
Mansun Chan, *see* Banna, S.R., *T-ED Jan 98* 206-212
Mansun Chan, K.Y. Hui, Chenming Hu, and P.K. Ko. A robust and physical BSIM3 non-quasi-static transient and AC small-signal model for circuit simulation; *T-ED Apr 98* 834-841
Mansun Chan, *see* Wei Jin, *T-ED Aug 98* 1717-1724
Marques, F.C. Sprayed SnO_2 antireflection coating on textured silicon surface for solar cell applications; *T-ED Jul 98* 1619-1622
Marsal, L.F., *see* Pallares, J., *T-ED Jan 98* 54-61
Marsh, O.J., *see* Pettersson, P.O., *T-ED Jan 98* 286-292
Marsh, P., D. Pavlidis, and Kyushik Hong. InGaAs-Schottky contacts made by in situ plated and evaporated Pt-an analysis based on DC and noise characteristics; *T-ED Feb 98* 349-360
Martinez, E.J., M.S. Shur, and F.L. Schuermeyer. Gate current model for the hot-electron regime of operation in heterostructure field effect transistors; *T-ED Oct 98* 2108-2115
Martinez, E.J., M.S. Shur, and F.L. Schuermeyer. Analytical gate current model for n-channel heterostructure field effect transistors; *T-ED Oct 98* 2116-2121
Maruyama, Y., *see* Yoshida, I., *T-ED Apr 98* 953-956
Mashiko, K., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Mason, B., *see* MacSweeney, D., *T-ED Sep 98* 1978-1984
Mastrapasqua, M., *see* Selmi, L., *T-ED Apr 98* 802-808
Masuoka, F., *see* Endoh, T., *T-ED Jan 98* 98-104
Mateos, J., D. Purdo, T. Gonzilez, P. Takyszak, F. Danneville, and A. Cappy. Influence of Al mole fraction on the noise performance of GaAs/Al_xGa_{1-x}As HEMT's; *T-ED Sep 98* 2081-2083
Mathewson, A., *see* MacSweeney, D., *T-ED Sep 98* 1978-1984
Ma Tso-Ping, *see* Chun Chen, *T-ED Feb 98* 512-520
Matsuda, T., *see* Ohzone, T., *T-ED Feb 98* 529-537
Matsumoto, H., *see* Takatani, S., *T-ED Jan 98* 14-20
Matsumoto, S., T. Yachi, H. Horie, and Y. Arimoto. Thin-film quasi-SOI power MOSFET fabricated by reversed silicon wafer direct bonding; *T-ED Jan 98* 105-109
Matsumoto, S., Y. Hiraoka, T. Ishiyama, T. Sakai, T. Yachi, I. Yamada, A. Ito, and Y. Arimoto. Study on the device characteristics of a quasi-SOI power MOSFET fabricated by reversed silicon wafer direct bonding; *T-ED Sep 98* 1940-1945
Matsumura, M., *see* Kwangsoo Choi, *T-ED Feb 98* 401-405
Matsumura, N., *see* Sawada, K., *T-ED Jan 98* 321-325
Matsuno, N., *see* Wada, S., *T-ED Aug 98* 1656-1662
Mau Phon Houng, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Mau-Phon Houng, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Ma Zhengxiang, *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Maziar, C.M., *see* Hareland, S.A., *T-ED Jan 98* 179-186
Maziar, C.M., *see* Chindalore, G.L., *T-ED Feb 98* 502-511
Maziar, C.M., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
McAndrew, C.C., *see* Joardar, K., *T-ED Jan 98* 134-148
McCarthy, K.G., *see* MacSweeney, D., *T-ED Sep 98* 1978-1984
McGill, T.C., *see* Pettersson, P.O., *T-ED Jan 98* 286-292
McKeon, J.B., *see* Chindalore, G.L., *T-ED Feb 98* 502-511
McLarty, P.K., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355
Meindl, J.D., *see* Davis, J.A., *T-ED Mar 98* 580-589
Meindl, J.D., *see* Davis, J.A., *T-ED Mar 98* 590-597
Melloch, M.R., *see* Sei-Hyung Ryu, *T-ED Jan 98* 45-53
Melloch, M.R., *see* Lam, M.P., *T-ED Feb 98* 565-567
Melloch, M.R., *see* Schoen, K.P., *T-ED Jul 98* 1595-1604
Meingailis, J., *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459
Meneghesso, G., *see* Hurt, M.J., *T-ED Aug 98* 1843-1845
Meng-Hsueh Chiang, *see* Fossum, J.G., *T-ED May 98* 1055-1062
Meng Hwang Liu, Yeong Her Wang, and Mau Phon Houng. Effects of inelastic scattering on interband tunneling in GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structures; *T-ED Jun 98* 1213-1218
Meng Ming, *see* Noren, K.V., *T-ED Jan 98* 224-229
Menozzi, R., *see* Borgarino, M., *T-ED Feb 98* 366-372
Menozzi, R., M. Pavesi, M. Manfredi, C. Ghezzi, C. Lanzieri, M. Peroni, and C. Canali. Hot electron and DX center insensitivity of $Al_{0.25}Ga_{0.75}As$/GaAs HFET's designed for microwave power applications; *T-ED Nov 98* 2261-2267
Merten, J., J.M. Asensi, C. Voz, A.V. Shah, R. Platz, and J. Andreu. Improved equivalent circuit and analytical model for amorphous silicon solar cells and modules; *T-ED Feb 98* 423-429
Migliorato, P., *see* Lui, O.K.B., *T-ED Jan 98* 213-217
Mihara, M., *see* Nishihori, K., *T-ED Jul 98* 1385-1392
Mikagi, K., *see* Inoue, K., *T-ED Nov 98* 2312-2318

Ming-Chien Chang, *see* Kuo-Feng You, *T-ED Jan 98* 239-246
Ming-Chi Liaw, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Ming-Dou Ker Lateral SCR devices with low-voltage high-current triggering characteristics for output ESD protection in submicron CMOS technology; *T-ED Apr 98* 849-860
Ming-Dou Ker, *see* Hun-Hsien Chang, *T-ED Sep 98* 2076-2078
Ming-Jer Jeng, *see* Chin-Yang Chen, *T-ED Jan 98* 247-253
Ming Meng, *see* Noren, K.V., *T-ED Jan 98* 224-229
Ming-Yeh Chuang, M.E. Law, and K. O. Three-dimensional base distributed effects of long stripe BJT's: base resistance at DC; *T-ED Feb 98* 439-446
Ming-Yeh Chuang, M.E. Law, and K.K. O. Three-dimensional base distributed effects of long stripe BJT's: AC effects on input characteristics; *T-ED Sep 98* 1993-2001
Min-Koo Han, *see* Kwon-Young Choi, *T-ED Jun 98* 1272-1279
Min Park, Seonghearn Lee, Cheon Soo Kim, Hyun Kyu Yu, and Kee Soo Nam. The detailed analysis of high Q CMOS-compatible microwave spiral inductors in silicon technology; *T-ED Sep 98* 1953-1959
Min-Rok Oh, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Mirasso, C.R., *see* Dellunde, J., *T-ED Oct 98* 2122-2130
Miri, A.M., *see* GadelRab, S.M., *T-ED Feb 98* 560-563
Mitra, H., B.B. Pal, S. Singh, and R.U. Khan. Optical effect in InAlAs/InGaAs/InP MODFET; *T-ED Jan 98* 68-77
Miyakawa, T., *see* Ohzone, T., *T-ED Feb 98* 529-537
Miyamoto, H., *see* Noda, K., *T-ED Apr 98* 809-814
Miyamoto, S., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Miyamoto, S., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Miyoshi, H., *see* Maeda, S., *T-ED Jan 98* 165-172
Miyoshi, H., *see* Eimori, T., *T-ED May 98* 1000-1009
Miyoshi, H., *see* Sakakibara, K., *T-ED Jun 98* 1336-1341
Miyoshi, H., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Miyoshi, H., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Mo-Chiun Yu, *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Mochizuki, K., K. Ouchi, K. Hirata, T. Oka, and T. Tanoue. Heavily carbon-doped InGaP/GaAs HBT's with buried polycrystalline GaAs under the base electrode; *T-ED Nov 98* 2268-2275
Mochizuki, K., *see* Oka, T., *T-ED Nov 98* 2276-2282
Moll, N., *see* Rohdin, H., *T-ED Dec 98* 2407-2416
Mollot, F., *see* Havart, R., *T-ED Nov 98* 2291-2297
Momose, H.S., S.-I. Nakamura, T. Ohguro, T. Yoshitomi, E. Morifuji, T. Morimoto, Y. Katsumata, and H. Iwai. Study of the manufacturing feasibility of 1.5-nm direct-tunneling gate oxide MOSFETs: uniformity, reliability, and dopant penetration of the gate oxide; *T-ED Mar 98* 691-700
Momose, H.S., *see* Ohguro, T., *T-ED Mar 98* 710-716
Momose, H.S., *see* Ohguro, T., *T-ED Mar 98* 717-721
Momose, H.S., *see* Saito, M., *T-ED Mar 98* 737-742
Momose, H.S., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Moon Roh Tae, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Morf, T., C. Biber, and W. Bachtold. Effects of epitaxial lift-off on the DC, RF, and thermal properties of MESFET's on various host materials; *T-ED Jul 98* 1407-1413
Morifuji, E., *see* Momose, H.S., *T-ED Mar 98* 691-700
Morifuji, E., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Morimoto, T., *see* Momose, H.S., *T-ED Mar 98* 691-700
Morimoto, T., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Morishita, F., *see* Eimori, T., *T-ED May 98* 1000-1009
Morita, M., *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Morris, M.F., *see* Tian, S., *T-ED Jun 98* 1226-1238
Morris, S.J., *see* Tian, S., *T-ED Jun 98* 1226-1238
Morton, C.G., *see* Wood, J., *T-ED Jul 98* 1622-1624
Moschim, E., *see* Fagotto, E.A.M., *T-ED Nov 98* 2361-2364
Mounaix, P., *see* Havart, R., *T-ED Nov 98* 2291-2297
Mozumder, P.K., *see* Hosack, H.H., *T-ED Mar 98* 626-633
Mudanai, S., *see* Chindalore, G.L., *T-ED Feb 98* 502-511
Muller, J.-E., *see* Bovolon, N., *T-ED Aug 98* 1846-1848
Muller, R.E., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Munteanu, D., D.A. Weiser, S. Cristoloveanu, O. Faynot, J.-L. Pelloie, and J.G. Fossum. Generation-recombination transient effects in partially depleted SOI transistors: systematic experiments and simulations; *T-ED Aug 98* 1678-1683
Murakami, E., *see* Nishida, A., *T-ED Mar 98* 701-709
Murakami, S., *see* Tanaka, S., *T-ED Jan 98* 36-44
Murguia, J., *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459
Muthukrishnan, M., *see* Stine, B.E., *T-ED Mar 98* 665-679
Muthuvenkatraman, S., *see* Gorantla, S., *T-ED Jan 98* 336-338
Myers, E.R., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Myung Hwan Oh, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237

N

Nafria, M., *see* Rodriguez, R., *T-ED Apr 98* 881-888
Nagaoka, M., *see* Nishihori, K., *T-ED Jul 98* 1385-1392
Nagapudi, V., R. Sunkavalli, and B. Jayant Baliga. Effect of collector structure on the FBSOA of the dielectrically-isolated LIGBT; *T-ED May 98* 1155-1161
Nakajima, K., *see* Noda, K., *T-ED Apr 98* 809-814
Nakamura, S.-I., *see* Momose, H.S., *T-ED Mar 98* 691-700
Nakamura, T., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Nakamura, T., *see* Oka, T., *T-ED Nov 98* 2276-2282
Nakatsugawa, T., *see* Shu Qin, *T-ED Jun 98* 1324-1328
Nam Kee Soo, *see* Min Park, *T-ED Sep 98* 1953-1959
Narahari, N., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Narasimha, S., and A. Rohatgi. Fabrication and characterization of 18.6% efficient multicrystalline silicon solar cells; *T-ED Aug 98* 1776-1783
Narayan, M.D.R., *see* Datta, S.K., *T-ED Sep 98* 2055-2062
Ned, A.A., *see* Okojie, R.S., *T-ED Apr 98* 785-790
Neyts, K., and D. Corlatan. Simulation and measurement of multiplication in thin-film electroluminescent devices with doped probe layers; *T-ED Apr 98* 768-777
Ng, K.K., M.R. Frei, and C.A. King. Reevaluation of the fBV_{ceo} limit on Si bipolar transistors; *T-ED Aug 98* 1854-1855
Nguyen, C.T., *see* Kuehne, S.C., *T-ED May 98* 1084-1091
Nguyen, C.T., *see* Kumar K.P., A., *T-ED Dec 98* 2514-2520
Nian-Kai Zous, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Nigam, T., *see* Crupi, F., *T-ED Nov 98* 2329-2334
Nil, K., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Nimmagadda, S.V., *see* Singh, R., *T-ED Mar 98* 643-654
Nishi, Y., *see* Singh, R., *T-ED Mar 98* 574-579
Nishida, A., E. Murakami, and S. Kimura. Characteristics of low-energy BF_2- or As-implanted layers and their effect on the electrical performance of 0.15-μm MOSFET's; *T-ED Mar 98* 701-709
Nishihori, K., Y. Kitaura, M. Hirose, M. Mihara, M. Nagaoka, and N. Uchitomi. A self-aligned gate GaAs MESFET with p-pocket layers for high-efficiency linear power amplifiers; *T-ED Jul 98* 1385-1392
Nishimura, A., *see* Anjoh, I., *T-ED Mar 98* 743-752
Nishimura, T., *see* Eimori, T., *T-ED May 98* 1000-1009
Nishimura, T., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Nishizawa, J., *see* Liu, Y.-X., *T-ED Dec 98* 2551-2554
Niu, G., J.D. Cressler, and A.J. Joseph. Quantifying neutral base recombination and the effects of collector-base junction traps in UHV/CVD SiGe HBT's; *T-ED Dec 98* 2499-2504
Noda, K., T. Tatsumi, T. Uchida, K. Nakajima, H. Miyamoto, and Chenming Hu. A 0.1-μm delta-doped MOSFET fabricated with post-low-energy implanting selective epitaxy; *T-ED Apr 98* 809-814
Noren, K.V., and Ming Meng. Macromodel development for a FLOTOX EEPROM; *T-ED Jan 98* 224-229

O

O, K., *see* Ming-Yeh Chuang, *T-ED Feb 98* 439-446
O, K.K., *see* Ming-Yeh Chuang, *T-ED Sep 98* 1993-2001
Oeshi, T., *see* Eimori, T., *T-ED May 98* 1000-1009
Obradovic, B., *see* Tian, S., *T-ED Jun 98* 1226-1238
Oda, K., *see* Kondo, M., *T-ED Jun 98* 1287-1294
Odanaka, S., *see* Ohzone, T., *T-ED Feb 98* 529-537
Odle, D.W., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Ogier, J.L., *see* Degraeve, R., *T-ED Feb 98* 472-481
Ogier, J.L., *see* Degraeve, R., *T-ED Apr 98* 904-911
Ohara, S., *see* Iwai, T., *T-ED Jun 98* 1196-1200
Ohbu, I., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Ohguro, T., *see* Momose, H.S., *T-ED Mar 98* 691-700
Ohguro, T., N. Sugiyama, S. Imai, K. Usuda, M. Saito, T. Yoshitomi, M. Ono, H. Kimijima, H.S. Momose, Y. Katsumata, and H. Iwai. Undoped epitaxial Si channel n-MOSFET grown by UHV-CVD with preheating; *T-ED Mar 98* 710-716
Ohguro, T., K. Yamada, N. Sugiyama, S. Imai, K. Usuda, T. Yoshitomi, C. Fiegna, M. Ono, M. Saito, H.S. Momose, Y. Katsumata, and H. Iwai. 0.15-μm buried-channel p-MOSFETs with ultrathin boron-doped epitaxial Si layer; *T-ED Mar 98* 717-721
Ohguro, T., *see* Saito, M., *T-ED Mar 98* 737-742
Ohguro, T., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Ohmi, T., *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Oh Min-Rok, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Oh Myung Hwan, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Ohno, T., M. Takahashi, Y. Kado, and T. Tsuchiya. Suppression of parasitic bipolar action in ultra-thin-film fully-depleted CMOS/SIMOX devices by Ar-ion implantation into source/drain regions; *T-ED May 98* 1071-1076
Ohshika, K., *see* Takatani, S., *T-ED Jan 98* 14-20
Ohshima, H., *see* Lui, O.K.B., *T-ED Jan 98* 213-217
Ohue, E., *see* Kondo, M., *T-ED Jun 98* 1287-1294

Ohzone, T., T. Miyakawa, T. Matsuda, T. Yabu, and S. Odanaka. Influence of asymmetric/symmetric source/drain region on asymmetry and mismatch of CMOSFET's and circuit performance; *T-ED Feb 98* 529-537
Oka, T., *see* Mochizuki, K., *T-ED Nov 98* 2268-2275
Oka, T., K. Hirata, K. Ouchi, H. Uchiyama, K. Mochizuki, and T. Nakamura. Small-scaled InGaP/GaAs HBTs with WSi/Ti base electrode and buried SiO_2; *T-ED Nov 98* 2276-2282
Okada, H., J. Chen, and P.J. Bos. Possibility of stereoscopic displays by using a viewing angle dependence of twisted nematic liquid crystal cells; *T-ED Jul 98* 1445-1452
Okojie, R.S., A.A. Ned, A.D. Kurtz, and W.N. Carr. Characterization of highly doped n- and p-type 6H-SiC piezoresistors; *T-ED Apr 98* 785-790
Okuda, F., *see* Eimori, T., *T-ED May 98* 1000-1009
Onai, T., *see* Kondo, M., *T-ED Jun 98* 1287-1294
One, M., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Ong, D.S., K.F. Li, G.J. Rees, G.M. Dunn, J.P.R. David, and P.N. Robson. A Monte Carlo investigation of multiplication noise in thin p^+-i-n^+ GaAs avalanche photodiodes; *T-ED Aug 98* 1804-1810
Ong, D.S., *see* Li, K.F., *T-ED Oct 98* 2102-2107
Ono, M., *see* Ohguro, T., *T-ED Mar 98* 710-716
Ono, M., *see* Ohguro, T., *T-ED Mar 98* 717-721
Ono, M., *see* Saito, M., *T-ED Mar 98* 737-742
Onodera, T., and T. Hoashi. Generalized representation of beam coupling coefficient in ungridded reentrant cavity; *T-ED Aug 98* 1858-1860
Oppermann, K.-G., *see* Gartner, M., *T-ED Jul 98* 1575-1579
Osburn, C.M., *see* Sun, J.J., *T-ED Jun 98* 1377-1380
Osburn, C.M., *see* Jie J. Sun, *T-ED Sep 98* 1946-1952
Ouchi, K., *see* Mochizuki, K., *T-ED Nov 98* 2268-2275
Ouchi, K., *see* Oka, T., *T-ED Nov 98* 2276-2282
Oyama, Y., *see* Liu, Y.-X., *T-ED Dec 98* 2551-2554

P

Pacelli, A., *see* Spinelli, A.S., *T-ED Jun 98* 1342-1349
Pal, B.B., *see* Mitra, H., *T-ED Jan 98* 68-77
Pal, B.B., *see* Shubha, *T-ED Jan 98* 78-84
Pallares, J., L.F. Marsal, X. Correig, J. Calderer, and R. Alcubilla. Distribution of recombination currents in the space charge region of heterostructure bipolar devices; *T-ED Jan 98* 54-61
Palma, F., *see* Caputo, D., *T-ED Jan 98* 270-276
Palmour, J.W., *see* Levinshtein, M.E., *T-ED Jan 98* 307-312
Palmour, J.W., *see* Hatfield, C.W., *T-ED Sep 98* 2072-2074
Pan, J.N., *see* Lam, M.P., *T-ED Feb 98* 565-567
Pan Tang, *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Paoloni, C., *see* D'Agostino, S., *T-ED Jul 98* 1605-1613
Parihar, V., *see* Singh, R., *T-ED Mar 98* 643-654
Park, D., *see* Boos, J.B., *T-ED Sep 98* 1869-1875
Park, J.H., *see* Lee, K.H., *T-ED Dec 98* 2548-2551
Park Min, *see* Min Park, *T-ED Sep 98* 1953-1959
Parks, J.W., and K.F. Brennan. Numerical examination of silicon avalanche photodiodes operated in charge storage mode; *T-ED Feb 98* 394-400
Park Young-Bog, *see* Young-Bog Park, *T-ED Jun 98* 1361-1368
Pastalan, J., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Patel, S., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Patri, V.S., and M.J. Kumar. Profile design considerations for minimizing base transit time in SiGe HBT's; *T-ED Aug 98* 1725-1731
Paul, A.K., *see* Ying-Keung Leung, *T-ED Oct 98* 2251-2254
Paulsen, R.E., C.S. Kyono, Y. Wang, K.M. Klein, I.-S. Lim, S. Tinkler, B. Bellamak, D.W. Odle, Z. Zhou, P. Dahl, M. Giovanetto, J. Makwana, S. Patel, C. Reno, P.M. Lenahan, and C.A. Billman. Process integration of an interlevel dielectric (ILDO) module using a building-in reliability approach; *T-ED Mar 98* 655-664
Pavesi, M., *see* Selmi, L., *T-ED May 98* 1135-1139
Pavesi, M., *see* Selmi, L., *T-ED Apr 98* 802-808
Pavesi, M., *see* Menozzi, R., *T-ED Nov 98* 2261-2267
Pavlidis, D., *see* Marsh, P., *T-ED Feb 98* 349-360
Peatman, W.C.B., *see* Hurt, M.J., *T-ED Aug 98* 1843-1845
Peckerar, M., *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459
Pelella, M.M., Jr., *see* Workman, G.O., *T-ED Jan 98* 125-133
Pellegrini, A., *see* Colalongo, L., *T-ED Apr 98* 826-833
Pelloie, J.-L., *see* Shing-Hwa Renn, *T-ED May 98* 1140-1146
Pelloie, J.-L., *see* Munteanu, D., *T-ED Aug 98* 1678-1683
Pelloie, J.-L., *see* Shing-Hwa Renn, *T-ED Oct 98* 2146-2152
Pelloie, J.-L., *see* Shing-Hwa Renn, *T-ED Nov 98* 2335-2342
Pendharkar, S., and K. Shenai. Zero voltage switching behavior of punchthrough and nonpunchthrough insulated gate bipolar transistors (IGBT's); *T-ED Aug 98* 1826-1835
Pendharkar, S., M. Trivedi, and K. Shenai. Electrothermal simulations in punchthrough and nonpunchthrough IGBT's; *T-ED Oct 98* 2222-2231
Peroni, M., *see* Menozzi, R., *T-ED Nov 98* 2261-2267
Perron, L.M., *see* Villa, S., *T-ED Jan 98* 110-115
Perron, L.M., C. Hamaguchi, A.L. Lacaita, S. Maegawa, and Y. Yamaguchi. Switch-off behavior of floating-body PD SOI MOSFET's; *T-ED Nov 98* 2372-2375
Perugupalli, P., M. Trivedi, K. Shenai, and S.K. Leong. Modeling and characterization of an 80 V silicon LDMOSFET for emerging RFIC applications; *T-ED Jul 98* 1468-1478
Pettersson, P.O., A. Zur, E.S. Daniel, H.J. Levy, O.J. Marsh, and T.C. McGill. Dependence of the I-V curve of a metal insulator semiconductor switch on insulator thickness-an experimental and theoretical investigation; *T-ED Jan 98* 286-292
Phillips, J.E., *see* Yibin Bai, *T-ED Aug 98* 1784-1790
Phon Houng Mau, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Pieracci, A., and B. Ricco. A new characterization method for hot-carrier degradation in DMOS transistors; *T-ED Aug 98* 1855-1858
Pieracci, A., *see* Esseni, D., *T-ED Nov 98* 2319-2328
Pin-Fan Chen, *see* Johnson, R.A., *T-ED May 98* 1047-1054
Ping, E.-X., *see* Thakur, R.P.S., *T-ED Mar 98* 609-619
Ping Liu, *see* Hsiao, T.C., *T-ED May 98* 1092-1098
Ping Liu, T.C. Hsiao, and J.C.S. Woo. A low thermal budget self-aligned Ti silicide technology using germanium implantation for thin-film SOI MOSFET's; *T-ED Jun 98* 1280-1286
Pinto, A., *see* Lombardo, S.A., *T-ED Jul 98* 1531-1537
Pinto, M.R., *see* Bonani, F., *T-ED Jan 98* 261-269
Pinto, M.R., *see* Selmi, L., *T-ED Apr 98* 802-808
Pinto, M.R., *see* Vuong, H.-H., *T-ED Apr 98* 991-993
Platz, R., *see* Merten, J., *T-ED Feb 98* 423-429
Plimmer, S.A., *see* Ghin, R., *T-ED Oct 98* 2096-2101
Plotka, P., *see* Liu, Y.-X., *T-ED Dec 98* 2551-2554
Plummer, J.D., *see* Ying-Keung Leung, *T-ED Oct 98* 2251-2254
Plummer, J.D., *see* Auth, C.P., *T-ED Nov 98* 2381-2383
Pook, C.K., *see* Lai, P.T., *T-ED Apr 98* 947-952
Po-Hung Lin, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Polakos, P., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Pollack, G.P., *see* Hosack, H.H., *T-ED Mar 98* 626-633
Poole, K.F., *see* Singh, R., *T-ED Mar 98* 643-654
Poon, V.M.C., *see* Baoping Wang, *T-ED Feb 98* 554-559
Prasad, S., *see* Stine, B.E., *T-ED Mar 98* 665-679
Prasad, S., *see* Ying Shi, *T-ED Nov 98* 2355-2360
Privitera, G., *see* Speciale, N., *T-ED Sep 98* 2037-2046
Privitera, V., *see* Lombardo, S.A., *T-ED Jul 98* 1531-1537
Pardo, D., *see* Mateos, J., *T-ED Sep 98* 2081-2083
Py, M.A., *see* Duran, H.C., *T-ED Jun 98* 1219-1225

Q

Qing Zhang, D.S. Shen, H. Gleskova, and S. Wagner. Modeling of gate line delay in very large active matrix liquid crystal displays; *T-ED Jan 98* 343-345
Qin Shu, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Qiuxia Xu, and Chenning Hu. New Ti-SALICIDE process using Sb and Ge preamorphization for sub-0.2 μm CMOS technology; *T-ED Sep 98* 2002-2009
Quadrelli, M., *see* Esseni, D., *T-ED Nov 98* 2319-2328
Quinn, M.J., *see* Lui, O.K.B., *T-ED Jan 98* 213-217

R

Racanelli, M., *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Rafferty, C.S., *see* Vuong, H.-H., *T-ED Apr 98* 991-993
Rahal, A., *see* Abou-Khalil, M.J., *T-ED Jul 98* 1399-1406
Raiff, B., *see* Gaci, A., *T-ED Jan 98* 331-334
Rajesh, S., C. Thomas, and R.S. Gupta. Influence of profile shape factors on intrinsic Si-MESFET device capacitances under diffusion mechanism; *T-ED Jan 98* 334-336
Raskin, J.-P., R. Gillon, Jian Chen, D. Vanhoenacker-Janvier, and J.-P. Colinge. Accurate SOI MOSFET characterization at microwave frequencies for device performance optimization and analog modeling; *T-ED May 98* 1017-1025
Rauly, E., *see* Shing-Hwa Renn, *T-ED May 98* 1140-1146
Ravaioli, U., *see* Duncan, A., *T-ED Apr 98* 867-876
Raynaud, C., *see* Shing-Hwa Renn, *T-ED Oct 98* 2146-2152
Rees, G.J., *see* Ong, D.S., *T-ED Aug 98* 1804-1810
Rees, G.J., *see* Ghin, R., *T-ED Oct 98* 2096-2101
Rees, G.J., *see* Li, K.F., *T-ED Oct 98* 2102-2107
Reggiani, S., M.C. Vecchi, and M. Rudan. Investigation on electron and hole transport properties using the full-band spherical-harmonics expansion method; *T-ED Sep 98* 2010-2017
Reisch, M., *see* Gabl, R., *T-ED Dec 98* 2457-2465
Ren, L., *see* Duran, H.C., *T-ED Jun 98* 1219-1225
Renn Shing-Hwa, *see* Shing-Hwa Renn, *T-ED May 98* 1140-1146

Renn Shing-Hwa, *see* Shing-Hwa Renn, *T-ED Oct 98* 2146-2152
Renn Shing-Hwa, *see* Shing-Hwa Renn, *T-ED Nov 98* 2335-2342
Reno, C., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Revaster, R., *see* Hermansson, W., *T-ED Apr 98* 957-965
Reznik, D., *see* Gartner, M., *T-ED Jul 98* 1575-1579
Ricco, B., G. Gozzi, and M. Lanzoni. Modeling and simulation of stress-induced leakage current in ultrathin SiO_2 films; *T-ED Jul 98* 1554-1560
Ricco, B., *see* Pieracci, A., *T-ED Aug 98* 1855-1858
Ricco, B., *see* Esseni, D., *T-ED Nov 98* 2319-2328
Riege, S.P., C.V. Thompson, and J.J. Clement. A hierarchical reliability analysis for circuit design evaluation; *T-ED Oct 98* 2254-2257
Rieve, P., *see* Zhu, Q., *T-ED Jul 98* 1393-1398
Rim, K., *see* Takagi, S., *T-ED Feb 98* 494-501
Rinaldi, N.F., H.C. de Graaff, and J.L. Tauritz. Analysis and modeling of small-signal bipolar transistor operation at arbitrary injection levels; *T-ED Aug 98* 1817-1825
Rios, R., *see* Sleight, J.W., *T-ED Apr 98* 821-825
Robson, P.N., *see* Ong, D.S., *T-ED Aug 98* 1804-1810
Robson, P.N., *see* Li, K.F., *T-ED Oct 98* 2102-2107
Rodder, M., *see* Chatterjee, A., *T-ED Jun 98* 1246-1252
Rodriguez, R., M. Nafria, J. Sune, and X. Aymerich. Trapped charge distributions in thin (10 nm) SiO_2 films subjected to static and dynamic stresses; *T-ED Apr 98* 881-888
Roenker, K.P., *see* Datta, S., *T-ED Aug 98* 1634-1643
Rohatgi, A., *see* Krygowski, T., *T-ED Jan 98* 194-199
Rohatgi, A., *see* Doshi, P., *T-ED Aug 98* 1710-1716
Rohatgi, A., *see* Narasimha, S., *T-ED Aug 98* 1776-1783
Rohdin, H., N. Moll, C. Su, and G.S. Lee. Interfacial gate resistance in Schottky-barrier-gate field-effect transistors; *T-ED Dec 98* 2407-2416
Roh Tae Moon, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Roldan, J.B., *see* Gamiz, F., *T-ED May 98* 1122-1126
Roldan, J.B., F. Gamiz, J.A. Lopez-Villanueva, and J.E. Carceller. An analytical model for the electron velocity overshoot effects in strained-Si on Si_xGe_{1-x} MOSFETs; *T-ED Apr 98* 993-995
Roldan, J.B., F. Gamiz, J.A. Lopez-Villanueva, P. Cartujo, and J.E. Carceller. A model for the drain current of deep submicrometer MOSFETs including electron-velocity overshoot; *T-ED Oct 98* 2249-2251
Romanenko, A.Y., and W.M. Gosney. A numerical analysis of the storage times of dynamic random-access memory cells incorporating ultrathin dielectrics; *T-ED Jan 98* 218-223
Rong-Ting Huang, P. Holm, and P.D. Wright. Design and fabrication of AlGaInP LED array with integrated GaAs decode circuits; *T-ED Nov 98* 2283-2290
Rossi, S.M., *see* Fagotto, E.A.M., *T-ED Nov 98* 2361-2364
Rousset, P.J., *see* Degraeve, R., *T-ED Feb 98* 472-481
Rousset, P.J., *see* Degraeve, R., *T-ED Apr 98* 904-911
Roze, K., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Rudan, M., *see* Vecchi, M.C., *T-ED Jan 98* 230-238
Rudan, M., *see* Colalongo, L., *T-ED Apr 98* 826-833
Rudan, M., *see* Reggiani, S., *T-ED Sep 98* 2010-2017
Ru Huang, Xing Zhang, and Yangyuan Wang. A high-performance SOI drive-in gate controlled hybrid transistor (DGCHT); *T-ED Sep 98* 2079-2081
Rumyanetsev, S.L., *see* Levinshtein, M.E., *T-ED Jan 98* 307-312
Ryu Sei-Hyung, *see* Sei-Hyung Ryu, *T-ED Jan 98* 45-53
Ryzhii, M., *see* Ryzhii, V., *T-ED Jan 98* 293-298
Ryzhii, V., I. Khmyrova, and M. Ryzhii. Impact of transit-time and capture effects on high-frequency performance of multiple quantum-well infrared photodetectors; *T-ED Jan 98* 293-298
Ryzhii, V. High-frequency performance of single quantum well infrared photodetectors at high power densities; *T-ED Aug 98* 1797-1803

S

Sah, C.-T., *see* Han, K.M., *T-ED Jul 98* 1624-1627
Sah Chih-Tang, *see* Han, K.M., *T-ED Jun 98* 1380-1382
Saito, M., *see* Ohguro, T., *T-ED Mar 98* 710-716
Saito, M., *see* Ohguro, T., *T-ED Mar 98* 717-721
Saito, M., M. Ono, R. Fujimoto, H. Tanimoto, N. Ito, T. Yoshitomi, T. Ohguro, H.S. Momose, and H. Iwai. 0.15-μm RF CMOS technology compatible with logic CMOS for low-voltage operation; *T-ED Mar 98* 737-742
Saito, M., *see* Yoshitomi, T., *T-ED Jun 98* 1295-1299
Sakai, T., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945
Sakakibara, K., N. Ajika, and H. Miyoshi. On a universal parameter of intrinsic oxide breakdown based on analysis of trap-generation characteristics; *T-ED Jun 98* 1336-1341
Sakashita, N., *see* Eimori, T., *T-ED May 98* 1000-1009
Samori, C., *see* Zappa, F., *T-ED Jan 98* 91-97
Samudra, G.S., *see* Liang, Y.C., *T-ED Jul 98* 1614-1616
Sancho, J.M., *see* Dellunde, J., *T-ED Oct 98* 2122-2130
Sangiorgi, E., *see* Selmi, L., *T-ED May 98* 1135-1139
Sangiorgi, E., *see* Selmi, L., *T-ED Apr 98* 802-808
Sang-Koo Chung, and Seung-Youp Han. Analytical model for the surface field distribution of SOI RESURF devices; *T-ED Jun 98* 1374-1376
Sang-Koo Chung Injection currents analysis of p$^+$/n-buffer junction; *T-ED Aug 98* 1850-1854
Saraph, G.P., V.L. Granatstein, and W. Lawson. Design of a single-stage depressed collector for high-power, pulsed gyroklystron amplifiers; *T-ED Apr 98* 986-990
Saraswat, K.C., *see* Subramanian, V., *T-ED Aug 98* 1690-1695
Saraswat, K.C., *see* Subramanian, V., *T-ED Sep 98* 1934-1939
Sato, Y., *see* Tauchiya, T., *T-ED May 98* 1116-1121
Satoh, S., G. Hemink, K. Hatakeyama, and S. Aritome. Stress-induced leakage current of tunnel oxide derived from flash memory read-disturb characteristics; *T-ED Feb 98* 482-486
Satoh, S., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458
Saunier, P., *see* Somerville, M.H., *T-ED Sep 98* 1883-1889
Saville, G.F., *see* Kyung Cheol Choi, *T-ED Jun 98* 1356-1360
Sawada, K., N. Matsumura, and T. Ando. Photosensitive field emitters including a-Si:H p-i-n photodetection region; *T-ED Jan 98* 321-325
Sawada, S., *see* Hamamoto, T., *T-ED Jun 98* 1300-1309
Schaff, W.J., *see* Wenzhong Shen, *T-ED Aug 98* 1671-1677
Schiano, J.L., *see* Vatannia, S., *T-ED Jul 98* 1616-1619
Schmidt, K., *see* Vonsovici, A., *T-ED Feb 98* 538-542
Schneider, B., *see* Zhu, Q., *T-ED Jul 98* 1393-1398
Schoen, K.P., J.M. Woodall, J.A. Cooper, and M.R. Melloch. Design considerations and experimental analysis of high-voltage SiC Schottky barrier rectifiers; *T-ED Jul 98* 1595-1604
Schroder, D.K., *see* Young-Bog Park, *T-ED Jun 98* 1361-1368
Schroder, D.K., *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Schuermeyer, F.L., *see* Martinez, E.J., *T-ED Oct 98* 2108-2115
Schuermeyer, F.L., *see* Martinez, E.J., *T-ED Oct 98* 2116-2121
Schultheis, R., *see* Bovolon, N., *T-ED Aug 98* 1846-1848
Scott, G., *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Sei-Hyung Ryu, K.T. Kornegay, J.A. Cooper, Jr., and M.R. Melloch. Digital CMOS IC's in 6H-SiC operating on a 5-V power supply; *T-ED Jan 98* 45-53
Selberherr, S., *see* Wasshuber, C., *T-ED Nov 98* 2365-2371
Selmi, L., M. Pavesi, H.-S.P. Wong, A. Acovic, and E. Sangiorgi. Monitoring hot-carrier degradation in SOI MOSFETs by hot-carrier luminescence techniques; *T-ED May 98* 1135-1139
Selmi, L., M. Mastrapasqua, D.M. Boulin, J.D. Bude, M. Pavesi, E. Sangiorgi, and M.R. Pinto. Verification of electron distributions in silicon by means of hot carrier luminescence measurements; *T-ED Apr 98* 802-808
Seokjin Choi, *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Seonghearn Lee, *see* Min Park, *T-ED Sep 98* 1953-1959
Seung-Youp Han, *see* Sang-Koo Chung, *T-ED Jun 98* 1374-1376
Sezi, M., *see* Dong Xu, *T-ED Jan 98* 21-30
Shah, A.V., *see* Mertens, J., *T-ED Feb 98* 423-429
Sheen Chin-Shown, *see* Hsin-Ming Hou, *T-ED Jan 98* 200-205
Shehng Lee Lurng, *see* Lurng Shehng Lee, *T-ED Aug 98* 1737-1744
Shen, D.S., *see* Qing Zhang, *T-ED Jan 98* 343-345
Shenai, K., *see* Trivedi, M., *T-ED Jan 98* 313-320
Shenai, K., *see* Perugupalli, P., *T-ED Jul 98* 1468-1478
Shenai, K., *see* Pendharkar, S., *T-ED Aug 98* 1826-1835
Shenai, K., *see* Pendharkar, S., *T-ED Oct 98* 2222-2231
Shenai, K., *see* Trivedi, M., *T-ED Dec 98* 2537-2545
Shen Chih-Chieh, *see* Chih-Chieh Shen, *T-ED Feb 98* 453-459
Sheng Chao Tien, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Sheng-Lyang Jang, *see* Man-Chun Hu, *T-ED Apr 98* 797-801
Sheng-Lyang Jang, *see* Chwan-Gwo Chyau, *T-ED Oct 98* 2167-2178
Shen Shi, *see* Datta, S., *T-ED Aug 98* 1634-1643
Shen Wenzhong, *see* Wenzhong Shen, *T-ED Aug 98* 1671-1677
Sherony, M.J., *see* Wei, A., *T-ED Feb 98* 430-438
Sheu, C.-J., *see* Jang, S.-L., *T-ED Dec 98* 2489-2498
Sheu, S., J.J. Liou, and C.I. Huang. A new approach for SPICE simulation of AlGaAs/GaAs HBT subjected to burn-in test; *T-ED Jan 98* 326-329
Shiau Shyh Yin, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Shifeng Lu, *see* Venkatesan, V., *T-ED Jan 98* 329-331
Shigeta, J., *see* Takatani, S., *T-ED Jan 98* 14-20
Shigyo, N., T. Shimane, M. Suda, T. Enda, and S. Fukuda. Verification of saturation velocity lowering in MOSFET's inversion layer; *T-ED Feb 98* 460-464
Shih, W.-K., *see* Chindalore, G.L., *T-ED Feb 98* 502-511
Shih, W.-K., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Shih-Keng Cho, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Shih Wei-Kai, *see* Hareland, S.A., *T-ED Jan 98* 179-186
Shih-Wei Wang, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Shimamoto, H., *see* Kondo, M., *T-ED Jun 98* 1287-1294
Shimane, T., *see* Shigyo, N., *T-ED Feb 98* 460-464
Shimano, H., *see* Eimori, T., *T-ED May 98* 1000-1009
Shimawaki, H., *see* Tanaka, S., *T-ED Jan 98* 36-44

Shimaya, M., *see* Koizumi, H., *T-ED Apr 98* 933-938
Shimizu, A., *see* Yano, K., *T-ED Feb 98* 563-565
Shimizu, K., *see* Endoh, T., *T-ED Jan 98* 98-104
Shimizu, M., *see* Zhu, Y., *T-ED Sep 98* 2032-2036
Shimomura, K., *see* Eimori, T., *T-ED May 98* 1000-1009
Shing-Hwa Renn, E. Rauly, J.-L. Pelloie, and F. Balestra. Hot-carrier effects and lifetime prediction in off-state operation of deep submicron SOI N-MOSFETs; *T-ED May 98* 1140-1146
Shing-Hwa Renn, C. Raynaud, J.-L. Pelloie, and F. Balestra. A thorough investigation of the degradation induced by hot-carrier injection in deep submicron N- and P-channel partially and fully depleted unibond and SIMOX MOSFETs; *T-ED Oct 98* 2146-2152
Shing-Hwa Renn, J.-L. Pelloie, and F. Balestra. Hot-carrier effects and reliable lifetime prediction in deep submicron N- and P-channel SOI MOSFETs; *T-ED Nov 98* 2335-2342
Shin Hyungcheol, *see* Hyungcheol Shin, *T-ED Nov 98* 2378-2380
Shinohara, T., *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Shiou-Ying Cheng, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Shi Shen, *see* Datta, S., *T-ED Aug 98* 1634-1643
Shi Ying, *see* Ying Shi, *T-ED Nov 98* 2355-2360
Shone, F., *see* Guo, J.-C., *T-ED Jul 98* 1518-1523
Shott, C.A., *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Shubha, B.B. Pal, and R.U. Khan. Optically-controlled ion-implanted GaAs MESFET characteristic with opaque gate; *T-ED Jan 98* 78-84
Shui-Ming Cheng, *see* Cherng-Ming Yih, *T-ED Nov 98* 2343-2348
Shu Qin, Yuanzhong Zhou, T. Nakatsugawa, I.F. Husein, Chung Chan, and Tsu-Jae King. Plasma ion implantation hydrogenation of poly-Si CMOS thin-film transistors at low energy and high dose rate using an inductively-coupled plasma source; *T-ED Jun 98* 1324-1328
Shur, M.S., *see* Slade, H.C., *T-ED Jul 98* 1548-1553
Shur, M.S., *see* Hurt, M.J., *T-ED Aug 98* 1843-1845
Shur, M.S., *see* Martinez, E.J., *T-ED Oct 98* 2108-2115
Shur, M.S., *see* Martinez, E.J., *T-ED Oct 98* 2116-2121
Shyh-Chyi Wong, Shyh-Yuan Hsu, Yeong-Her Wang, Mau-Phon Houng, and Shih-Keng Cho. A DC model for asymmetric trapezoidal gate MOSFET's in strong inversion; *T-ED Jul 98* 1459-1467
Shyh Yin Shiau, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Shyh-Yuan Hsu, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Shyu Chin-Min, *see* Dah-Bin Kao, *T-ED Jan 98* 187-193
Sigmon, T.W., *see* Giust, G.K., *T-ED Apr 98* 925-932
Sigurd, D., *see* Hermansson, W., *T-ED Apr 98* 957-965
Simoen, E., *see* van Meer, H., *T-ED Dec 98* 2475-2482
Simoen, E., *see* Hou, F.-C., *T-ED Dec 98* 2528-2536
Sin, J.K.O., *see* Baoping Wang, *T-ED Feb 98* 554-559
Sin, J.K.O., *see* Chan, W.W.T., *T-ED Jul 98* 1580-1586
Sin, J.K.O., *see* Kumar K.P., A., *T-ED Dec 98* 2514-2520
Singh, R., *see* Levinshtein, M.E., *T-ED Jan 98* 307-312
Singh, R., H. Iwai, Y. Nishi, and C.-G. Hwang. Foreword [intro. to the special issue on process integration and manufacturability]; *T-ED Mar 98* 574-579
Singh, R., S.V. Nimmagadda, V. Parihar, Y. Chen, and K.F. Poole. Role of rapid photothermal processing in process integration; *T-ED Mar 98* 643-654
Singh, R., and C.M. Snowdon. A quasi-two-dimensional HEMT model for DC and microwave simulation; *T-ED Jun 98* 1165-1169
Singh, S., *see* Mitra, H., *T-ED Jan 98* 68-77
Singh, S., *see* Asthana, N.C., *T-ED Jun 98* 1383
Sinha, S.P., *see* Ioannou, D.E., *T-ED May 98* 1147-1154
Slade, H.C., and M.S. Shur. Analysis of bias stress on unpassivated hydrogenated amorphous silicon thin-film transistors; *T-ED Jul 98* 1548-1553
Sleight, J.W., and R. Rios. A continuous compact MOSFET model for fully- and partially-depleted SOI devices; *T-ED Apr 98* 821-825
Smith, R.K., *see* Bonani, F., *T-ED Jan 98* 261-269
Smith, R.L., *see* Jamasb, S., *T-ED Jun 98* 1239-1245
Smy, T., L. Tan, K. Chan, R.N. Tait, J.N. Broughton, S.K. Dew, and M.J. Brett. A simulation study of long throw sputtering for diffusion barrier deposition into high aspect vias and contacts; *T-ED Jul 98* 1414-1425
Snell, C.M., *see* Gray, M.G., *T-ED Apr 98* 918-924
Snell, C.M., *see* Tian, S., *T-ED Jun 98* 1226-1238
Snowdon, C.M., *see* Singh, R., *T-ED Jun 98* 1165-1169
Somerville, M.H., *see* Ernst, A.N., *T-ED Jan 98* 9-13
Somerville, M.H., J.A. Del Alamo, and P. Saunier. Off-state breakdown in power pHEMTs: the impact of the source; *T-ED Sep 98* 1883-1889
Soo Kim Chang, *see* Jong Hyun Choi, *T-ED Sep 98* 2074-2076
Soo Kim Cheon, *see* Min Park, *T-ED Sep 98* 1953-1959
Soo Nam Kee, *see* Min Park, *T-ED Sep 98* 1953-1959
Speciale, N., A. Leone, V. Graziano, and G. Privitera. A compact model for multiterminal bipolar devices used in smart power applications; *T-ED Sep 98* 2037-2046
Spiegel, M., *see* Keller, S., *T-ED Jul 98* 1569-1574
Spinelli, A.S., A. Benvenuti, and A. Pacelli. Self-consistent 2-D model for quantum effects in n-MOS transistors; *T-ED Jun 98* 1342-1349
Stuka, J., L. Dillner, S.H. Jones, C. Mann, J. Thornton, J.R. Jones, W.L. Bishop, and E. Kolfberg. Effects of self-heating on planar heterostructure barrier varactor diodes; *T-ED Nov 98* 2298-2303
Stuneburn, W.E., *see* Datta, S., *T-ED Aug 98* 1634-1643
Stella Li, *see* Chen, T.P., *T-ED Sep 98* 1920-1926
Stella Li, *see* Chen, T.P., *T-ED Sep 98* 1972-1977
Stiebig, H., D. Knipp, J. Zimmer, and H. Wagner. Transient behavior of optimized nipiin three-color detectors; *T-ED Jul 98* 1438-1444
Stine, B.E., D.S. Boning, J.E. Chung, L. Camilletti, F. Kruppa, E.R. Equi, W. Loh, S. Prasad, M. Muthukrishnan, D. Towery, M. Berman, and A. Kapoor. The physical and electrical effects of metal-fill patterning practices for oxide chemical-mechanical polishing processes; *T-ED Mar 98* 665-679
Stoisiek, M., *see* Gartner, M., *T-ED Jul 98* 1575-1579
Stolk, P.A., F.P. Widdershoven, and D.B.M. Klaassen. Modeling statistical dopant fluctuations in MOS transistors; *T-ED Sep 98* 1960-1971
Su, C., *see* Rohdin, H., *T-ED Dec 98* 2407-2416
Su, Y.-K., *see* Wang, C.W., *T-ED Apr 98* 757-762
Su, Y.-K., W.-L. Li, S.-J. Chang, C.S. Chang, and C.S. Tsai. High-performance 670-nm AlGaInP/GaInP visible strained quantum well lasers; *T-ED Apr 98* 763-767
Subekti, A., T.L. Tansley, and E.M. Goldys. Tunnelling transport in Al-n-GaSb Schottky diodes; *T-ED Oct 98* 2247-2248
Subramanian, V., and K.C. Saraswat. Optimization of silicon-germanium TFT's through the control of amorphous precursor characteristics; *T-ED Aug 98* 1690-1695
Subramanian, V., and K.C. Saraswat. High-performance germanium-seeded laterally crystallized TFTs for vertical device integration; *T-ED Sep 98* 1934-1939
Suda, M., *see* Shigyo, N., *T-ED Feb 98* 460-464
Suemitsu, T., T. Enoki, M. Tomizawa, and Y. Ishii. An analysis of the kink phenomena in InAlAs/InGaAs HEMT's using two-dimensional device simulation; *T-ED Dec 98* 2390-2399
Sugii, T., *see* Kurata, H., *T-ED Oct 98* 2161-2166
Sugiura, S., *see* Hamamoto, T., *T-ED Jun 98* 1300-1309
Sugiyama, N., *see* Ohguro, T., *T-ED Mar 98* 710-716
Sugiyama, N., *see* Ohguro, T., *T-ED Mar 98* 717-721
Suk Jae Chung, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237
Sun, J.J., and C.M. Osburn. Impact of epi facets on deep submicron elevated source/drain MOSFET characteristics; *T-ED Jun 98* 1377-1380
Sundaram Mani, *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Sune, J., *see* Rodriguez, R., *T-ED Apr 98* 881-888
Sung, R., P. Bendix, and M.B. Das. Extraction of high-frequency equivalent circuit parameters of submicron gate-length MOSFET's; *T-ED Aug 98* 1769-1775
Sung Lai Chao, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Sun Jie J., *see* Jie J. Sun, *T-ED Sep 98* 1946-1952
Sunkavalli, R., *see* Nagapudi, V., *T-ED May 98* 1155-1161
Sun Wein-Town, *see* Wein-Town Sun, *T-ED Sep 98* 1912-1919
Suto, K., *see* Liu, Y.-X., *T-ED Dec 98* 2551-2554
Suzuki, K. Corrections to "Analytical model for threshold voltage shift due to impurity penetration through a thin gate oxide" [Sep 97 1386-1392]; *T-ED Jun 98* 1384
Syms, R.R.A., T.J. Tate, M.M. Ahmad, and S. Taylor. Design of a microengineered electrostatic quadrupole lens; *T-ED Nov 98* 2304-2311

T

Ta Clement Hsu Che, *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736
Tae Moon Roh, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Ta-Hsun Yeh, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Tahui Wang, Lu-Ping Chiang, Nian-Kai Zous, Tse-En Chang, and Chimoon Huang. Characterization of various stress-induced oxide traps in MOSFET's by using a subthreshold transient current technique; *T-ED Aug 98* 1791-1796
Tait, R.N., *see* Smy, T., *T-ED Jul 98* 1414-1425
Takagi, S., J.L. Hoyt, K. Rim, J.J. Welser, and J.F. Gibbons. Evaluation of the valence band discontinuity of $Si/Si_{1-x}Ge_x/Si$ heterostructures by application of admittance spectroscopy to MOS capacitors; *T-ED Feb 98* 494-501
Takahashi, M., *see* Ohno, T., *T-ED May 98* 1071-1076
Takahashi, N., *see* Zhu, Y., *T-ED Sep 98* 2032-2036
Takanashi, Y., and H. Fukano. Low-frequency noise of InP/InGaAs heterojunction bipolar transistors; *T-ED Dec 98* 2400-2406
Takatani, S., H. Matsumoto, J. Shigeta, K. Ohshika, T. Yamashita, and M. Fukui. Generation mechanism of gate leakage current due to reverse-voltage stress in i-AlGaAs/n-GaAs HIGFETs; *T-ED Jan 98* 14-20
Takayama, Y., *see* Tanaka, S., *T-ED Jan 98* 36-44
Takayama, Y., *see* Yamaguchi, K., *T-ED Feb 98* 361-365
Taketoshi, K., *see* Andoh, E., *T-ED Apr 98* 778-784
Takyszak, P., *see* Mateos, J., *T-ED Sep 98* 2081-2083

Tan, S.W.-R., *see* Lui, O.K.B., *T-ED Jan 98* 213-217
Tamura, M., *see* Horiuchi, M., *T-ED May 98* 1077-1083
Tan, L., *see* Smy, T., *T-ED Jul 98* 1414-1425
Tanaba, M., *see* Kondo, M., *T-ED Jun 98* 1287-1294
Tanaka, S., Y. Akamiya, S. Murakami, H. Shimawaki, N. Goto, Y. Takayama, and K. Honjo. Design considerations for millimeter-wave power HBTs based on gain performance analysis; *T-ED Jan 98* 36-44
Tanaka, S., *see* Hisamoto, D., *T-ED May 98* 1039-1046
Tanaka, S., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Tan Fu Lei, *see* Yung Hao Lin, *T-ED Feb 98* 567-570
Tan Fu Lei, Juing-Yi Cheng, Shyh Yin Shiau, Tien Sheng Chao, and Chao Sung Lai. Characterization of polysilicon oxides thermally grown and deposited on the polished polysilicon films; *T-ED Apr 98* 912-917
Tang Pan, *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Tang Yongming, *see* Baoping Wang, *T-ED Feb 98* 554-559
Tanimoto, H., *see* Saito, M., *T-ED Mar 98* 737-742
Tanimoto, T., *see* Hisamoto, D., *T-ED May 98* 1039-1046
Tanimoto, T., I. Ohbu, S. Tanaka, A. Kawai, M. Kudo, A. Terano, and T. Nakamura. Single-voltage-supply highly efficient E/D dual-gate pseudomorphic double-hetero HEMT's with platinum buried gates; *T-ED Jun 98* 1176-1182
Tanoue, T., *see* Mochizuki, K., *T-ED Nov 98* 2268-2275
Tansley, T.L., *see* Subekti, A., *T-ED Oct 98* 2247-2248
Tasch, A.F., *see* Hareland, S.A., *T-ED Jan 98* 179-186
Tasch, A.F., *see* Tian, S., *T-ED Jun 98* 1226-1238
Tasch, A.F., Jr., *see* Chindalore, G.L., *T-ED Feb 98* 502-511
Tasch, Al.F., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Tate, T.J., *see* Syms, R.R.A., *T-ED Nov 98* 2304-2311
Tatsumi, T., *see* Noda, K., *T-ED Apr 98* 809-814
Tauritz, J.L., *see* de Vreede, L.C.N., *T-ED Jan 98* 277-285
Tauritz, J.L., *see* Rinaldi, N.F., *T-ED Aug 98* 1817-1825
Taylor, C., *see* Brennan, C.R., *T-ED Sep 98* 2024-2031
Taylor, S., *see* Syms, R.R.A., *T-ED Nov 98* 2304-2311
Terano, A., *see* Tanimoto, T., *T-ED Jun 98* 1176-1182
Teshima, T., *see* Horiuchi, M., *T-ED May 98* 1111-1115
Thakur, R.P.S., S.J. DeBoer, E.-X. Ping, and C.A. Jesse. Process simplification in DRAM manufacturing; *T-ED Mar 98* 609-619
Thomas, C., *see* Rajesh, S., *T-ED Jan 98* 334-336
Thompson, C.V., *see* Riege, S.P., *T-ED Oct 98* 2254-2257
Thornton, J., *see* Stake, J., *T-ED Nov 98* 2298-2303
Tian, S., M.F. Morris, S.J. Morris, B. Obradovic, Geng Wang, A.F. Tasch, and C.M. Snell. A detailed physical model for ion implant induced damage in silicon; *T-ED Jun 98* 1226-1238
Tien-Chang Chang, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Tien Sheng Chao, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Tinkler, S., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Tokumasu, K., *see* Horiuchi, M., *T-ED May 98* 1111-1115
Tokushima, M., *see* Wada, S., *T-ED Jun 98* 1183-1189
Tokushima, M., *see* Wada, S., *T-ED Aug 98* 1656-1662
Tomizawa, M., *see* Tsuchiya, T., *T-ED May 98* 1116-1121
Tomizawa, M., *see* Suemitsu, T., *T-ED Dec 98* 2390-2399
Tong Liasu, *see* Baoping Wang, *T-ED Feb 98* 554-559
Torrent, M.C., *see* Dellunde, J., *T-ED Oct 98* 2122-2130
Tosaka, Y., S. Satoh, T. Itakura, H. Ehara, T. Ueda, G.A. Woffinden, and S.A. Wender. Measurement and analysis of neutron-induced soft errors in sub-half-micron CMOS circuits; *T-ED Jul 98* 1453-1458
Towery, D., *see* Stine, B.E., *T-ED Mar 98* 665-679
Tozer, R.C., *see* Li, K.F., *T-ED Oct 98* 2102-2107
Trankle, G., *see* Dong Xu, *T-ED Jan 98* 21-30
Trivedi, M., and K. Shenai. Investigation of the short-circuit performance of an IGBT; *T-ED Jan 98* 313-320
Trivedi, M., *see* Perugupalli, P., *T-ED Jul 98* 1468-1478
Trivedi, M., *see* Pendharkar, S., *T-ED Oct 98* 2222-2231
Trivedi, M., and K. Shenai. IGBT dynamics for clamped inductive switching; *T-ED Dec 98* 2537-2545
Tsai, C.S., *see* Su, Y.-K., *T-ED Apr 98* 763-767
Tsai, R., *see* Hurt, M.J., *T-ED Aug 98* 1843-1845
Tsai Jiunn-Yann, *see* Jie J. Sun, *T-ED Sep 98* 1946-1952
Tsay Wen-Chin, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Tse-En Chang, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Tso-Ping Ma, *see* Chun Chen, *T-ED Feb 98* 512-520
Tsuchiya, T., *see* Harada, M., *T-ED Jan 98* 173-178
Tsuchiya, T., *see* Ohno, T., *T-ED May 98* 1071-1076
Tsuchiya, T., Y. Sato, and M. Tomizawa. Three mechanisms determining short-channel effects in fully-depleted SOI MOSFETs; *T-ED May 98* 1116-1121
Tsuchiya, T., *see* Koizumi, H., *T-ED Apr 98* 933-938
Tsui, D.C., *see* Chen, C.-J., *T-ED Jul 98* 1431-1437
Tsu-Jae King, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Tsu-Jae King, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Tsukada, T. Scaling theory of liquid-crystal displays addressed by thin-film transistors; *T-ED Feb 98* 387-393
Tsutsumi, K., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Tzyh-Cheang Lee, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689

U

Uchida, T., *see* Noda, K., *T-ED Apr 98* 809-814
Uchitomi, N., *see* Nishihori, K., *T-ED Jul 98* 1385-1392
Uchiyama, H., *see* Oka, T., *T-ED Nov 98* 2276-2282
Ueda, K., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Ueda, T., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458
Unil Perera, A.G., see Wenzhong Shen, *T-ED Aug 98* 1671-1677
Ushiki, T., K. Kawai, Mo-Chiun Yu, T. Shinohara, K. Ino, M. Morita, and T. Ohmi. Improvement of gate oxide reliability for tantalum-gate MOS devices using xenon plasma sputtering technology; *T-ED Nov 98* 2349-2354
Usuda, K., see Ohguro, T., *T-ED Mar 98* 710-716
Usuda, K., see Ohguro, T., *T-ED Mar 98* 717-721

V

Valtuena, J.P., J.A. Canido, and J.I. Izpura. 1/f noise in InGaAs/GaAs linear graded buffer layers; *T-ED Jun 98* 1201-1206
Valdinoci, M., *see* Colalongo, L., *T-ED Apr 98* 826-833
Valenza, M., *see* van Meer, H., *T-ED Dec 98* 2475-2482
Vanbesien, O., *see* Havart, R., *T-ED Nov 98* 2291-2297
van der Zanden, K., *see* van Meer, H., *T-ED Dec 98* 2475-2482
van Gerkom, G.G.P., see Hendriks, B.H.W., *T-ED Aug 98* 1836-1842
Vanhellemont, J., *see* Hou, F.-C., *T-ED Dec 98* 2528-2536
van Heudt, J., see de Blauwe, J., *T-ED Aug 98* 1745-1750
van Heudt, J., see de Blauwe, J., *T-ED Aug 98* 1751-1760
Vanhoenacker-Janvier, D., see Raskin, J.-P., *T-ED May 98* 1017-1025
Van Houdt J., see De Blauwe, J., *T-ED Dec 98* 2466-2474
van Meer, H., E. Simoen, M. Valenza, K. van der Zanden, and W. De Raedt. Low-frequency drain current noise behavior of InP based MODFET's in the linear and saturation regime; *T-ED Dec 98* 2475-2482
Vatannia, S., J.L. Schiano, G. Gidenblat, and M.D. Ginsberg. Resonant tunneling displacement transducer; *T-ED Jul 98* 1616-1619
Vecchi, M.C., and M. Rudan. Modeling electron and hole transport with full-band structure effects by means of the Spherical-Harmonics Expansion of the BTE; *T-ED Jan 98* 230-238
Vecchi, M.C., see Reggiani, S., *T-ED Sep 98* 2010-2017
Vegiri, A., see Halkias, G., *T-ED Dec 98* 2430-2436
Venkat, R., see Gorantla, S., *T-ED Jan 98* 336-338
Venkatesan, V., W. Fragale, P. Groenig, M. Hawkins, V. Zuniga, and Shifeng Lu. IGBT with shallow emitter ballast; *T-ED Jan 98* 329-331
Vescan, L., *see* Vonsovici, A., *T-ED Feb 98* 538-542
Vletzke, D., *see* Gartner, M., *T-ED Jul 98* 1575-1579
Villa, S., A.L. Lacaita, L.M. Perron, and R. Bez. A physically-based model of the effective mobility in heavily-doped n-MOSFETs; *T-ED Jan 98* 110-115
Vogel, E.M., K.Z. Ahmed, B. Hornung, W.K. Henson, P.K. McLarty, G. Lucovsky, J.R. Hauser, and J.J. Wortman. Modeled tunnel currents for high dielectric constant dielectrics; *T-ED Jun 98* 1350-1355
Vonsovici, A., L. Vescan, R. Apetz, A. Koster, and K. Schmidt. Room temperature photocurrent spectroscopy of SiGe/Si p-i-n photodiodes grown by selective epitaxy; *T-ED Feb 98* 538-542
Voz, C., see Merten, J., *T-ED Feb 98* 423-429
Vuong, H.-H., S.A. Eshraghi, C.S. Rafferty, S.J. Hillenius, M.R. Pinto, P.W. Diodato, H.-I. Cong, and P.M. Zeitzoff. Design and benchmarking of BCPMOS versus SCPMOS for an evolutionary 0.25-μm CMOS technology; *T-ED Apr 98* 991-993
Vyavahare, P.D., *see* Acharya, Y.B., *T-ED Jul 98* 1426-1430

W

Wada, S., N. Furuhata, M. Tokushima, M. Fukaishi, H. Hida, and T. Maeda. 0.1-μm p⁺-GaAs gate HJFET's fabricated using two-step dry-etching and selective MOMBE growth techniques; *T-ED Jun 98* 1183-1189
Wada, S., M. Tokushima, M. Fukaishi, N. Matsuno, H. Yano, H. Hida, and T. Maeda. 0.2-μm fully-self-aligned Y-shaped gate HJFET's with reduced gate-fringing capacitance fabricated using collimated sputtering and electroless Au-plating; *T-ED Aug 98* 1656-1662
Wagner, H., see Stiebig, H., *T-ED Jul 98* 1438-1444
Wagner, S., see Qing Zhang, *T-ED Jan 98* 343-345
Wai-Kin Chim, *see* Choon-Leong Lou, *T-ED Jun 98* 1317-1323
Wainwright, S.P., S. Hall, P. Ashburn, and A.C. Lamb. Analysis of Si:Ge heterojunction integrated injection logic (I^2L) structures using a stored charge model; *T-ED Dec 98* 2437-2447
Walczak, J., see Majkusiak, B., *T-ED May 98* 1127-1134
Wang, C., *see* Chindalore, G.L., *T-ED Feb 98* 502-511

Wang, C.-H., *see* Wang, T., *T-ED Jul 98* 1511-1517
Wang, C.W., J.Y. Liso, Y.-K. Su, and M. Yokoyama. The relation between luminous properties and oxygen content in ZnS:TbOF thin-film electroluminescent devices fabricated by radio-frequency magnetron sputtering method; *T-ED Apr 98* 757-762
Wang, H., *see* Hareland, S.A., *T-ED Jul 98* 1487-1493
Wang, M.T., *see* Guo, J.-C., *T-ED Jul 98* 1518-1523
Wang, T., T.-E. Chang, L.-P. Chiang, C.-H. Wang, N.-K. Zous, and C. Huang. Investigation of oxide charge trapping and detrapping in a MOSFET by using a GIDL current technique; *T-ED Jul 98* 1511-1517
Wang, W.L., *see* Zhao, Y., *T-ED Jan 98* 341-342
Wang, Y., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Wang Baoping, *see* Baoping Wang, *T-ED Feb 98* 554-559
Wang Chen, *see* Baoping Wang, *T-ED Feb 98* 554-559
Wang Geng, *see* Tian, S., *T-ED Jun 98* 1226-1238
Wang Haihong, *see* Hareland, S.A., *T-ED Jan 98* 179-186
Wang Shih-Wei, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Wang Tahui, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Wang Wei-Chou, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Wang Yangyuan, *see* Ru Huang, *T-ED Sep 98* 2079-2081
Wang Yeong Her, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Wang Yeong-Her, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Ward, P., *see* Lombardo, S.A., *T-ED Jul 98* 1531-1537
Washio, K., *see* Kondo, M., *T-ED Jun 98* 1287-1294
Wasilewski, Z.R., *see* Ershov, M., *T-ED Oct 98* 2196-2206
Wasshuber, C., H. Kosina, and S. Selberherr. A comparative study of single-electron memories; *T-ED Nov 98* 2365-2371
Watts, K., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Weber, C., and J.R. Abelson. Amorphous silicon buried-channel thin-film transistors; *T-ED Feb 98* 447-452
Webster, R.T., *see* Anwar, A.F.M., *T-ED Jun 98* 1170-1175
Wei, A., M.J. Sherony, and D.A. Antoniadis. Effect of floating-body charge on SOI MOSFET design; *T-ED Feb 98* 430-438
Wei-Chou Wang, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Wei Jin, C.H. Chan, and Mansun Chan. On the power dissipation in dynamic threshold silicon-on-insulator CMOS inverter; *T-ED Aug 98* 1717-1724
Wei-Kai Shih, *see* Hareland, S.A., *T-ED Jan 98* 179-186
Weimann, G., *see* Dong Xu, *T-ED Jan 98* 21-30
Wein-Town Sun, Ming-Chi Liaw, Kuang-Chien Hsieh, and Charles Ching-Hsiang Hsu. Impact of nitrogen (N_2^+) implantation into polysilicon gate on thermal stability of cobalt silicide formed on polysilicon gate; *T-ED Sep 98* 1912-1919
Weiser, D.A., *see* Munteanu, D., *T-ED Aug 98* 1678-1683
Wellekens, D., *see* de Blauwe, J., *T-ED Aug 98* 1745-1750
Wellekens, D., *see* de Blauwe, J., *T-ED Aug 98* 1751-1760
Wellekens, D., *see* De Blauwe, J., *T-ED Dec 98* 2466-2474
Welser, J.J., *see* Takagi, S., *T-ED Feb 98* 494-501
Wen-Chau Liu, Lih-Wen Laih, Shiou-Ying Cheng, Wen-Lung Chang, Wei-Chou Wang, Jing-Yuh Chen, and Po-Hung Lin. Multiple negative-differential-resistance (MNDR) phenomena of a metal-insulator-semiconductor-insulator-metal (MISIM)-like structure with step-compositioned $In_xGa_{1-x}As$ quantum wells; *T-ED Feb 98* 373-379
Wen-Chin Lee, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Wen-Chin Tsay, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Wender, S.A., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458
Wen-Lung Chang, *see* Wen-Chau Liu, *T-ED Feb 98* 373-379
Wenzhong Shen, A.G. Unil Perera, M.H. Francombe, H.C. Liu, M. Buchanan, and W.J. Schaff. Effect of emitter layer concentration on the performance of GaAs p⁺-i homojunction far-infrared detectors: a comparison of theory and experiment; *T-ED Aug 98* 1671-1677
Werking, J.D., *see* El Hassan, M.G., *T-ED Apr 98* 861-866
White, A.M., *see* Brennan, C.R., *T-ED Sep 98* 2024-2031
Widdershoven, F.P., *see* Stolk, P.A., *T-ED Sep 98* 1960-1971
Wight, D.R., *see* Ghin, R., *T-ED Oct 98* 2096-2101
Wild, A., *see* Jourdar, K., *T-ED Jan 98* 134-148
Willeke, G.P., *see* Keller, S., *T-ED Jul 98* 1569-1574
Williams, S.C., R.B. Hulfachor, K.W. Kim, M.A. Littlejohn, and W.C. Holton. Scaling trends for device performance and reliability in channel-engineered n-MOSFETs; *T-ED Jan 98* 254-260
Williams, S.C., *see* Lu, J.-C., *T-ED Mar 98* 634-642
Wian Hong, *see* Gunapala, S.D., *T-ED Sep 98* 1890-1895
Woffinden, G.A., *see* Tosaka, Y., *T-ED Jul 98* 1453-1458
Wohlmuth, W.A., *see* Arafa, M., *T-ED Jan 98* 62-67
Won-Chang Lee, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Wong, H.P., R.T. Chang, E. Crabbe, and P.D. Agnello. CMOS active pixel image sensors fabricated using a 1.8-V, 0.25-μm CMOS technology; *T-ED Apr 98* 889-894
Wong, H.-S.P., *see* Selmi, L., *T-ED May 98* 1135-1139
Wong, S.S., *see* Kuehne, S.C., *T-ED May 98* 1084-1091
Wong, S.S., *see* Chan, W.W.T., *T-ED Jul 98* 1580-1586
Wong, S.S., *see* Ying-Keung Leung, *T-ED Oct 98* 2251-2254
Wong, W.M., *see* Lai, P.T., *T-ED Feb 98* 521-528
Wong, Y.H., *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Wong Shyh-Chyi, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Woo, J.C.S., *see* Hsiao, T.C., *T-ED May 98* 1092-1098
Woo, J.C.S., *see* Ping Liu, *T-ED Jun 98* 1280-1286
Wood, J., and C.G. Morton. An analysis of the effective position of the two-dimensional electron gas in the channel of MODFET epitaxial layer structures; *T-ED Jul 98* 1622-1624
Wood, M.E., *see* Johnson, R.A., *T-ED May 98* 1047-1054
Woodall, J.M., *see* Schoen, K.P., *T-ED Jul 98* 1595-1604
Woo Kim Bo, *see* Jong-Ho Lee, *T-ED Oct 98* 2153-2160
Woolard, D.L., *see* Gelmont, B.L., *T-ED Dec 98* 2521-2527
Workman, G.O., J.G. Fossum, S. Krishnan, and M.M. Pelella, Jr. Physical modeling of temperature dependences of SOI CMOS devices and circuits including self-heating; *T-ED Jan 98* 125-133
Workman, G.O., and J.G. Fossum. A comparative analysis of the dynamic behavior of BTG/SOI MOSFETs and circuits with distributed body resistance; *T-ED Oct 98* 2138-2145
Wortman, J.J., *see* Vogel, E.M., *T-ED Jun 98* 1350-1355
Wright, P.D., *see* Rong-Ting Huang, *T-ED Nov 98* 2283-2290
Wu, K., *see* Abou-Khalil, M.J., *T-ED Jul 98* 1399-1406
Wu, W., *see* Karzhavin, Y., *T-ED Mar 98* 753-755
Wu Ching-Yuan, *see* Hsin-Ming Hou, *T-ED Jan 98* 200-205
Wu Ching-Yuan, *see* Kuo-Feng You, *T-ED Jan 98* 239-246
Wu Ching-Yuan, *see* Hsin-Li Chen, *T-ED Oct 98* 2245-2247
Wu Hsien-Chang, *see* Hsien-Chang Wu, *T-ED Feb 98* 417-422
Wu Hui, *see* Zhengxiang Ma, *T-ED Aug 98* 1811-1816
Wu Kun-Hsien, *see* Jyh-Jier Ho, *T-ED Sep 98* 2085-2088
Wyatt, P.W., *see* Liu, H.I., *T-ED May 98* 1099-1104

X

Xiang Gui, J.W. Haslett, S.K. Dew, and M.J. Brett. Simulation of temperature cycling effects on electromigration behavior under pulsed current stress [VLSI metallization]; *T-ED Feb 98* 380-386
Xing Zhang, *see* Ru Huang, *T-ED Sep 98* 2079-2081
Xu, J.P., *see* Lai, P.T., *T-ED Feb 98* 521-528
Xu, J.P., *see* Lai, P.T., *T-ED Apr 98* 947-952
Xu Dong, *see* Dong Xu, *T-ED Jan 98* 21-30
Xu Qiuxia, *see* Qiuxia Xu, *T-ED Sep 98* 2002-2009

Y

Yabu, T., *see* Ohzone, T., *T-ED Feb 98* 529-537
Yachi, T., *see* Matsumoto, S., *T-ED Jan 98* 105-109
Yachi, T., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945
Yamada, H., *see* Iwai, T., *T-ED Jun 98* 1196-1200
Yamada, I., *see* Matsumoto, S., *T-ED Sep 98* 1940-1945
Yamada, K., *see* Ohguro, T., *T-ED Mar 98* 717-721
Yamaguchi, C., *see* Harada, M., *T-ED Jan 98* 173-178
Yamaguchi, K., N. Iwata, M. Kuzuhara, and Y. Takayama. 1.2 V operation power heterojunction FET's for digital cellular applications; *T-ED Feb 98* 361-365
Yamaguchi, K., *see* Horiuchi, M., *T-ED May 98* 1111-1115
Yamaguchi, Y., *see* Eimori, T., *T-ED May 98* 1000-1009
Yamaguchi, Y., *see* Iwai, T., *T-ED Jun 98* 1196-1200
Yamaguchi, Y., *see* Maeda, S., *T-ED Jul 98* 1479-1486
Yamaguchi, Y., *see* Perron, L.M., *T-ED Nov 98* 2372-2375
Yamamoto, E., *see* Amazawa, T., *T-ED Apr 98* 815-820
Yamashita, T., *see* Takatani, S., *T-ED Jan 98* 14-20
Yang, C.H., *see* Chung-Kuang Huang, *T-ED Apr 98* 842-848
Yang Ji-Woon, *see* Yo-Hwan Koh, *T-ED May 98* 1063-1070
Yang Ji-Yi, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Yangyuan Wang, *see* Ru Huang, *T-ED Sep 98* 2079-2081
Yano, H., *see* Wada, S., *T-ED Aug 98* 1656-1662
Yano, K., I. Henmi, M. Kasuga, and A. Shimizu. High-power rectifier using the BSIT operation; *T-ED Feb 98* 563-565
Yassine, A.M., T.M. Chen, and M. Bordelon. Resistance transients in Al-based thin films and activation energy measurements; *T-ED Nov 98* 2375-2378
Yasuoka, A., *see* Maeda, S., *T-ED Jan 98* 165-172
Yasuoka, A., *see* Kuriyama, H., *T-ED Dec 98* 2483-2488
Yeats, B. Assessing the reliability of silicon nitride capacitors in a GaAs IC process; *T-ED Apr 98* 939-946
Yeh Ta-Hsun, *see* Kow-Ming Chang, *T-ED Aug 98* 1684-1689
Yen-Ann Chen, *see* Li-Hong Laih, *T-ED Sep 98* 2018-2023
Yeong Her Wang, *see* Meng Hwang Liu, *T-ED Jun 98* 1213-1218
Yeong-Her Wang, *see* Shyh-Chyi Wong, *T-ED Jul 98* 1459-1467
Yeow, Y.T., *see* Chiang, C.Y.-T., *T-ED Aug 98* 1732-1736

Yibin Bai, J.E. Phillips, and A.M. Barnett. The roles of electric fields and illumination levels in passivating the surface of silicon solar cells; *T-ED Aug 98* 1784-1790
Yih Cherng-Ming, *see* Cherng-Ming Yih, *T-ED Nov 98* 2343-2348
Ying-Keung Leung, A.K. Paul, J.D. Plummer, and S.S. Wong. Lateral IGBT in thin SOI for high voltage, high speed power IC; *T-ED Oct 98* 2251-2254
Ying Shi, T.P. Ma, S. Prasad, and S. Dhanda. Polarity dependent gate tunneling currents in dual-gate CMOSFETs; *T-ED Nov 98* 2355-2360
Yin Shiau Shyh, *see* Tan Fu Lei, *T-ED Apr 98* 912-917
Yo-Hwan Koh, Min-Rok Oh, Jong-Wook Lee, Ji-Woon Yang, Won-Chang Lee, and Hyung-Ki Kim. Body-contacted SOI MOSFET structure and its application to DRAM; *T-ED May 98* 1063-1070
Yokoyama, M., *see* Wang, C.W., *T-ED Apr 98* 757-762
Yongming Tang, *see* Baoping Wang, *T-ED Feb 98* 554-559
Yoshida, I., M. Katsueda, Y. Maruyama, and I. Kohjiro. A highly efficient 1.9-GHz Si high-power MOS amplifier; *T-ED Apr 98* 953-956
Yoshimi, M., *see* Fossum, J.G., *T-ED May 98* 998-999
Yoshitomi, T., *see* Momose, H.S., *T-ED Mar 98* 693-700
Yoshitomi, T., *see* Ohguro, T., *T-ED Mar 98* 710-716
Yoshitomi, T., *see* Ohguro, T., *T-ED Mar 98* 717-721
Yoshitomi, T., *see* Saito, M., *T-ED Mar 98* 737-742
Yoshitomi, T., M. Saito, T. Ohguro, M. One, H.S. Momose, E. Morifuji, T. Morimoto, Y. Katsumata, and H. Iwai. High performance of silicided silicon-sidewall source and drain (S^4D) structure; *T-ED Jun 98* 1295-1299
You Kuo-Feng, *see* Kuo-Feng You, *T-ED Jan 98* 239-246
Young-Bog Park, and D.K. Schroder. Degradation of thin tunnel gate oxide under constant Fowler-Nordheim current stress for a flash EEPROM; *T-ED Jun 98* 1361-1368
Yow, H.-K., *see* Lye, B.-C., *T-ED Dec 98* 2417-2421
Yuanzhong Zhou, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Yu Bin, *see* Bin Yu, *T-ED Jun 98* 1253-1262
Yu Hyun Kyu, *see* Min Park, *T-ED Sep 98* 1953-1959
Yujun Li, and T.-P. Ma. A front-gate charge-pumping method for probing both interfaces in SOI devices; *T-ED Jun 98* 1329-1335
Yu Mo-Chiun, *see* Ushiki, T., *T-ED Nov 98* 2349-2354
Yung Hao Lin, Chung Len Lee, and Tan Fu Lei. Correlation of stress-induced leakage current with generated positive trapped charges for ultrathin gate oxide; *T-ED Feb 98* 567-570
Yun Hi Lee, *see* Jae Hoon Jung, *T-ED Oct 98* 2232-2237

Z

Zaleski, A., *see* Ioannou, D.E., *T-ED May 98* 1147-1154
Zanoni, E., *see* Hurt, M.J., *T-ED Aug 98* 1843-1845
Zanoni, E., *see* Bovolon, N., *T-ED Aug 98* 1846-1848
Zappa, F., A.L. Lacaita, and C. Samori. Impact of local-negative-feedback on the MRS avalanche photodetector operation; *T-ED Jan 98* 91-97
Zdansky, L.C.G., *see* Hermansson, W., *T-ED Apr 98* 957-965
Zebda, Y., M. Khodier, and B. Darwish. Transient response of optoelectronic integrated bistable device; *T-ED Jan 98* 85-90
Zeltzoff, P.M., *see* Vuong, H.-H., *T-ED Apr 98* 991-993
Zhang, J.F., and W. Eccleston. Positive bias temperature instability in MOSFETs; *T-ED Jan 98* 116-124
Zhang, W.E., *see* Chung-Kuang Huang, *T-ED Apr 98* 842-848
Zhang Qing, *see* Qing Zhang, *T-ED Jan 98* 343-345
Zhang Xing, *see* Ru Huang, *T-ED Sep 98* 2079-2081
Zhao, Y., M.J. Jurkovic, and W.I. Wang. Kink-free characteristics of AlSb/InAs high electron mobility transistors with planar Si doping beneath the channel; *T-ED Jan 98* 341-342
Zhengxiang Ma, A.J. Becker, P. Polakos, H. Huggins, J. Pastalan, Hui Wu, K. Watts, Y.H. Wong, and P. Mankiewich. RF measurement technique for characterizing thin dielectric films; *T-ED Aug 98* 1811-1816
Zhou, X., and W. Long. A novel hetero-material gate (HMG) MOSFET for deep-submicron ULSI technology; *T-ED Dec 98* 2546-2548
Zhou, Z., *see* Paulsen, R.E., *T-ED Mar 98* 655-664
Zhou Yuanzheng, *see* Shu Qin, *T-ED Jun 98* 1324-1328
Zhu, Q., S. Coors, B. Schneider, P. Rieve, and M. Bohm. Bias sensitive a-Si(C): H multispectral detectors; *T-ED Jul 98* 1393-1398
Zhu, Y., Y. Ishimaru, N. Takahashi, and M. Shimizu. Correlation between current-voltage and capacitance-voltage characteristics of Schottky barrier diodes; *T-ED Sep 98* 2032-2036
Zimmer, J., *see* Stiebig, H., *T-ED Jul 98* 1438-1444
Zous, N.-K., *see* Wang, T., *T-ED Jul 98* 1511-1517
Zous Nian-Kai, *see* Tahui Wang, *T-ED Aug 98* 1791-1796
Zuniga, V., *see* Venkatesan, V., *T-ED Jan 98* 329-331
Zur, A., *see* Pettersson, P.O., *T-ED Jan 98* 286-292
Zurek, S.J., R.B. Darling, K.J. Kuhn, and M.C. Foisy. Elevated temperature performance of pseudomorphic AlGaAs/InGaAs MODFETs; *T-ED Jan 98* 2-8
Zwicknagl, P., *see* Bovolon, N., *T-ED Aug 98* 1846-1848

SUBJECT INDEX

A

Acceleration measurement
reson. tunneling displacement transducer. *Vatannia, S.*, + , *T-ED Jul 98* 1616-1619
Admittance measurement
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S.*, + , *T-ED Feb 98* 494-501
Aging
SIMOX MOSFETs, deep submicron N- and P-channel partially and fully depleted unibond, degrad. *Shing-Hwa Renn*, + , *T-ED Oct 98* 2146-2152
SOI N-MOSFETs, hot carrier effects and lifetime prediction. *Shing-Hwa Renn*, + , *T-ED May 98* 1140-1146
Algebra; cf. Polynomials
Alloys; cf. Aluminum alloys; Germanium alloys; Silicon alloys
Aluminum
Al/n-GaSb Schottky diodes, tunnelling transport study. *Subekti, A.*, + , *T-ED Oct 98* 2247-2248
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T.*, + , *T-ED Apr 98* 815-820
Al/SiO_2/n-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O.*, + , *T-ED Jan 98* 286-292
Al/SiO_2/n-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B.*, *T-ED Sep 98* 1903-1911
Aluminum alloys
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
Aluminum compounds
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y.*, + , *T-ED Jan 98* 31-35
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329
AlGaAs/GaAs HBTs, thermal resist. meas. *Bovolon, N.*, + , *T-ED Aug 98* 1846-1848
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J.*, + , *T-ED Oct 98* 2108-2115
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J.*, + , *T-ED Aug 98* 1843-1845
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
AlGaInP/GaInP vis. strained quantum well lasers. *Su, Y.-K.*, + , *T-ED Apr 98* 763-767
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang*, + , *T-ED Nov 98* 2283-2290
AlSb/InAs HEMTs for LV high-speed appls., fab. and characts. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R.*, + , *T-ED Nov 98* 2261-2267
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J.*, + , *T-ED Nov 98* 2298-2303
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D.*, + , *T-ED Sep 98* 1890-1895
GaAs/$Al_xGa_{1-x}As$ HEMTs, noise params. *Mateos, J.*, + , *T-ED Sep 98* 2081-2083
GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu*, + , *T-ED Jun 98* 1213-1218
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A.*, + , *T-ED Jan 98* 338-340
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S.*, + , *T-ED Aug 98* 1634-1643
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu*, + , *T-ED Jan 98* 21-30
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
$In_yAl_{1-y}As/In_xGa_{1-x}As$ (0.3 ⩽ x ⩽ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20

n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365

n-$Al_{0.3}Ga_{0.8}As$/$In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189

Aluminum conductors

Al gates, thin oxides, rapid thermal postoxidation annealing. *Chin-Yang Chen*, + , *T-ED Jan 98* 247-253

Amorphous semiconductors

polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee*, + , *T-ED Oct 98* 2153-2160

Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee*, + , *T-ED Aug 98* 1737-1744

Si:H buried-channel TFTs, fab. and characts. *Weber, C.*, + , *T-ED Feb 98* 447-452

Si:H layered TFTs, reliab., cond.-band tail width reduction. *GadelRab, S.M.*, + , *T-ED Oct 98* 2179-2186

Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276

Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429

Si:H TFT addressed LCD design, scaling theory. *Tsukada, T.*, *T-ED Feb 98* 387-393

Si:H TFTs, wet-etched/dry-etched , reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563

Si, amorph. and polycryst. devices, dyn. modeling. *Colalongo, L.*, + , *T-ED Apr 98* 826-833

a-Si:H double act. layer TFT. *Jong Hyun Choi*, + , *T-ED Sep 98* 2074-2076

a-Si:H nipiin three-color detectors, transient photocurrent. *Stiebig, H.*, + , *T-ED Jul 98* 1438-1444

a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325

a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens? *GadelRab, S.M.*, + , *T-ED Feb 98* 465 ,

a-Si:H TFTs, unpassivated, bias stress. *Slade, H.C.*, + , *T-ED Jul 98* 1548-1553

a-SiC:H multispectral detectors. *Zhu, Q.*, + , *T-ED Jul 98* 1393-1398

a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E.*, + , *T-ED Apr 98* 778-784

a-SiGe high-speed IR sens. *Jyh-Jier Ho*, + , *T-ED Sep 98* 2085-2088

Amplifier noise

AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y.*, + , *T-ED Jan 98* 31-35

Amplifiers; cf. Bipolar transistor amplifiers; Differential amplifiers; Feedback amplifiers; Microwave amplifiers; MMIC amplifiers; MOSFET amplifiers; Power amplifiers; UHF amplifiers

Analog integrated circuits; cf. Bipolar analog integrated circuits; CMOS analog integrated circuits; MMIC amplifiers

Annealing

CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318

$CoSi_2$ implant., elevated n^+/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952

deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262

enhancement-mode HEMTs lattice-matched to InP. *Mahajan, A.*, + , *T-ED Dec 98* 2422-2429

MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S.*, + , *T-ED Jan 98* 334-336

MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K.*, + , *T-ED Feb 98* 406-416

MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700

Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee*, + , *T-ED Aug 98* 1737-1744

Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A.*, *T-ED Oct 98* 2131-2137

6H-SiC self-aligned NMOSFETs, N implant activation effect on SiC/SiO_2 interface. *Lam, M.P.*, + , *T-ED Feb 98* 565-567

i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20

$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu*, + , *T-ED Jun 98* 1280-1286

Annealing; cf. Rapid thermal annealing

Approximation methods; cf. Curve fitting; Least squares methods; Perturbation methods

Argon

ultra-thin-film FD CMOS/SIMOX devices, parasitic bipolar action suppress. by Ar ion implant. *Ohno, T.*, + , *T-ED May 98* 1071-1076

Arrays

AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang*, + , *T-ED Nov 98* 2283-2290

Bi(-Sb)-Te thermopile IR detector lin. array. *Foote, M.C.*, + , *T-ED Sep 98* 1896-1902

Arrays; cf. Logic arrays

Automation; cf. Design automation

Avalanche breakdown

GaAs thin p^+-i-n^+ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107

GaInP/GaAs HBT, avalanche multiplication study. *Flitcroft, R.M.*, + , *T-ED Jun 98* 1207-1212

$Ga_{0.51}In_{0.49}P$ diodes, avalanche multiplication and breakdown. *Ghin, R.*, + , *T-ED Oct 98* 2096-2101

metal-resist.-semicond. avalanche photodetector operation. *Zappa, F.*, + , *T-ED Jan 98* 91-97

Si avalanche shaper devices, transient response, transverse doping. *Jalali, H.*, + , *T-ED Aug 98* 1761-1768

Avalanche photodiodes

bevel-edge arrays, noise charact. *Gramsch, E.*, *T-ED Jul 98* 1587-1594

GaAs p^+-i-n^+ APDs, multiplication noise, Monte Carlo model. *Ong, D.S.*, + , *T-ED Aug 98* 1804-1810

GaAs thin p^+-i-n^+ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107

Si APDs operated in charge storage mode, num. anal. *Parks, J.W.*, + , *T-ED Feb 98* 394-400

SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C.*, *T-ED Apr 98* 791-796

a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325

B

Bipolar analog integrated circuits

AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329

smart power appls., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046

Bipolar analog integrated circuits; cf. Bipolar transistor amplifiers

Bipolar digital integrated circuits; cf. Bipolar memory integrated circuits; Integrated injection logic

Bipolar integrated circuits

deep-submicron bipolar devices, compact vel. overshoot model. *Hsien-Chang Wu*, + , *T-ED Feb 98* 417-422

HBT IC technol., ultra-fast low-power submicron ICs. *Hafizi, M.*, *T-ED Sep 98* 1862-1868

Bipolar integrated circuits; cf. Bipolar analog integrated circuits

Bipolar memory integrated circuits

anal. of Si:Ge heterojunction integrated injection logic structs. using stored charge model. *Wainwright, S.P.*, + , *T-ED Dec 98* 2437-2447

Bipolar transistor amplifiers

AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329

Bipolar transistor circuits; cf. Bipolar integrated circuits

Bipolar transistors

Al/SiO_2/n-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B.*, *T-ED Sep 98* 1903-1911

deep-submicron bipolar devices, compact vel. overshoot model. *Hsien-Chang Wu*, + , *T-ED Feb 98* 417-422

emitter series resist. from open-collector meas. *Gabl, R.*, + , *T-ED Dec 98* 2457-2465

epilayer compact models, collector charge description. *de Vreede, L.C.N.*, + , *T-ED Jan 98* 277-285

lateral bipolar transistors, CMOS proc., SPICE subcircuit model. *MacSweeney, D.*, + , *T-ED Sep 98* 1978-1984

long stripe BJT, 3D base distrib. effects, base resist. at DC. *Ming-Yeh Chuang*, + , *T-ED Feb 98* 439-446

noise anal., multidimensional phys.-based models. *Bonani, F.*, + , *T-ED Jan 98* 261-269

Si bipolar transistors, $f_t BV_{ceo}$ limit re-eval. *Ng, K.K.*, + , *T-ED Aug 98* 1854-1855

small-sig. minority carrier transport. *Finaldi, N.F.*, *T-ED Jul 98* 1501-1510

small-sig. operation anal. and modelling. *Rinaldi, N.F.*, + , *T-ED Aug 98* 1817-1825

Bipolar transistors; cf. Heterojunction bipolar transistors; Microwave bipolar transistors; Power bipolar transistors; UHF bipolar transistors

Bismuth compounds

Bi(-Sb)-Te thermopile IR detector lin. array. *Foote, M.C.*, + , *T-ED Sep 98* 1896-1902

Boltzmann equation

P-N jn., abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334

Si, carrier transport, BTE, spherical harmonics expansion. *Vecchi, M.C.*, + , *T-ED Jan 98* 230-238

Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F.*, + , *T-ED May 98* 1122-1126
Bonding; cf. Soldering; Wafer bonding
Boron
0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Ohguro, T.*, + , *T-ED Mar 98* 717-721
deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262
diamond:B field emitter structs., technol. and charactn. *Dongzung Hong*, + , *T-ED Apr 98* 977-985
Si:B, ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee*, + , *T-ED Aug 98* 1737-1744
Boron compounds
low-energy BF_2 and As-implant layers, charcts. and effect 0.15 μm MOSFET perform. *Nishida, A.*, + , *T-ED Mar 98* 701-709
Si:BF_2, ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
Boundary element methods
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou*, + , *T-ED Jan 98* 200-205
Boundary value problems
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui*, + , *T-ED Feb 98* 380-386
Buffer circuits
CMOS output buffer, dyn. gate floating design, ESD protection. *Hun-Hsien Chang*, + , *T-ED Sep 98* 2076-2078
Burn-in programs
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329

C

Cadmium compounds
HgCdTe large LWIR FPAs, 2D model for operating point shift. *Dhar, V.*, + , *T-ED Feb 98* 487-493
Calculus; cf. Integration (mathematics)
Calibration
SOI MOSFET, microwave freqs., analog modeling. *Raskin, J.-P.*, + , *T-ED May 98* 1017-1025
Cameras
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D.*, + , *T-ED Sep 98* 1890-1895
Capacitance
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh*, + , *T-ED May 98* 1063-1070
deep submicron elevated source/drain MOSFET charact., epi facets. *Sun, J.J.*, + , *T-ED Jun 98* 1377-1380
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S.*, + , *T-ED Jan 98* 334-336
mm-wave power HBT design, gain perform. anal. model. *Tanaka, S.*, + , *T-ED Jan 98* 36-44
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246
MOSFET substr. dopant profile, inversion layer-to-substr. capacitance. *Chiang, C.Y.-T.*, + , *T-ED Aug 98* 1732-1736
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903
QWIP semicond. device, neg. capacitance. *Ershov, M.*, + , *T-ED Oct 98* 2196-2206
Schottky barrier diodes, correl., I-V and C-V charcts. *Zhu, Y.*, + , *T-ED Sep 98* 2032-2036
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K.*, + , *T-ED Apr 98* 809-814
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M.*, + , *T-ED Jun 98* 1287-1294
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamasb, S.*, + , *T-ED Jun 98* 1239-1245
SOI-MOS capacitors, C-V behavior modeling. *Ikraiam, F.A.*, + , *T-ED May 98* 1026-1032
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T.*, *T-ED Feb 98* 387-393
n-$Al_{0.52}Ga_{0.48}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou*, + , *T-ED Jan 98* 200-205
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T.*, + , *T-ED Nov 98* 2276-2282
Capacitance measurement
DMOS transistors, charactn. method for hot-carrier degrad. *Pieracci, A.*, + , *T-ED Aug 98* 1855-1858
MOSFET, hot carrier degrad., capacitance monitoring. *Esseni, D.*, + , *T-ED Nov 98* 2319-2328
Capacitors
DRAM cells, ultrathin dielec., storage times. *Romanenko, A.Y.*, + , *T-ED Jan 98* 218-223
Capacitors; cf. MIS capacitors; Thin film capacitors; Varactors
Carbon
Mo FEAs, diamond-like C coating effect on emission charcts. *Jae Hoon Jung*, + , *T-ED Oct 98* 2232-2237
Carbon; cf. Diamond
Cascade circuits
AMLCDs, very large, gate line delay modeling. *Qing Zhang*, + , *T-ED Jan 98* 343-345
Cathode-ray tubes
neck charging, Monte Carlo simul. *Hendriks, B.H.W.*, + , *T-ED Aug 98* 1836-1842
Cathodes; cf. Photocathodes
Cavity resonators
ungridded reentrant cavity, beam coupling coeff. *Onodera, T.*, + , *T-ED Aug 98* 1858-1860
Cellular logic arrays
DRAM retention time distrib., trench capacitor cell struct. *Hamamoto, T.*, + , *T-ED Jun 98* 1300-1309
flash memory read-disturb charcts., tunnel oxide stress-induced leakage current. *Satoh, S.*, + , *T-ED Feb 98* 482-486
stacked gate mid-channel injection flash EEPROM cell, prog. speed, efficiency. *Kim, D.M.*, + , *T-ED Aug 98* 1696-1702
Charge carrier density
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B.*, + , *T-ED May 98* 1127-1134
HEMT, SPICE MOSFET Level 3-like model. *DasGupta, N.*, + , *T-ED Jul 98* 1494-1500
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi*, + , *T-ED Jun 98* 1272-1279
p$^+$/n-buffer jn., injection currents anal. *Sang-Koo Chung*, *T-ED Aug 98* 1850-1854
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
Charge carrier lifetime
flash EEPROM, stacked gate mid-channel injection cell. *Kim, D.M.*, + , *T-ED Aug 98* 1703-1709
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J.*, + , *T-ED Aug 98* 1745-1750
fully-depleted SOI NMOSFET, hot-carrier degrad. *Banna, S.R.*, + , *T-ED Jan 98* 206-212
GaAs FETs, trap props./locations meas. under different bias conditions. *Azhar Iqbal, M.*, + , *T-ED Aug 98* 1663-1670
GaAs, SI, EBIC imaging. *Brennan, C.R.*, + , *T-ED Sep 98* 2024-2031
HBT, space charge region, Shockley-Read-Hall recomb. current distrib. *Pallares, J.*, + , *T-ED Jan 98* 54-61
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
MOS capacitors, thin gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang*, + , *T-ED Aug 98* 1684-1689
MOS capacitors, ultrathin gate oxide, stress-induced leakage current. *Yung Hao Lin*, + , *T-ED Feb 98* 567-570
MOS-controlled HV thyristor, low switching losses. *Hermansson, W.*, + , *T-ED Apr 98* 957-965
MOS devices, intrinsic oxide breakdown, trap-generation charcts., SILC. *Sakakibara, K.*, + , *T-ED Jun 98* 1336-1341
MOSFET, channel hot electron stress, pos. oxide charge. *Han, K.M.*, + , *T-ED Jul 98* 1624-1627
MOSFET, Fowler-Nordheim injection, interface trap generation. *Chen, T.P.*, + , *T-ED Sep 98* 1920-1926
MOSFET, GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C.*, + , *T-ED Jul 98* 1518-1523

MOSFET, oxide charge trapping/detrapping, GIDL current. *Wang, T.*, + , *T-ED Jul 98* 1511-1517
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246
MOSFETs, stress-induced oxide traps, subthreshold transient current. *Tahui Wang*, + , *T-ED Aug 98* 1791-1796
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park*, + , *T-ED Jun 98* 1361-1368
multiple QW IR photodetectors, transit-time and capture effects. *Ryzhii, V.*, + , *T-ED Jan 98* 293-298
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
partially depleted SOI MOSFET, generation lifetime meas. tech. *Hyungcheol Shin*, + , *T-ED Nov 98* 2378-2380
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
p-channel MOS transistors, interface trap dens. reduction, channel-hot-hole stress. *Han, K.M.*, + , *T-ED Jun 98* 1380-1382
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei*, + , *T-ED Apr 98* 912-917
p$^+$/n-buffer jn., injection currents anal. *Sang-Koo Chung, T-ED Aug 98* 1850-1854
Si APDs operated in charge storage mode, num. anal. *Parks, J.W.*, + , *T-ED Feb 98* 394-400
Si, multicrystalline solar cells, fab. and charactn. *Narasimha, S.*, + , *T-ED Aug 98* 1776-1783
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R.*, + , *T-ED Apr 98* 881-888
Si solar cell, minority carrier diffusion length, spectral anal. *Keller, S.*, + , *T-ED Jul 98* 1569-1574
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P.*, + , *T-ED Aug 98* 1710-1716
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T.*, + , *T-ED Jan 98* 194-199
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai*, + , *T-ED Aug 98* 1784-1790
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
SOI CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M.*, + , *T-ED May 98* 1077-1083
SOI MOSFET design, floating-body charge effect. *Wei, A.*, + , *T-ED Feb 98* 430-438
SOI MOSFET devices, interface traps, front-gate charge-pumping method. *Yujun Li*, + , *T-ED Jun 98* 1329-1335
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
nMOS transistor, oxide field stress, interface trap generation. *Chen, T.P.*, + , *T-ED Sep 98* 1972-1977
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chwan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
thin gate MOSFETs, lateral profiling of hot-carrier-induced oxide charge/interface traps. *Chun Chen*, + , *T-ED Feb 98* 512-520
thin gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R.*, + , *T-ED Apr 98* 904-911
ZnS:TbOF TFEL devices, RF magnetron sputtering. *Wang, C.W.*, + , *T-ED Apr 98* 757-762

Charge carrier mobility
accumulation layers in MOSFET, electron/hole mobilities extraction tech. *Chindalore, G.L.*, + , *T-ED Feb 98* 502-511
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8
double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B.*, + , *T-ED May 98* 1127-1134
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Lou*, + , *T-ED Jun 98* 1317-1323
GaInP/AlGaAs/GaInP double HBTs with zero conduction band spike at collector. *Lye, B.-C.*, + , *T-ED Dec 98* 2417-2421
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S.*, + , *T-ED Aug 98* 1634-1643
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, 1/f noise. *Vaitneia, J.F.*, + , *T-ED Jun 98* 1201-1206
MOSFET modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Janik, T.*, + , *T-ED Jun 98* 1263-1271
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C.*, + , *T-ED Jan 98* 254-260
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
polysilicon TFT, Ge-seeded laterally crystallized, vert. integrat. *Subramanian, V.*, + , *T-ED Sep 98* 1934-1939
polysilicon TFTs, excimer laser proc. and grain engng. *Giust, G.K.*, + , *T-ED Apr 98* 925-932
Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V.*, + , *T-ED Aug 98* 1690-1695
SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F.*, + , *T-ED May 98* 1122-1126
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu*, + , *T-ED Jan 98* 45-53
a-Si:H buried-channel TFTs, fab. and characts. *Weber, C.*, + , *T-ED Feb 98* 447-452
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi*, + , *T-ED Feb 98* 401-405
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chwan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178

Charge carrier processes
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J.*, + , *T-ED Oct 98* 2108-2115
bipolar transistor, small-sig. operation anal. and modelling. *Rinaldi, N.F.*, + , *T-ED Aug 98* 1817-1825
bipolar transistors, small-sig. minority carrier transport. *Finaldi, N.F., T-ED Jul 98* 1501-1510
bulk defect induced LF noise in n$^+$-p silicon diodes. *Hou, F.-C.*, + , *T-ED Dec 98* 2528-2536
kink-free polycrystalline silicon double-gate elevated-channel thin-film transistors. *Kumar K.P.*, *A.*, + , *T-ED Dec 98* 2514-2520
MOS capacitors, thin gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang*, + , *T-ED Aug 98* 1684-1689
quantifying neutral base recomb. and effects of collector-base jn. traps in UHV/CVD SiGe HBTs. *Niu, G.*, + , *T-ED Dec 98* 2499-2504
Si solar cell, minority carrier diffusion length, spectral anal. *Keller, S.*, + , *T-ED Jul 98* 1569-1574
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T.*, + , *T-ED Jan 98* 194-199

Charge carrier processes; cf. Charge carrier density; Charge carrier lifetime; Charge carrier mobility; Hot carriers; Space charge; Surface charging
Circuit analysis; cf. Circuit transient analysis
Circuit modeling
AMLCDs, very large, gate line delay modeling. *Qing Zhang*, + , *T-ED Jan 98* 343-345

Circuit modeling; cf. Integrated circuit modeling
Circuit noise
MESFET and HEMT mixers, noise modeling using uniform noisy line model. *Danneville, F.*, + , *T-ED Oct 98* 2207-2212

Circuit noise; cf. Amplifier noise; Integrated circuit noise
Circuit optimization
design methodol. and optim. of gate-driven NMOS ESD protection ccts. in submicron CMOS proca. *Chen, J.Z.*, + , *T-ED Dec 98* 2448-2456

Circuit reliability; cf. Integrated circuit reliability
Circuits; cf. Buffer circuits; Cascade circuits; Driver circuits; Equivalent circuits; Feedback circuits; Millimeter wave circuits; Multiport circuits; Nonlinear circuits; RC circuits
Circuit simulation
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu*, + , *T-ED Apr 98* 797-801
MOSFET, BSIM3 non-quasi-static transient model, cct. simul. *Manxun Chan*, + , *T-ED Apr 98* 834-841
MOSFET model, cct. simul. *Joardar, K.*, + , *T-ED Jan 98* 134-148
quasi-2D HEMT model for DC and microwave simul./CAD. *Singh, R.*, + , *T-ED Jun 98* 1165-1169

Circuit stability
LV high-dens. SOI DRAM, design issues. *Fossum, J.G.*, + , *T-ED May 98* 1055-1062
SOI MOSFET, field shield isolation, delay time instabil. *Maeda, S.*, + , *T-ED Jul 98* 1479-1486

Circuit testing; cf. Integrated circuit testing
Circuit transient analysis
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229
CMOS analog integrated circuits
fully-depleted SOI CMOS, analog appls. *Colinge, J.-P.*, *T-ED May 98* 1010-1016
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G.*, + , *T-ED May 98* 998-999
CMOS digital integrated circuits
cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M.*, + , *T-ED Jan 98* 173-178
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G.*, + , *T-ED May 98* 998-999
CMOS digital integrated circuits; cf. CMOS memory integrated circuits
CMOSFET logic devices
BTG SOI MOSFETs, distributed body resist., CMOS ccts. *Workman, G.O.*, + , *T-ED Oct 98* 2138-2145
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Yuong, H.-H.*, + , *T-ED Apr 98* 991-993
fig.-of-merit for MOSFET perform., appl., scaling, sub-0.25 μm CMOS logic technols. *Chatterjee, A.*, + , *T-ED Jun 98* 1246-1252
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu*, + , *T-ED Jan 98* 45-53
CMOSFETs
giant isotope effect in hot electron degrad. of CMOSFETs. *Hess, K.*, + , *T-ED Feb 98* 406-416
inversion layer, saturation vel. lowering, modeling. *Shigyo, N.*, + , *T-ED Feb 98* 460-464
mismatch of CMOSFET characts., influ. of asymmet./symmet. source/drain region. *Ohzone, T.*, + , *T-ED Feb 98* 529-537
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
SOI MOSFET design, floating-body charge effect. *Wei, A.*, + , *T-ED Feb 98* 430-438
thin gate MOSFETs, lateral profiling of hot-carrier-induced oxide charge/interface traps. *Chun Chen*, + , *T-ED Feb 98* 512-520
CMOS integrated circuits
0.15-μm RF CMOS technol. compatible, logic CMOS for LV operation. *Saito, M.*, + , *T-ED Mar 98* 737-742
act. pixel image sens., fab. in 1.8 V, 0.25 μm technol. *Wong, H.P.*, + , *T-ED Apr 98* 889-894
deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262
design methodol. and optim. of gate-driven NMOS ESD protection ccts. in submicron CMOS procs. *Chen, J.Z.*, + , *T-ED Dec 98* 2448-2456
dual-gate CMOSFETs, polarity depend. gate tunneling currents. *Ying Shi*, + , *T-ED Nov 98* 2355-2360
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu*, + , *T-ED Apr 98* 797-801
lateral bipolar transistors, CMOS proc., SPICE subcircuit model. *MacSweeney, D.*, + , *T-ED Sep 98* 1978-1984
microwave spiral inductors, CMOS technol. *Min Park*, + , *T-ED Sep 98* 1953-1959
mismatch of CMOSFET characts., influ. of asymmet./symmet. source/drain region. *Ohzone, T.*, + , *T-ED Feb 98* 529-537
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K.*, + , *T-ED Feb 98* 406-416
output buffer, dyn. gate floating design, ESD protection. *Hun-Hsien Chang*, + , *T-ED Sep 98* 2076-2078
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903
power ICs, crosstalk isolation struct. *Chan, W.W.T.*, + , *T-ED Jul 98* 1580-1586
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R.*, + , *T-ED Mar 98* 574-579
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
SOI MOSFET design, floating-body charge effect. *Wei, A.*, + , *T-ED Feb 98* 430-438
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering characts. *Ming-Dou Ker*, *T-ED Apr 98* 849-860
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D.*, + , *T-ED May 98* 1039-1046
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A.*, + , *T-ED May 98* 1047-1054
thin gate oxide degrad. during fab. of advanced CMOS ULSI ccts., anal. *Kim, S.U.*, *T-ED Mar 98* 731-736
Ti SALICIDE proc., preamorphization implant., CMOS technol. *Qiuxia Xu*, + , *T-ED Sep 98* 2002-2009
$TiSi_2$, silicidation proc. in CMOS fab., 2D effects. *Dah-Bin Kao*, + , *T-ED Jan 98* 187-193
ultra-thin-film FD CMOS/SIMOX devices, parasitic bipolar action suppress. by Ar ion implant. *Ohno, T.*, + , *T-ED May 98* 1071-1076
CMOS integrated circuits; cf. CMOS analog integrated circuits; CMOS digital integrated circuits
CMOS memory integrated circuits
body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh*, + , *T-ED May 98* 1063-1070
flash EPROM devices, erase-induced hot-carrier damage study. *Chun Chen*, + , *T-ED Feb 98* 512-520
flash memory devices, hot carrier effects. *Chen, C.*, + , *T-ED Jul 98* 1524-1530
LV high-dens. SOI DRAM, design issues. *Fossum, J.G.*, + , *T-ED May 98* 1055-1062
proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E.*, + , *T-ED Mar 98* 655-664
Coatings; cf. Epitaxial layers
Cobalt compounds
CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318
$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919
$CoSi_2$ implant., elevated n+/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952
Communication equipment; cf. Optical communication equipment
Communication systems; cf. Mobile communication
Complementary circuits; cf. CMOS integrated circuits
Computer aided analysis
helical slow-wave cct. vars., effect on TWT cold-test characts. *Kory, C.L.*, + , *T-ED Apr 98* 972-976
Computer applications; cf. Computer aided analysis; Design automation
Conducting films
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318
Conductivity
DRAM cells, ultrathin dielec., storage times. *Romanenko, A.Y.*, + , *T-ED Jan 98* 218-223
Si, carrier transport, BTE, spherical harmonics expansion. *Vecchi, M.C.*, + , *T-ED Jan 98* 230-238
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamash, S.*, + , *T-ED Jun 98* 1239-1245
Conductivity; cf. Photoconductivity; Space charge limited conduction
Conductors; cf. Aluminum conductors
Contact resistance
CMOSFET, fully-depleted SOI technol., thin silicide form. *Liu, H.I.*, + , *T-ED May 98* 1099-1104
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu*, + , *T-ED Jun 98* 1280-1286
Converters; cf. Frequency conversion
Cordless telephone systems
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I.*, + , *T-ED Apr 98* 953-956
Cosmic rays
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
Crosstalk
CMOS power ICs, crosstalk isolation struct. *Chan, W.W.T.*, + , *T-ED Jul 98* 1580-1586
Crystals; cf. Diamond
Current
deep submicron MOSFET, drain current model incl. electron vel. overshoot. *Roldan, J.B.*, + , *T-ED Oct 98* 2249-2251
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih*, + , *T-ED Nov 98* 2343-2348
Current density
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
diamond:B field emitter structs., technol. and charactn. *Dongsung Hong*, + , *T-ED Apr 98* 977-985
field emission triode, phys. simul. model. *Chih-Wen Lu*, + , *T-ED Oct 98* 2238-2244
P-N jn., abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334

p⁺/n-buffer jn., injection currents anal. *Sang-Koo Chung, T-ED Aug 98* 1850-1854
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386
Current distribution
long stripe BJT, 3D base distrib. effects, base resist. at DC. *Ming-Yeh Chuang, + , T-ED Feb 98* 439-446
Current measurement
lateral IGBT power devices, integrated current sens. *Liang, Y.C., + , T-ED Jul 98* 1614-1616
Curve fitting
MOSFET, HF equiv. cct. params. *Sung, R., + , T-ED Aug 98* 1769-1775
CVD
AlGaInP/GaInP vis. strained quantum well lasers. *Su, Y.-K., + , T-ED Apr 98* 763-767
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T., + , T-ED Jan 98* 299-306
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Huar Kao, + , T-ED Sep 98* 1927-1933
CVD; cf. Plasma CVD

D

Decoding
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang, + , T-ED Nov 98* 2283-2290
Delay effects
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Yuong, H.-H., + , T-ED Apr 98* 991-993
MOSFET switching speed meas. for perform. charactn. *Jenkins, K.A., + , T-ED Jun 98* 1369-1373
Delay estimation
AMLCDs, very large, gate line delay modeling. *Qing Zhang, + , T-ED Jan 98* 343-345
Design automation
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Yuong, H.-H., + , T-ED Apr 98* 991-993
IC design eval., use of hierarchical reliab. anal. *Riege, S.P., + , T-ED Oct 98* 2254-2257
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, + , T-ED Sep 98* 1993-2001
MOSFET device, design methodology for manufacturability. *Lu, J.-C., + , T-ED Mar 98* 634-642
quasi-2D HEMT mode† for DC and microwave simul./CAD. *Singh, R., + , T-ED Jun 98* 1165-1169
Design automation software; cf. SPICE
Design methodology
MOSFET device, design methodology for manufacturability. *Lu, J.-C., + , T-ED Mar 98* 634-642
Detectors
lateral IGBT power devices, integrated current sens. *Liang, Y.C., + , T-ED Jul 98* 1614-1616
6H-SiC strain sens. piezoresistors, Wheatstone bridge integrated beam transducers. *Okojie, R.S., + , T-ED Apr 98* 785-790
Deuterium
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K., + , T-ED Feb 98* 406-416
Diamond
diamond:B field emitter structs., technol. and charactn. *Dongsung Hong, + , T-ED Apr 98* 977-985
Dielectric breakdown
gate oxides, plasma proc. damage, TDDB meas. *Eriguchi, K., + , T-ED Jan 98* 160-164
MOS ICs, TDDB, field accel. model. *Degraeve, R., + , T-ED Feb 98* 472-481
Dielectric devices; cf. Capacitors
Dielectric films
CMOS proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E., + , T-ED Mar 98* 655-664
DRAM cells, ultrathin dielec., storage times. *Romanenko, A.Y., + , T-ED Jan 98* 218-223
gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R., + , T-ED Apr 98* 904-911
gate oxide degrad. during fab. of advanced CMOS ULSI ccts., anal. *Kim, S.U., T-ED Mar 98* 731-736
MOS capacitors, modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M., + , T-ED Jun 98* 1350-1355
MOS capacitors, thin gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang, + , T-ED Aug 98* 1684-1689
MOS devices, intrinsic oxide breakdown, trap-generation characts., SILC. *Sakakibara, K., + , T-ED Jun 98* 1336-1341
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You, + , T-ED Jan 98* 239-246
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park, + , T-ED Jun 98* 1361-1368
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih, + , T-ED Nov 98* 2343-2348
RF meas. tech. *Zhengxiang Ma, + , T-ED Aug 98* 1811-1816
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R., + , T-ED Apr 98* 881-888
SiO_2 ultrathin films, stress induced leakage currents. *Ricco, B., + , T-ED Jul 98* 1554-1560
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamash, S., + , T-ED Jun 98* 1239-1245
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T., + , T-ED Nov 98* 2349-2354
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Huar Kao, + , T-ED Sep 98* 1927-1933
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F., + , T-ED Nov 98* 2329-2334
Dielectric films; cf. Plastic films
Dielectric measurements
dielec. thin films, RF meas. tech. *Zhengxiang Ma, + , T-ED Aug 98* 1811-1816
gate oxides, plasma proc. damage, TDDB meas. *Eriguchi, K., + , T-ED Jan 98* 160-164
Dielectric measurements; cf. Permittivity measurement
Differential amplifiers
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S., + , T-ED Jan 98* 326-329
Differential equations
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C., + , T-ED Jun 98* 1383
Differential equations; cf. Partial differential equations
Diffusion processes
corrections to "Analytical model for threshold voltage shift due to impurity penetration through a thin gate oxide" (Sep 97 1386-1392). *Suzuki, K., T-ED Jun 98* 1384
MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S., + , T-ED Jan 98* 334-336
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C., + , T-ED Jun 98* 1383
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P., + , T-ED Aug 98* 1710-1716
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T., + , T-ED Jan 98* 194-199
Si, thermal oxid. model for ultrathin SiO_2, rate eqn. approach. *Gorantla, S., + , T-ED Jan 98* 336-338
S^4D silicided silicon-sidewall source and drain struct., pMOSFET characts. *Yoshitomi, T., + , T-ED Jun 98* 1295-1299
$TiSi_2$, silicidation proc. in CMOS fab., 2D effects. *Dah-Bin Kao, + , T-ED Jan 98* 187-193
vias and contacts, diffusion barrier deposition, long throw sputtering. *Smy, T., + , T-ED Jul 98* 1414-1425
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386
Diffusion processes; cf. Electromigration
Digital communication; cf. Digital radio
Digital radio
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T., + , T-ED Jun 98* 1176-1182
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K., + , T-ED Feb 98* 361-365
Diodes; cf. Millimeter wave diodes; Submillimeter wave diodes
Discrete Fourier transforms
quantum barrier varactors, nonlin. elec. perform., Monte Carlo simul. *Abou-Khalil, M.J., + , T-ED Jul 98* 1399-1406
Dispersive media; cf. Electromagnetic propagation in dispersive media
Displacement measurement
reson. tunneling displacement transducer. *Vaiannia, S., + , T-ED Jul 98* 1616-1619
Displays
diamond:B field emitter structs., technol. and charactn. *Dongsung Hong, + , T-ED Apr 98* 977-985

Displays; cf. Cathode-ray tubes; Flat panel displays; Gas discharge displays; Light-emitting diode displays; Liquid crystal displays; Three-dimensional displays
Distortion
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
Distortion; cf. Nonlinear distortion
Distributed feedback lasers
EAM, ultrashort opt. pulse generation. *Dellunde, J.*, + , *T-ED Oct 98* 2122-2130
Doping; cf. Ion implantation; Semiconductor device doping
DRAM chips
body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh*, + , *T-ED May 98* 1063-1070
LV high-dens. SOI DRAM, design issues. *Fossum, J.G.*, + , *T-ED May 98* 1055-1062
mfg., proc. simplification. *Thakur, R.P.S.*, + , *T-ED Mar 98* 609-619
retention time distrib., trench capacitor cell struct. *Hamamoto, T.*, + , *T-ED Jun 98* 1300-1309
SOI-DRAM, extra LV operation. *Eimori, T.*, + , *T-ED May 98* 1000-1009
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G.*, + , *T-ED May 98* 998-999
technol., gigabit era. *Kinam Kim*, + , *T-ED Mar 98* 598-608
ultrathin dielec., storage times. *Romanenko, A.Y.*, + , *T-ED Jan 98* 218-223
Driver circuits
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V.*, + , *T-ED Aug 98* 1690-1695
Dynamic response; cf. Transient response
Dynamics; cf. Hydrodynamics

E

EEPROM; cf. EPROM
Electric breakdown
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J.*, + , *T-ED Aug 98* 1843-1845
dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V.*, + , *T-ED May 98* 1155-1161
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havari, R.*, + , *T-ED Nov 98* 2291-2297
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung*, + , *T-ED Oct 98* 2251-2254
MOS devices, intrinsic oxide breakdown, trap-generation characts., SILC. *Sakakibara, K.*, + , *T-ED Jun 98* 1336-1341
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park*, + , *T-ED Jun 98* 1361-1368
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee*, + , *T-ED Oct 98* 2153-2160
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lai*, + , *T-ED Apr 98* 912-917
Si bipolar transistors, $f_t BV_{ceo}$ limit re-eval. *Ng, K.K.*, + , *T-ED Aug 98* 1854-1855
SiN capacitors in GaAs IC proc., reliab. assess. *Yeatz, B.*, *T-ED Apr 98* 939-946
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R.*, + , *T-ED Apr 98* 881-888
Si_3N_4 films, gate dielec. *Ma, T.P.*, *T-ED Mar 98* 680-690
SOI RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
pHEMTs, power devices, off-state breakdown. *Somerville, M.H.*, + , *T-ED Sep 98* 1883-1889
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
thin gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R.*, + , *T-ED Apr 98* 904-911
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F.*, + , *T-ED Nov 98* 2329-2334
Electric breakdown; cf. Avalanche breakdown; Dielectric breakdown; Semiconductor device breakdown
Electric field effects
Schottky barrier diodes, correl., I-V and C-V characts. *Zhu, Y.*, + , *T-ED Sep 98* 2032-2036
Electric field effects; cf. Electroluminescence
Electric fields
diamond:B field emitter structs., technol. and charactn. *Dongsung Hong*, + , *T-ED Apr 98* 977-985
field emission triode, phys. simul. model. *Chih-Wen Lu*, + , *T-ED Oct 98* 2238-2244
MOSFET inversion layer, saturation vel. lowering, modeling. *Shigyo, N.*, + , *T-ED Feb 98* 460-464
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai*, + , *T-ED Aug 98* 1784-1790
SOI RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
Electric variables; cf. Capacitance; Conductivity; Current; Impedance; Permittivity; Q factor; Resistance; Voltage
Electric variables measurement; cf. Admittance measurement; Capacitance measurement; Current measurement; Dielectric measurements; Impedance measurement; Resistance measurement
Electroabsorption
DFB laser/EAM, ultrashort opt. pulse generation. *Dellunde, J.*, + , *T-ED Oct 98* 2122-2130
Electrodes
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P.*, + , *T-ED Apr 98* 986-990
p-Si wafer, MSM photodetectors, trench electrodes. *Li-Hong Laih*, + , *T-ED Sep 98* 2018-2023
Electrodes; cf. Microelectrodes
Electroluminescence
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R.*, + , *T-ED Nov 98* 2261-2267
Si, electron distrib., hot carrier luminesc. meas. *Selmi, L.*, + , *T-ED Apr 98* 802-808
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
SOI MOSFETs, hot carrier degrad., luminesc. monitoring. *Selmi, L.*, + , *T-ED May 98* 1135-1139
Electroluminescent devices
TFEL devices, multiplication, doped probe layers. *Neyts, K.*, + , *T-ED Apr 98* 768-777
ZnS:TbOF TFEL devices, RF magnetron sputtering. *Wang, C.W.*, + , *T-ED Apr 98* 757-762
Electromagnetic diffraction; cf. Optical diffraction
Electromagnetic measurements; cf. Microwave measurements
Electromagnetic propagation in dispersive media
helical slow-wave cct. vars., effect on TWT cold-test characts. *Kory, C.L.*, + , *T-ED Apr 98* 972-976
Electromigration
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T.*, + , *T-ED Apr 98* 815-820
IC design eval., use of hierarchical reliab. anal. *Riege, S.P.*, + , *T-ED Oct 98* 2254-2257
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui*, + , *T-ED Feb 98* 380-386
Electron beams
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P.*, + , *T-ED Apr 98* 986-990
Electron-beam semiconductor devices
a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E.*, + , *T-ED Apr 98* 778-784
Electron emission
diamond:B field emitter structs., technol. and charactn. *Dongsung Hong*, + , *T-ED Apr 98* 977-985
DRAM retention time distrib., trench capacitor cell struct. *Hamamoto, T.*, + , *T-ED Jun 98* 1300-1309
HBT, space charge region, Shockley-Read-Hall recomb. current distrib. *Pallares, J.*, + , *T-ED Jan 98* 54-61
Mo FEAs, diamond-like C coating effect on emission characts. *Jae Hoon Jung*, + , *T-ED Oct 98* 2232-2237
single- and double-gate race-track-shaped field emitter structs., charactn. *Baoping Wang*, + , *T-ED Feb 98* 554-559
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
triode, field emission type, phys. simul. model. *Chih-Wen Lu*, + , *T-ED Oct 98* 2238-2244
Electron guns
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P.*, + , *T-ED Apr 98* 986-990
Electronics; cf. High-speed electronics; Vacuum microelectronics
Electron microscopy
$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee*, + , *T-ED Oct 98* 2153-2160

Electrons
Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017
Electron tubes; cf. Klystrons; Microwave tubes; Traveling wave tubes
Electrooptic effects; cf. Electroabsorption
Electrooptic modulation
DFB laser/EAM, ultrashort opt. pulse generation. *Dellunde, J.*, + , *T-ED Oct 98* 2122-2130
Electrostatic devices; cf. Electrostatic lenses
Electrostatic discharges
body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh*, + , *T-ED May 98* 1063-1070
CMOS output buffer, dyn. gate floating design, ESD protection. *Hun-Hsien Chang*, + , *T-ED Sep 98* 2076-2078
design methodol. and optim. of gate-driven NMOS ESD protection ccts. in submicron CMOS procs. *Chen, J.Z.*, + , *T-ED Dec 98* 2448-2456
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charcts. *Ming-Dou Ker*, *T-ED Apr 98* 849-860
Electrostatic lenses
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A.*, + , *T-ED Nov 98* 2304-2311
Electrostatic processes; cf. Electrostatic discharges; Space charge; Surface charging
Elementary particles; cf. Electrons; Neutrons
Emission; cf. Electron emission
Encapsulation
advanced IC packaging and chip scale package develop. *Anjok, I.*, + , *T-ED Mar 98* 743-752
Energy conversion; cf. Photovoltaic cells
Epitaxial growth
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, 1/f noise. *Vaitneia, J.F.*, + , *T-ED Jun 98* 1201-1206
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K.*, + , *T-ED Apr 98* 809-814
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M.*, + , *T-ED Jun 98* 1287-1294
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Ohguro, T.*, + , *T-ED Mar 98* 710-716
SOI CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M.*, + , *T-ED May 98* 1077-1083
$n\text{-}Al_{0.3}Ga_{0.8}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
tunneling through ultrathin GaAs n^{++}-p^{++}-n^{++} barrier grown by molecular layer epitaxy. *Liu, Y.-X.*, + , *T-ED Dec 98* 2551-2554
Epitaxial layers
CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318
Epitaxial layers; cf. Semiconductor epitaxial layers
EPROM
CMOS proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E.*, + , *T-ED Mar 98* 655-664
flash EEPROM, stacked gate mid-channel injection cell. *Kim, D.M.*, +, *T-ED Aug 98* 1703-1709
flash EPROM devices, erase-induced hot-carrier damage study. *Chun Chen*, + , *T-ED Feb 98* 512-520
flash E^2PROMs, SILC-related disturb charact. *de Blauwe, J.*, + , *T-ED Aug 98* 1751-1760
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J.*, + , *T-ED Aug 98* 1745-1750
flash memories, write/erase method, improve read disturb charcts. *Endoh, T.*, + , *T-ED Jan 98* 98-104
flash memory devices, hot carrier effects. *Chen, C.*, + , *T-ED Jul 98* 1524-1530
flash memory read-disturb charcts., tunnel oxide stress-induced leakage current. *Saioh, S.*, + , *T-ED Feb 98* 482-486
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park*, + , *T-ED Jun 98* 1361-1368
read-disturb and endurance of SSI-flash E^2PROM devices at high operating temps. *De Blauwe, J.*, + , *T-ED Dec 98* 2466-2474
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
stacked gate mid-channel injection flash EEPROM cell, prog. speed, efficiency. *Kim, D.M.*, + , *T-ED Aug 98* 1696-1702
Equations; cf. Boltzmann equation; Differential equations
Equivalent circuits
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E.*, + , *T-ED Sep 98* 1876-1882
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
integrated optoelectronic bistable device, transient response. *Zebda, Y.*, + , *T-ED Jan 98* 85-90
MESFET and HEMT mixers, noise modeling using uniform noisy line model. *Danneville, F.*, + , *T-ED Oct 98* 2207-2212
MOSFET, HF equiv. cct. params. *Sung, R.*, + , *T-ED Aug 98* 1769-1775
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
SOI CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M.*, + , *T-ED May 98* 1077-1083
SOI MOSFET design, floating-body charge effect. *Wei, A.*, + , *T-ED Feb 98* 430-438
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429
submicron MOSFET charcts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D.*, + , *T-ED May 98* 1039-1046
Error analysis
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
single-electron memory cell designs and charcts., comparative study. *Wasshuber, C.*, + , *T-ED Nov 98* 2365-2371
Estimation; cf. Delay estimation; Least squares methods; Life estimation; Maximum likelihood estimation; Parameter estimation; Yield estimation
Etching
corrugated quantum well IR photodetectors, polyimide planarization. *Chen, C.-J.*, + , *T-ED Jul 98* 1431-1437
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A.*, + , *T-ED Nov 98* 2304-2311
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T.*, + , *T-ED Jan 98* 299-306
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563
p-Si wafer, MSM photodetectors, trench electrodes. *Li-Hong Laik*, + , *T-ED Sep 98* 2018-2023
Etching; cf. Sputter etching
Extraterrestrial radiation effects
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458

F

Fabrication; cf. Integrated circuit fabrication; Semiconductor device fabrication
Failure analysis
IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S.*, + , *T-ED Oct 98* 2222-2231
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B.*, *T-ED Apr 98* 939-946
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui*, + , *T-ED Feb 98* 380-386
Fault currents; cf. Leakage currents; Short circuit currents
Feedback
metal-resist.-semicond. avalanche photodetector operation. *Zappa, F.*, + , *T-ED Jan 98* 91-97
Feedback amplifiers
LED, low current region, remodeling. *Acharya, Y.B.*, + , *T-ED Jul 98* 1426-1430
Feedback circuits
smart power appls., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046

Feedback lasers; cf. Distributed feedback lasers
FET amplifiers; cf. MOSFET amplifiers; UHF FET amplifiers
FET circuits; cf. FET integrated circuits; MESFET circuits; MODFET circuits
FET integrated circuits
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
FET integrated circuits; cf. MODFET integrated circuits; MOS integrated circuits
FETs
GaAs FETs, trap props./locations meas. under different bias conditions. *Azhar Iqbal, M., + , T-ED Aug 98* 1663-1670
HFETs, Z_{11} impedance tech. for mobility and carrier conc. extract. *Ernst, A.N., + , T-ED Jan 98* 9-13
FETs; cf. Insulated gate FETs; JFETs; MESFETs; Microwave FETs; Millimeter wave FETs; MISFETs; MODFETs; Power FETs; UHF FETs
FET switches
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, + , T-ED Feb 98* 401-405
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., + , T-ED May 98* 1047-1054
Films; cf. Conducting films; Dielectric films; Epitaxial layers; Optical films; Semiconductor films
Finite difference methods
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311
Finite element methods
IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S., + , T-ED Oct 98* 2222-2231
Si IGBTs, punchthrough and nonpunchthrough, ZVS. *Pendharkar, S., + , T-ED Aug 98* 1826-1835
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205
Flat panel displays
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
Flip-flops
CMOS cects., cosmic ray neutron-induced soft errors. *Tosaka, Y., + , T-ED Jul 98* 1453-1458
single-electron memory cell designs and characts., comparative study. *Wasshuber, C., + , T-ED Nov 98* 2365-2371
Fourier transforms; cf. Discrete Fourier transforms
Frequency conversion
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., + , T-ED Nov 98* 2298-2303
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E., + , T-ED Sep 98* 1876-1882
Frequency conversion; cf. Millimeter wave frequency conversion; Mixers
Frequency response
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S., + , T-ED Jan 98* 326-329
bipolar transistor, small-sig. operation anal. and modelling. *Rinaldi, N.F., + , T-ED Aug 98* 1817-1825
Functions; cf. Green function

G

Galerkin method
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205
Gallium compounds
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y., + , T-ED Jan 98* 31-35
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S., + , T-ED Jan 98* 326-329
AlGaAs/GaAs HBTs, thermal resist. meas. *Bovolon, N., + , T-ED Aug 98* 1846-1848
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S., + , T-ED Aug 98* 1656-1662
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J., + , T-ED Oct 98* 2108-2115
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., + , T-ED Feb 98* 366-372
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J., + , T-ED Aug 98* 1843-1845
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J., + , T-ED Jan 98* 2-8
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M., + , T-ED Jun 98* 1170-1175
AlGaInP/GaInP vis. strained quantum well lasers. *Su, Y.-K., + , T-ED Apr 98* 763-767
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang, + , T-ED Nov 98* 2283-2290
Al/n-GaSb Schottky diodes, tunnelling transport study. *Subekti, A., + , T-ED Oct 98* 2247-2248
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R., + , T-ED Nov 98* 2261-2267
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., + , T-ED Nov 98* 2298-2303
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D., + , T-ED Sep 98* 1890-1895
GaAs/$Al_xGa_{1-x}As$ HEMTs, noise params. *Mateos, J., + , T-ED Sep 98* 2081-2083
GaAs FETs, trap props./locations meas. under different bias conditions. *Azhar Iqbal, M., + , T-ED Aug 98* 1663-1670
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T., + , T-ED Jun 98* 1176-1182
GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha, + , T-ED Jan 98* 78-84
GaAs MESFET, opt. induced sidegating current isolation. *Ching-Ting Lee, T-ED Sep 98* 2083-2085
GaAs MESFETs, epitaxial lift-off. *Morf, T., + , T-ED Jul 98* 1407-1413
GaAs monochromatic PV cells, very high power dens., design and optimization. *Algora, C., + , T-ED Sep 98* 2047-2054
GaAs p^+-i-homojunction far-IR detectors, emitter layer conc. effects. *Wenzhong Shen, + , T-ED Aug 98* 1671-1677
GaAs p^+-i-n^+ APDs, multiplication noise, Monte Carlo model. *Ong, D.S., + , T-ED Aug 98* 1804-1810
GaAs SAG p-pocket MESFET, lin. power amp. *Nishihori, K., + , T-ED Jul 98* 1385-1392
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E., + , T-ED Sep 98* 1876-1882
GaInP/GaAs HBT, avalanche multiplication study. *Flitcroft, R.M., + , T-ED Jun 98* 1207-1212
GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu, + , T-ED Jun 98* 1213-1218
$Ga_{0.53}In_{0.47}P$ diodes, avalanche multiplication and breakdown. *Ghin, R., + , T-ED Oct 98* 2096-2101
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A., + , T-ED Jan 98* 338-340
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C., + , T-ED Jun 98* 1219-1225
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H., + , T-ED Jan 98* 68-77
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S., + , T-ED Aug 98* 1634-1643
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu, + , T-ED Jan 98* 21-30
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R., + , T-ED Nov 98* 2291-2297
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T., + , T-ED Jun 98* 1196-1200
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K., + , T-ED Nov 98* 2268-2275
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, 1/f noise. *Vaitneia, J.F., + , T-ED Jun 98* 1201-1206
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu, + , T-ED Feb 98* 373-379
$In_xAl_{1-x}As/In_yGa_{1-y}As$ (0.3 ⩽ x ⩽ 0.6) metamorphic mm-wave HEMTs. *Happy, H., + , T-ED Oct 98* 2089-2095
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P., + , T-ED Feb 98* 349-360
SI, EBIC imaging. *Brennan, C.R., + , T-ED Sep 98* 2024-2031
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S., + , T-ED Jan 98* 14-20
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K., + , T-ED Feb 98* 361-365
n-$Al_{0.3}Ga_{0.8}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S., + , T-ED Jun 98* 1183-1189
tunneling through ultrathin GaAs n^{++}-p^{++}-n^{++} barrier grown by molecular layer epitaxy. *Liu, Y.-X., + , T-ED Dec 98* 2551-2554
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T., + , T-ED Nov 98* 2276-2282
Gas discharge displays
microbridge plasma display panel, high gas press. *Kyung Cheol Choi, + , T-ED Jun 98* 1356-1360
Gas discharges; cf. Electrostatic discharges; Glow discharges
Gases; cf. Hydrogen; Nitrogen
Germanium
polysilicon TFT, Ge-seeded laterally crystallized, vert. integrat. *Subramanian, V., + , T-ED Sep 98* 1934-1939

Germanium alloys
deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G., + , T-ED Dec 98* 2430-2436
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., + , T-ED Jun 98* 1287-1294
SiGe HBTs, base transit time, doping profiles. *Patri, V.S., + , T-ED Aug 98* 1725-1731
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A., + , T-ED Feb 98* 538-542
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A., + , T-ED Jul 98* 1531-1537
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C., T-ED Apr 98* 791-796
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501
$Si-Si_xGe_{1-x}$ MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B., + , T-ED Apr 98* 993-995
a-SiGe high-speed IR sens. *Jyh-Jier Ho, + , T-ED Sep 98* 2085-2088

Gettering
CMOS proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E., + , T-ED Mar 98* 655-664
Si, multicrystalline solar cells, fab. and charactn. *Narasimha, S., + , T-ED Aug 98* 1776-1783
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A., T-ED Oct 98* 2131-2137

Glow discharges
microbridge plasma display panel, high gas press. *Kyung Cheol Choi, + , T-ED Jun 98* 1356-1360

Gold
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S., + , T-ED Aug 98* 1656-1662

Green function
bipolar device noise anal., multidimensional phys.-based models. *Bonani, F., + , T-ED Jan 98* 261-269
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205

Gyrotrons
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P., + , T-ED Apr 98* 986-990

H

Hall effect
GaInP/AlGaAs/GaInP double HBTs with zero conduction band spike at collector. *Lye, B.-C., + , T-ED Dec 98* 2417-2421

Heat treatment
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Okguro, T., + , T-ED Mar 98* 710-716

Heat treatment; cf. Annealing

Heterojunction bipolar transistors
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S., + , T-ED Jan 98* 326-329
AlGaAs/GaAs HBTs, thermal resist. meas. *Bovolon, N., + , T-ED Aug 98* 1846-1848
emitter ballasted, thermal stabil. *Adlerstein, M.G., T-ED Aug 98* 1653-1655
GaInP/AlGaAs/GaInP double HBTs with zero conduction band spike at collector. *Lye, B.-C., + , T-ED Dec 98* 2417-2421
GaInP/GaAs HBT, avalanche multiplication study. *Flitcroft, R.M., + , T-ED Jun 98* 1207-1212
IC technol., ultra-fast low-power submicron ICs. *Hafizi, M., T-ED Sep 98* 1862-1868
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S., + , T-ED Aug 98* 1634-1643
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T., + , T-ED Jun 98* 1196-1200
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K., + , T-ED Nov 98* 2268-2275
LF noise of InP/InGaAs HBTs. *Takanashi, Y., + , T-ED Dec 98* 2400-2406
mm-wave power HBT design, gain perform. anal. model. *Tanaka, S., + , T-ED Jan 98* 36-44
power HBTs, thermal behavior, emitter finger and substr. config. *Chang-Woo Kim, + , T-ED Jun 98* 1190-1195
quantifying neutral base recomb. and effects of collector-base jn. traps in UHV/CVD SiGe HBTs. *Niu, G., + , T-ED Dec 98* 2499-2504
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., + , T-ED Jun 98* 1287-1294
SiGe HBTs, base transit time, doping profiles. *Patri, V.S., + , T-ED Aug 98* 1725-1731
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A., + , T-ED Jul 98* 1531-1537
space charge region, Shockley-Read-Hall recomb. current distrib. *Pallares, J., + , T-ED Jan 98* 54-61
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T., + , T-ED Nov 98* 2276-2282

Heterojunctions; cf. Semiconductor heterojunctions

High-speed electronics
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., + , T-ED Feb 98* 366-372
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y., + , T-ED Jan 98* 341-342
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu, + , T-ED Jan 98* 21-30
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501

High-speed electronics; cf. High-speed integrated circuits; Ultrafast electronics

High-speed integrated circuits
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A., + , T-ED Jan 98* 338-340

Hot carriers
0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Okguro, T., + , T-ED Mar 98* 717-721
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J., + , T-ED Oct 98* 2108-2115
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., + , T-ED Feb 98* 366-372
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menazzi, R., + , T-ED Nov 98* 2261-2267
deep submicron SOI MOSFETs, hot carrier effects and lifetime predict. *Shing-Hwa Renn, + , T-ED Nov 98* 2335-2342
DMOS transistors, charactn. method for hot-carrier degrad. *Pieracci, A., + , T-ED Aug 98* 1855-1858
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Lou, + , T-ED Jun 98* 1317-1323
flash EEPROM, stacked gate mid-channel injection cell. *Kim, D.M., + , T-ED Aug 98* 1703-1709
flash memory devices, hot carrier effects. *Chen, C., + , T-ED Jul 98* 1524-1530
fully-depleted SOI NMOSFET, hot-carrier degrad. *Banna, S.R., + , T-ED Jan 98* 206-212
LDD nMOSFET degrad. model. *Liu, S.-S., + , T-ED Jul 98* 1538-1547
LDD n-MOSFETs, self-limiting hot-carrier degrad. *Ang, D.S., + , T-ED Jan 98* 149-159
Monte Carlo semicond. simulators, multicomb variance reduction. *Gray, M.G., + , T-ED Apr 98* 918-924
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K., + , T-ED Feb 98* 406-416
MOSFET, channel hot electron stress, pos. oxide charge. *Han, K.M., + , T-ED Jul 98* 1624-1627
MOSFET, hot carrier degrad., capacitance monitoring. *Esseni, D., + , T-ED Nov 98* 2319-2328
MOSFET, oxide charge trapping/detrapping, GIDL current. *Wang, T., + , T-ED Jul 98* 1511-1517
MOSFETs/SIMOX, fully-depleted, parasitic bipolar action, BSBT treatment. *Koizumi, H., + , T-ED Apr 98* 933-938
MOSFETs, stress-induced oxide traps, subthreshold transient current. *Tahui Wang, + , T-ED Aug 98* 1791-1796
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih, + , T-ED Nov 98* 2343-2348
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C., + , T-ED Jan 98* 254-260
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T., + , T-ED Feb 98* 521-528
p-channel MOS transistors, interface trap dens. reduction, channel-hot-hole stress. *Han, K.M., + , T-ED Jun 98* 1380-1382
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S., + , T-ED Apr 98* 895-903
quasi-2D HEMT model for DC and microwave simul./CAD. *Singh, R., + , T-ED Jun 98* 1165-1169
Si, electron distrib., hot carrier luminesc. meas. *Selmi, L., + , T-ED Apr 98* 802-808
SIMOX MOSFETs, deep submicron N- and P-channel partially and fully depleted unibond, degrad. *Shing-Hwa Renn, + , T-ED Oct 98* 2146-2152
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Okguro, T., + , T-ED Mar 98* 710-716
SOI MOSFET devices, interface traps, front-gate charge-pumping method. *Yujun Li, + , T-ED Jun 98* 1329-1335

SOI MOSFETs, hot carrier degrad., luminesc. monitoring. *Selmi, L.*, + , *T-ED May 98* 1135-1139
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
SOI N-MOSFETs, hot carrier effects and lifetime prediction. *Shing-Hwa Renn*, + , *T-ED May 98* 1140-1146
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
n-MOSFET scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876
n-MOSFETs, reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G.*, + , *T-ED Apr 98* 861-866
stacked gate mid-channel injection flash EEPROM cell, prog. speed, efficiency. *Kim, D.M.*, + , *T-ED Aug 98* 1696-1702
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chwan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178
submicron MOSFET characts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
thin gate MOSFETs, lateral profiling of hot-carrier-induced oxide charge/interface traps. *Chun Chen*, + , *T-ED Feb 98* 512-520

Hydrodynamics
helix TWTs, nonlin. Eulerian hydrodynamical anal. *Datta, S.K.*, + , *T-ED Sep 98* 2055-2062

Hydrogen
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin*, + , *T-ED Jun 98* 1324-1328
a-Si:H buried-channel TFTs, fab. and characts. *Weber, C.*, + , *T-ED Feb 98* 447-452
a-Si:H layered TFTs, reliab., cond.-band tail width reduction. *GadelRab, S.M.*, + , *T-ED Oct 98* 2179-2186
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
a-Si:H TFTs, unpassivated, bias stress. *Slade, H.C.*, + , *T-ED Jul 98* 1548-1553
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563
a-SiC:H multispectral detectors. *Zhu, Q.*, + , *T-ED Jul 98* 1393-1398

Hydrogen; cf. Deuterium

Hysteresis
segmented-anode lateral IGBTs, bistability and hysteresis. *Gartner, M.*, + , *T-ED Jul 98* 1575-1579
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276

I

Identification; cf. Parameter estimation

Image intensifiers
a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E.*, + , *T-ED Apr 98* 778-784

Image sensors
CMOS act. pixel image sens., fab. in 1.8 V, 0.25 μm technol. *Wong, H.P.*, + , *T-ED Apr 98* 889-894
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E.*, + , *T-ED Apr 98* 778-784

Image sensors; cf. Infrared image sensors

Impact ionization
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J.*, + , *T-ED Aug 98* 1843-1845
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R.*, + , *T-ED Nov 98* 2261-2267
anal. of kink phenomena in InAlAs/InGaAs HEMTs using 2D device simul. *Suemitsu, T.*, + , *T-ED Dec 98* 2390-2399
fully-depleted SOI MOSFETs, short-channel effects. *Tsuchiya, T.*, + , *T-ED May 98* 1116-1121
GaAs thin p⁺-i-n⁺ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107
GaInP/GaAs HBT, avalanche multiplication study. *Flitcroft, R.M.*, + , *T-ED Jun 98* 1207-1212
$Ga_{0.52}In_{0.48}P$ diodes, avalanche multiplication and breakdown. *Ghin, R.*, + , *T-ED Oct 98* 2096-2101
IGBT, short-cct. perform. *Trivedi, M.*, + , *T-ED Jan 98* 313-320
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
MOSFET, channel hot electron stress, pos. oxide charge. *Han, K.M.*, + , *T-ED Jul 98* 1624-1627
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park*, + , *T-ED Jun 98* 1361-1368
Si, carrier transport, BTE, spherical harmonics expansion. *Vecchi, M.C.*, + , *T-ED Jan 98* 230-238
Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
n-MOSFET scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876

Impedance
helical TWT, interact. impedance. *Kory, C.L.*, + , *T-ED Sep 98* 2063-2071

Impedance matching
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200

Impedance measurement
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13

Impurities; cf. Semiconductor impurities

Indium compounds
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J.*, + , *T-ED Oct 98* 2108-2115
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J.*, + , *T-ED Aug 98* 1843-1845
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
AlGaInP/GaInP vis. strained quantum well lasers. *Su, Y.-K.*, + , *T-ED Apr 98* 763-767
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang*, + , *T-ED Nov 98* 2283-2290
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T.*, + , *T-ED Jun 98* 1176-1182
GaInP/GaAs HBT, avalanche multiplication study. *Flitcroft, R.M.*, + , *T-ED Jun 98* 1207-1212
GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu*, + , *T-ED Jun 98* 1213-1218
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A.*, + , *T-ED Jan 98* 338-340
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S.*, + , *T-ED Aug 98* 1634-1643
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu*, + , *T-ED Jan 98* 21-30
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, I/f noise. *Vaitneia, J.F.*, + , *T-ED Jun 98* 1201-1206
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu*, + , *T-ED Feb 98* 373-379
$In_yAl_{1-y}As/In_xGa_{1-x}As$ (0.3 ≤ x ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
LF drain current noise behavior of InP based MODFETs in lin. and saturation regime. *van Meer, H.*, + , *T-ED Dec 98* 2475-2482
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P.*, + , *T-ED Feb 98* 349-360
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365

n-$Al_{0.7}Ga_{0.3}As/In_{0.35}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S., + , T-ED Jun 98* 1183-1189
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T., + , T-ED Nov 98* 2276-2282

Inductors
microwave spiral inductors, CMOS technol. *Min Park, + , T-ED Sep 98* 1953-1959
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M., + , T-ED Jan 98* 173-178
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D., + , T-ED May 98* 1039-1046
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., + , T-ED May 98* 1047-1054

Industrial control; cf. Process control

Information theory; cf. Decoding

Infrared detectors
Bi(-Sb)-Te thermopile IR detector lin. array. *Foote, M.C., + , T-ED Sep 98* 1896-1902
corrugated quantum well IR photodetectors, polyimide planarization. *Chen, C.-J., + , T-ED Jul 98* 1431-1437
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D., + , T-ED Sep 98* 1890-1895
GaAs p$^+$-i homojunction far-IR detectors, emitter layer conc. effects. *Wenzhong Shen, + , T-ED Aug 98* 1671-1677
multiple QW IR photodetectors, transit-time and capture effects. *Ryzhii, V., + , T-ED Jan 98* 293-298
QWIP semicond. device, neg. capacitance. *Ershov, M., + , T-ED Oct 98* 2196-2206
a-SiGe high-speed IR sens. *Jyh-Jier Ho, + , T-ED Sep 98* 2085-2088
SQW IR photodetectors, HF perform., high power densities. *Ryzhii, V., T-ED Aug 98* 1797-1803

Infrared image sensors
HgCdTe large LWIR FPAs, 2D model for operating point shift. *Dhar, V., + , T-ED Feb 98* 487-493

Insulated gate bipolar transistors
CMOS power ICs, crosstalk isolation struct. *Chan, W.W.T., + , T-ED Jul 98* 1580-1586
dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V., + , T-ED May 98* 1155-1161
IGBT dyns. for clamped inductive switching. *Trivedi, M., + , T-ED Dec 98* 2537-2545
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung, + , T-ED Oct 98* 2251-2254
lateral IGBT power devices, integrated current sens. *Liang, Y.C., + , T-ED Jul 98* 1614-1616
punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S., + , T-ED Oct 98* 2222-2231
segmented-anode lateral IGBTs, bistability and hysteresis. *Gartner, M., + , T-ED Jul 98* 1575-1579
short-cct. perform. *Trivedi, M., + , T-ED Jan 98* 313-320
Si IGBTs, punchthrough and nonpunchthrough, ZVS. *Pendharkar, S., + , T-ED Aug 98* 1826-1835

Insulated gate FETs
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S., + , T-ED Jan 98* 14-20

Insulated gate FETs; cf. MISFETs

Insulated gate transistor switches
shallow emitter ballast technol. for IGBTs. *Venkatesan, V., + , T-ED Jan 98* 329-331

Integrated circuit bonding; cf. Wafer bonding

Integrated circuit design
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Vuong, H.-H., + , T-ED Apr 98* 991-993
design methodol. and optim. of gate-driven NMOS ESD protection ccts. in submicron CMOS procs. *Chen, J.Z., + , T-ED Dec 98* 2448-2456
fig.-of-merit for MOSFET perform., appl., scaling, sub-0.25 μm CMOS logic technols. *Chatterjee, A., + , T-ED Jun 98* 1246-1252
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, + , T-ED Sep 98* 1993-2001
LV high-dens. SOI DRAM, design issues. *Fossum, J.G., + , T-ED May 98* 1055-1062
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R., +, T-ED Mar 98* 574-579
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G., + , T-ED May 98* 998-999
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charcts. *Ming-Dou Ker, T-ED Apr 98* 849-860

Integrated circuit design; cf. Integrated circuit layout

Integrated circuit doping; cf. Integrated circuit ion implantation

Integrated circuit fabrication
0.15-μm RF CMOS technol. compatible, logic CMOS for LV operation. *Saito, M., + , T-ED Mar 98* 737-742
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Vuong, H.-H., + , T-ED Apr 98* 991-993
CMOS act. pixel image sens., fab. in 1.8 V, 0.25 μm technol. *Wong, H.P., + , T-ED Apr 98* 889-894
deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
DRAM mfg., proc. simplification. *Thakur, R.P.S., + , T-ED Mar 98* 609-619
DRAM technol., gigabit era. *Kinam Kim, + , T-ED Mar 98* 598-608
fig.-of-merit for MOSFET perform., appl., scaling, sub-0.25 μm CMOS logic technols. *Chatterjee, A., + , T-ED Jun 98* 1246-1252
HBT IC technol., ultra-fast low-power submicron ICs. *Haftizi, M., T-ED Sep 98* 1862-1868
rapid photothermal proc., proc. integrat. *Singh, R., + , T-ED Mar 98* 643-654
semicond. devices, proc. synthesis. *Hosack, H.H., + , T-ED Mar 98* 626-633
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G., + , T-ED May 98* 998-999
μPs, high-perform., logic technol. *Bohr, M.T., + , T-ED Mar 98* 620-625
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D., + , T-ED May 98* 1039-1046
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., + , T-ED May 98* 1047-1054
ultra-thin-film FD CMOS/SIMOX devices, parasitic bipolar action suppress. by Ar ion implant. *Ohno, T., + , T-ED May 98* 1071-1076

Integrated circuit fabrication; cf. Integrated circuit metallization; Isolation technology

Integrated circuit interconnections
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T., + , T-ED Apr 98* 815-820
GSI, stochastic wire-length distrib. *Davis, J.A., + , T-ED Mar 98* 580-589
GSI, stochastic wire length distrib. *Davis, J.A., + , T-ED Mar 98* 590-597
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
plasma charge damage control in advanced IC mfg. *Aum, P.K., + , T-ED Mar 98* 722-730
μPs, high-perform., logic technol. *Bohr, M.T., + , T-ED Mar 98* 620-625
VLSI interconnects, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205

Integrated circuit ion implantation
CMOSFET charcts. mismatch, influ. of asymmet./symmet. source/drain region. *Ohzone, T., + , T-ED Feb 98* 529-537
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu, + , T-ED Jan 98* 45-53

Integrated circuit layout
CMOSFET charcts. mismatch, influ. of asymmet./symmet. source/drain region. *Ohzone, T., + , T-ED Feb 98* 529-537
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
plasma charge damage control in advanced IC mfg. *Aum, P.K., + , T-ED Mar 98* 722-730

Integrated circuit manufacture
plasma charge damage control in advanced IC mfg. *Aum, P.K., + , T-ED Mar 98* 722-730
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R., +, T-ED Mar 98* 574-579
thin gate oxide degrad. during fab. of advanced CMOS ULSI ccts., anal. *Kim, S.U., T-ED Mar 98* 731-736
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y., + , T-ED Mar 98* 753-755

Integrated circuit measurements
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y., + , T-ED Mar 98* 753-755

Integrated circuit mechanical factors
$TiSi_2$, silicidation proc. in CMOS fab., 2D effects. *Dah-Bin Kao, + , T-ED Jan 98* 187-193

Integrated circuit metallization
CMOS proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E., + , T-ED Mar 98* 655-664
Ti SALICIDE proc., preamorphization implant., CMOS technol. *Qiuxia Xu, + , T-ED Sep 98* 2002-2009

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

$TiSi_2$, silicidation proc. in CMOS fab., 2D effects. *Dah-Bin Kao, + , T-ED Jan 98* 187-193
vias and contacts, diffusion barrier deposition, long throw sputtering. *Smy, T., + , T-ED Jul 98* 1414-1425
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386

Integrated circuit modeling
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S., + , T-ED Jan 98* 326-329
buried-channel PMOS vs. surface-channel PMOS, design for 0.25 μm CMOS technol. *Yuong, H.-H., + , T-ED Apr 98* 991-993
deep-submicron bipolar devices, compact vel. overshoot model. *Hsien-Chang Wu, + , T-ED Feb 98* 417-422
flash EEPROM, stacked gate mid-channel injection cell. *Kim, D.M., + , T-ED Aug 98* 1703-1709
flash E^2PROMs, SILC-related disturb charact. *de Blauwe, J., + , T-ED Aug 98* 1751-1760
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J., + , T-ED Aug 98* 1745-1750
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V., + , T-ED Jan 98* 224-229
GSI, stochastic wire-length distrib. *Davis, J.A., + , T-ED Mar 98* 580-589
GSI, stochastic wire length distrib. *Davis, J.A., + , T-ED Mar 98* 590-597
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
LV high-dens. SOI DRAM, design issues. *Fossum, J.G., + , T-ED May 98* 1055-1062
MOS ICs, TDDB, field accel. model. *Degraeve, R., + , T-ED Feb 98* 472-481
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O., + , T-ED Jan 98* 125-133
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D., + , T-ED May 98* 1039-1046
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386
VLSI multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205

Integrated circuit noise
0.15-μm RF CMOS technol. compatible, logic CMOS for LV operation. *Saito, M., + , T-ED Mar 98* 737-742
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charcts. *Ming-Dou Ker, T-ED Apr 98* 849-860

Integrated circuit packaging
advanced IC packaging and chip scale package develop. *Anjoh, I., + , T-ED Mar 98* 743-752

Integrated circuit reliability
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T., + , T-ED Apr 98* 815-820
CMOS proc. integrat., ILDO module, built-in reliab. *Paulsen, R.E., + , T-ED Mar 98* 655-664
deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
flash EPROM devices, erase-induced hot-carrier damage study. *Chun Chen, + , T-ED Feb 98* 512-520
flash memories, write/erase method, improve read disturb charcts. *Endoh, T., + , T-ED Jan 98* 98-104
flash memory devices, hot carrier effects. *Chen, C., + , T-ED Jul 98* 1524-1530
flash memory read-disturb charcts., tunnel oxide stress-induced leakage current. *Satoh, S., + , T-ED Feb 98* 482-486
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K., + , T-ED Feb 98* 406-416
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park, + , T-ED Jun 98* 1361-1368
MOS ICs, TDDB, field accel. model. *Degraeve, R., + , T-ED Feb 98* 472-481
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S., + , T-ED Apr 98* 895-903
read-disturb and endurance of SSI-flash E^2PROM devices at high operating temps. *De Blauwe, J., + , T-ED Dec 98* 2466-2474
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
stacked gate mid-channel injection flash EEPROM cell, prog. speed, efficiency. *Kim, D.M., + , T-ED Aug 98* 1696-1702
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charcts. *Ming-Dou Ker, T-ED Apr 98* 849-860
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386

Integrated circuits; cf. Bipolar integrated circuits; FET integrated circuits; High-speed integrated circuits; Large-scale integration; Microprocessors; Monolithic integrated circuits; Power integrated circuits; Semiconductor memories; UHF integrated circuits

Integrated circuit testing
plasma charge damage control in advanced IC mfg. *Aum, P.K., + , T-ED Mar 98* 722-730

Integrated circuit thermal factors
flash memory read-disturb charcts., tunnel oxide stress-induced leakage current. *Satoh, S., + , T-ED Feb 98* 482-486
read-disturb and endurance of SSI-flash E^2PROM devices at high operating temps. *De Blauwe, J., + , T-ED Dec 98* 2466-2474
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O., + , T-ED Jan 98* 125-133
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386

Integrated injection logic
anal. of Si:Ge heterojunction integrated injection logic structs. using stored charge model. *Wainwright, S.P., + , T-ED Dec 98* 2437-2447

Integrated optoelectronics
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang, + , T-ED Nov 98* 2283-2290
bistable device, HPT/LD integrat., transient response. *Zebda, Y., + , T-ED Jan 98* 85-90
DFB laser/EAM, ultrashort opt. pulse generation. *Dellunde, J., + , T-ED Oct 98* 2122-2130
submicron MSM photodetectors, diffr. and interf. effects. *Arafa, M., + , T-ED Jan 98* 62-67

Integration (mathematics)
field emission triode, phys. simul. model. *Chih-Wen Lu, + , T-ED Oct 98* 2238-2244

Integrodifferential equations; cf. Boltzmann equation

Interconnected circuits; cf. Cascade circuits

Interconnections; cf. Integrated circuit interconnections

Interface phenomena
charge-pumping meas. of MOSFETs, gate sawtooth pulses. *Lai, P.T., + , T-ED Apr 98* 947-952
fully-depleted SOI NMOSFET, hot-carrier degrad. *Banna, S.R., + , T-ED Jan 98* 206-212
LDD nMOSFET degrad. model. *Liu, S.-S., + , T-ED Jul 98* 1538-1547
LDD n-MOSFETs, self-limiting hot-carrier degrad. *Ang, D.S., + , T-ED Jan 98* 149-159
MOSFET, Fowler-Nordheim injection, interface trap generation. *Chen, T.P., + , T-ED Sep 98* 1920-1926
MOSFET, GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C., + , T-ED Jul 98* 1518-1523
MOSFET, hot carrier degrad., capacitance monitoring. *Esseni, D., + , T-ED Nov 98* 2319-2328
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You, + , T-ED Jan 98* 239-246
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih, + , T-ED Nov 98* 2343-2348
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C., + , T-ED Jan 98* 254-260
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T., + , T-ED Feb 98* 521-528
SiC/SiO_2 interface of 6H-SiC NMOSFETs, N implant activation effect. *Lam, M.P., + , T-ED Feb 98* 565-567
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai, + , T-ED Aug 98* 1784-1790
SOI-MOS capacitors, C-V behavior modeling. *Ikraiam, F.A., + , T-ED May 98* 1026-1032
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E., + , T-ED May 98* 1147-1154
n-MOSFETs, reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G., + , T-ED Apr 98* 861-866
nMOS transistor, oxide field stress, interface trap generation. *Chen, T.P., + , T-ED Sep 98* 1972-1977
submicron MOSFETs, pos. bias temp. instabil. study. *Zhang, J.F., + , T-ED Jan 98* 116-124
thin gate MOSFETs, lateral profiling of hot-carrier-induced oxide charge/interface traps. *Chun Chen, + , T-ED Feb 98* 512-520

Interface phenomena; cf. Inversion layers; Schottky barriers; Semiconductor-insulator interfaces; Semiconductor junctions; Semiconductor-metal interfaces

Inverse problems; cf. Integration (mathematics)

Inversion layers
MOS devices, hole inversion layers, quantization effects. *Hareland, S.A., + , T-ED Jan 98* 179-186
MOSFET inversion layer, saturation vel. lowering, modeling. *Shigyo, N., + , T-ED Feb 98* 460-464

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

MOSFET modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Janik, T.*, + , *T-ED Jun 98* 1263-1271
MOSFET substr. dopant profile, inversion layer-to-substr. capacitance. *Chiang, C.Y.-T.*, + , *T-ED Aug 98* 1732-1736
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
nMOS transistors, quantum mech. effects, self-consistent 2D model. *Spinelli, A.S.*, + , *T-ED Jun 98* 1342-1349
Inverters; cf. Pulse inverters
Ion implantation
$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919
$CoSi_2$ implant., elevated n$^+$/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952
deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262
low-energy BF_2- and As-implant layers, characts. and effect 0.15 μm MOSFET perform. *Nishida, A.*, + , *T-ED Mar 98* 701-709
MOSFET, threshold voltages, self-aligned control, tilted ion implant. *Kurata, H.*, + , *T-ED Oct 98* 2161-2166
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C.*, + , *T-ED Jun 98* 1383
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin*, + , *T-ED Jun 98* 1324-1328
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K.*, + , *T-ED Apr 98* 809-814
Si:As(P)(B)(BF_2), ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee*, + , *T-ED Aug 98* 1737-1744
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A.*, + , *T-ED Jul 98* 1531-1537
SOI CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M.*, + , *T-ED May 98* 1077-1083
n-MOSFET scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876
Ti SALICIDE proc., preamorphization implant., CMOS technol. *Qiuxia Xu*, + , *T-ED Sep 98* 2002-2009
ultra-thin-film FD CMOS/SIMOX devices, parasitic bipolar action suppress. by Ar ion implant. *Ohno, T.*, + , *T-ED May 98* 1071-1076
Ion implantation; cf. Integrated circuit ion implantation; Semiconductor device ion implantation
Ionization; cf. Impact ionization
Ion radiation effects
Si:As(P)(B)(BF_2), ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
Isolation technology
CMOS power ICs, crosstalk isolation struct. *Chan, W.W.T.*, + , *T-ED Jul 98* 1580-1586
dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V.*, + , *T-ED May 98* 1155-1161
GaAs MESFET, opt. induced sidegating current isolation. *Ching-Ting Lee*, *T-ED Sep 98* 2083-2085
MOSFETs, shallow silicided p$^+$-n jn., reverse leakage current. *Hi-Deok Lee*, + , *T-ED Aug 98* 1848-1850
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee*, + , *T-ED Oct 98* 2153-2160
SOI-DRAM, extra LV operation. *Eimori, T.*, + , *T-ED May 98* 1000-1009
SOI MOSFET, field shield isolation, delay time instabil. *Maeda, S.*, + , *T-ED Jul 98* 1479-1486
SOI MOSFET, reoxidized MESA isolation. *Fung, S.K.H.*, + , *T-ED May 98* 1105-1110

J

JFETs
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J.*, + , *T-ED Oct 98* 2108-2115
4H-SiC JFET, high temp. RF power amp. *Hatfield, C.W.*, + , *T-ED Sep 98* 2072-2074
n-$Al_{0.7}Ga_{0.3}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
n-HFET, gate current, anal. model. *Martinez, E.J.*, + , *T-ED Oct 98* 2116-2121

K

Klystrons
single-stage depressed collector for high-power pulsed gyroklystron amps. *Sarapk, G.P.*, + , *T-ED Apr 98* 986-990
ungridded reentrant cavity, beam coupling coeff. *Onodera, T.*, + , *T-ED Aug 98* 1858-1860

L

Land mobile radio cellular systems
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T.*, + , *T-ED Jun 98* 1176-1182
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I.*, + , *T-ED Apr 98* 953-956
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365
Laplace equations
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A.*, + , *T-ED Nov 98* 2304-2311
Large-scale integration
0.15-μm RF CMOS technol. compatible, logic CMOS for LV operation. *Saito, M.*, + , *T-ED Mar 98* 737-742
advanced IC packaging and chip scale package develop. *Anjoh, I.*, + , *T-ED Mar 98* 743-752
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T.*, + , *T-ED Apr 98* 815-820
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R.*, + , *T-ED Mar 98* 574-579
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M.*, + , *T-ED Jan 98* 173-178
Large-scale integration; cf. Ultra-large-scale integration; Very-large-scale integration
Laser applications
GaAs monochromatic PV cells, very high power dens., design and optimization. *Algora, C.*, + , *T-ED Sep 98* 2047-2054
integrated optoelectronic bistable device, transient response. *Zebda, Y.*, + , *T-ED Jan 98* 85-90
Laser materials-processing applications
polysilicon TFTs, excimer laser proc. and grain engng. *Giust, G.K.*, + , *T-ED Apr 98* 925-932
Layout; cf. Integrated circuit layout
Leakage currents
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J.*, + , *T-ED Aug 98* 1843-1845
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
DRAM cells, ultrathin dielec., storage times. *Romanenko, A.Y.*, + , *T-ED Jan 98* 218-223
DRAM retention time distrib., trench capacitor cell struct. *Hamamoto, T.*, + , *T-ED Jun 98* 1300-1309
dual-gate CMOSFETs, polarity depend. gate tunneling currents. *Ying Shi*, + , *T-ED Nov 98* 2355-2360
flash E^2PROMs, SILC-related disturb charact. *de Blauwe, J.*, + , *T-ED Aug 98* 1751-1760
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J.*, + , *T-ED Aug 98* 1745-1750
flash memories, write/erase method, improve read disturb characts. *Endoh, T.*, + , *T-ED Jan 98* 98-104
flash memory read-disturb characts., tunnel oxide stress-induced leakage current. *Satoh, S.*, + , *T-ED Feb 98* 482-486
floating-body PD SOI MOSFET, switch-off behavior. *Perron, L.M.*, + , *T-ED Nov 98* 2372-2375
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
kink-free polycrystalline silicon double-gate elevated-channel thin-film transistors. *Kumar K.P., A.*, + , *T-ED Dec 98* 2514-2520
MOS capacitors, ultrathin gate oxide, stress-induced leakage current. *Yung Hao Lin*, + , *T-ED Feb 98* 567-570
MOS devices, intrinsic oxide breakdown, trap-generation characts., SILC. *Sakakibara, K.*, + , *T-ED Jun 98* 1336-1341
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
MOSFET, GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C.*, + , *T-ED Jul 98* 1518-1523
MOSFET, oxide charge trapping/detrapping, GIDL current. *Wang, T.*, + , *T-ED Jul 98* 1511-1517

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

MOSFETs, shallow silicided p⁺-n jn., reverse leakage current. *Hi-Deok Lee, + , T-ED Aug 98* 1848-1850
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park, + , T-ED Jun 98* 1361-1368
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee, + , T-ED Oct 98* 2153-2160
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei, + , T-ED Apr 98* 912-917
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi, + , T-ED Jun 98* 1272-1279
polysilicon TFTs, low field leakage current. *Lui, O.K.B., + , T-ED Jan 98* 213-217
SiO_2 ultrathin films, stress induced leakage currents. *Ricco, B., + , T-ED Jul 98* 1554-1560
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
a-Si:H double act. layer TFT. *Jong Hyun Choi, + , T-ED Sep 98* 2074-2076
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S., + , T-ED Jan 98* 14-20
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K., + , T-ED Feb 98* 361-365
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, + , T-ED Feb 98* 401-405

Least squares methods
MOSFET device, design methodology for manufacturability. *Lu, J.-C., + , T-ED Mar 98* 634-642

Lenses; cf. Electrostatic lenses

Life estimation
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386

Light-emitting diode displays
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang, + , T-ED Nov 98* 2283-2290

Light-emitting diodes
low current region, remodeling. *Acharya, Y.B., + , T-ED Jul 98* 1426-1430

Linear algebra; cf. Matrices

Liquid crystal displays
AMLCDs, very large, gate line delay modeling. *Qing Zhang, + , T-ED Jan 98* 343-345
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi, + , T-ED Jun 98* 1272-1279
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
twisted NLC cells, stereoscopic displays. *Okada, H., + , T-ED Jul 98* 1445-1452

Lithography; cf. Photolithography

Logic arrays
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T., + , T-ED Apr 98* 815-820

Logic arrays; cf. Cellular logic arrays

Logic circuits; cf. Integrated injection logic; Logic arrays

Logic devices; cf. Multivalued logic devices

Losses
MOS-controlled HV thyristor, low switching losses. *Hermansson, W., + , T-ED Apr 98* 957-965
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J., + , T-ED Feb 98* 423-429

Loss measurement
dielec. thin films, RF meas. tech. *Zhengxiang Ma, + , T-ED Aug 98* 1811-1816

Luminescence; cf. Electroluminescence

Luminescent devices; cf. Electroluminescent devices

M

Machining; cf. Micromachining

Magnetic field effects
GaInP/AlGaAs/GaInP double HBTs with zero conduction band spike at collector. *Lye, B.-C., + , T-ED Dec 98* 2417-2421

Magnetic fields
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P., + , T-ED Apr 98* 986-990

Magnetoelectric effects; cf. Hall effect

Manufacturing; cf. Integrated circuit manufacture

Manufacturing testing
plasma charge damage control in advanced IC mfg. *Aum, P.K., + , T-ED Mar 98* 722-730

Mass spectroscopy
deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K., + , T-ED Feb 98* 406-416
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee, + , T-ED Oct 98* 2153-2160

Materials processing; cf. Etching; Heat treatment; Laser materials-processing applications

Mathematics; cf. Numerical analysis; Optimization methods

Matrices
MESFET and HEMT mixers, noise modeling using uniform noisy line model. *Danneville, F., + , T-ED Oct 98* 2207-2212

Maximum likelihood estimation
MOS ICs, TDDB, field accel. model. *Degraeve, R., + , T-ED Feb 98* 472-481

Measurement; cf. Electric variables measurement; Integrated circuit measurements; Loss measurement; Mechanical variables measurement; Noise measurement; Semiconductor device measurements; Semiconductor materials measurements; Spectroscopy

Mechanical factors; cf. Integrated circuit mechanical factors; Semiconductor device mechanical factors; Strain; Stress

Mechanical variables measurement; cf. Acceleration measurement; Displacement measurement; Strain measurement

Memories; cf. DRAM chips; Semiconductor memories; SRAM chips

Memory testing
flash memory read-disturb charact., tunnel oxide stress-induced leakage current. *Saioh, S., + , T-ED Feb 98* 482-486

Mercury compounds
HgCdTe large LWIR FPAs, 2D model for operating point shift. *Dhar, V., + , T-ED Feb 98* 487-493

MESFET circuits
AlGaInP LED array with integrated GaAs MESFET decode ccts., design/fab. *Rong-Ting Huang, + , T-ED Nov 98* 2283-2290
mixers, noise modeling using uniform noisy line model. *Danneville, F., + , T-ED Oct 98* 2207-2212

MESFETs
AlGaAs/InGaAs low-power pseudomorphic 2D MESFET, breakdown behavior. *Hurt, M.J., + , T-ED Aug 98* 1843-1845
GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha, + , T-ED Jan 98* 78-84
GaAs MESFET, opt. induced sidegating current isolation. *Ching-Ting Lee, T-ED Sep 98* 2083-2085
GaAs MESFETs, epitaxial lift-off. *Morf, T., + , T-ED Jul 98* 1407-1413
interfacial gate resist. in Schottky-barrier-gate field-effect transistors. *Rohdin, H., + , T-ED Dec 98* 2407-2416
ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S., + , T-ED Jan 98* 334-336
noise modeling in MESFET mixers using uniform noisy line model. *Danneville, F., + , T-ED Oct 98* 2207-2212
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C., + , T-ED Jun 98* 1383
Z_{11} impedance tech. for mobility and carrier conc. extract. *Ernst, A.N., + , T-ED Jan 98* 9-13

MESFETs; cf. Power MESFETs

Metallization
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M., + , T-ED Nov 98* 2375-2378
oxide chem.-mech. polishing, metal-fill patterning. *Stine, B.E., + , T-ED Mar 98* 665-679

Metallization; cf. Integrated circuit metallization; Semiconductor device metallization

Metals; cf. Aluminum; Germanium; Silicon

Microelectrodes
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311

Microelectromechanical devices; cf. Microsensors

Micromachining
Bi(-Sb)-Te thermopile IR detector lin. array. *Foote, M.C., + , T-ED Sep 98* 1896-1902
electrostatic quadrupole lens, microengineered design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311

Microprocessors
GSI, stochastic wire-length distrib. *Davis, J.A., + , T-ED Mar 98* 580-589
high-perform., logic technol. *Bohr, M.T., + , T-ED Mar 98* 620-625

Microscopy; cf. Electron microscopy

Microsensors
reson. tunneling displacement transducer. *Yatsania, S., + , T-ED Jul 98* 1616-1619

Microwave amplifiers
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, +, T-ED Sep 98* 1993-2001
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P., +, T-ED Apr 98* 986-990
Microwave bipolar integrated circuits
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, +, T-ED Sep 98* 1993-2001
Microwave bipolar transistors
InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S., +, T-ED Aug 98* 1634-1643
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., +, T-ED Jun 98* 1287-1294
Microwave circuits; cf. Microwave amplifiers
Microwave devices; cf. Microwave tubes
Microwave FET integrated circuits
microwave spiral inductors, CMOS technol. *Min Park, +, T-ED Sep 98* 1953-1959
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D., +, T-ED May 98* 1039-1046
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., +, T-ED May 98* 1047-1054
Microwave FETs
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., +, T-ED Feb 98* 366-372
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B., +, T-ED Sep 98* 1869-1875
$Al_{0.25}Ga_{0.75}As/GaAs$ HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R., +, T-ED Nov 98* 2261-2267
GaAs MESFETs, epitaxial lift-off. *Morf, T., +, T-ED Jul 98* 1407-1413
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A., +, T-ED Jan 98* 338-340
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H., +, T-ED Jan 98* 68-77
quasi-2D HEMT model for DC and microwave simul./CAD. *Singh, R., +, T-ED Jun 98* 1165-1169
SOI MOSFET, microwave freqs., analog modeling. *Raskin, J.-P., +, T-ED May 98* 1017-1025
$n\text{-}Al_{0.25}Ga_{0.8}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S., +, T-ED Jun 98* 1183-1189
Microwave integrated circuits; cf. Microwave bipolar integrated circuits; Microwave FET integrated circuits; MMICs
Microwave measurements
dielec. thin films, RF meas. tech. *Zhengxiang Ma, +, T-ED Aug 98* 1811-1816
Microwave transistors; cf. Microwave bipolar transistors; Microwave FETs
Microwave tubes
single-stage depressed collector for high-power pulsed gyroklystron amps. *Saraph, G.P., +, T-ED Apr 98* 986-990
Millimeter wave bipolar transistors; cf. Millimeter wave power bipolar transistors
Millimeter wave circuits
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y., +, T-ED Jan 98* 31-35
Millimeter wave diodes
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., +, T-ED Nov 98* 2298-2303
quantum barrier varactors, nonlin. elec. perform., Monte Carlo simul. *Abou-Khalil, M.J., +, T-ED Jul 98* 1399-1406
Millimeter wave FET amplifiers; cf. Millimeter wave power FET amplifiers
Millimeter wave FETs
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., +, T-ED Feb 98* 366-372
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B., +, T-ED Sep 98* 1869-1875
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu, +, T-ED Jan 98* 21-30
$In_xAl_{1-x}As/In_xGa_{1-x}As$ (0.3 ≤ x ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H., +, T-ED Oct 98* 2089-2095
Millimeter wave frequency conversion
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., +, T-ED Nov 98* 2298-2303
Millimeter wave power amplifiers; cf. Millimeter wave power FET amplifiers
Millimeter wave power bipolar transistors
HBT design, mm-wave power devices, gain perform. anal. model. *Tanaka, S., +, T-ED Jan 98* 36-44
Millimeter wave power FET amplifiers
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y., +, T-ED Jan 98* 31-35
Millimeter wave technology; cf. Millimeter wave circuits; Millimeter wave frequency conversion
Millimeter wave transistors; cf. Millimeter wave FETs; Millimeter wave power bipolar transistors
MIS capacitors
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
MIS capacitors; cf. MOS capacitors
MIS devices
$Al/SiO_2/n\text{-}Si/SiO_2/Al$ MISIM tunnel transistor, I-V characts. study. *Majkusiak, B., T-ED Sep 98* 1903-1911
MOS accumulation layers, quantization effects. *Hareland, S.A., +, T-ED Jul 98* 1487-1493
MOS devices, intrinsic oxide breakdown, trap-generation characts., SILC. *Sakakibara, K., +, T-ED Jun 98* 1336-1341
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai, +, T-ED Aug 98* 1784-1790
a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E., +, T-ED Apr 98* 778-784
MIS devices; cf. MIS capacitors; MISFETs; MOS devices
MISFETs
intrinsic polysilicon TFT, anal. grain-barrier height model. *Hsin-Li Chen, +, T-ED Oct 98* 2245-2247
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
a-Si:H buried-channel TFTs, fab. and characts. *Weber, C., +, T-ED Feb 98* 447-452
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M., +, T-ED Feb 98* 560-563
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, +, T-ED Feb 98* 401-405
MISFETs; cf. MOSFETs
MISM devices
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu, +, T-ED Feb 98* 373-379
Mixers
MESFET and HEMT mixers, noise modeling using uniform noisy line model. *Danneville, F., +, T-ED Oct 98* 2207-2212
Mixers; cf. MMIC mixers; Schottky diode mixers
MMIC amplifiers
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, +, T-ED Sep 98* 1993-2001
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., +, T-ED May 98* 1047-1054
MMIC mixers
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., +, T-ED May 98* 1047-1054
MMICs
long-stripe BJT RF cct. design, 3D base distributed effects. *Ming-Yeh Chuang, +, T-ED Sep 98* 1993-2001
microwave spiral inductors, CMOS technol. *Min Park, +, T-ED Sep 98* 1953-1959
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D., +, T-ED May 98* 1039-1046
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., +, T-ED May 98* 1047-1054
Mobile communications
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., +, T-ED Jun 98* 1287-1294
Mobile communications; cf. Cordless telephone systems
Modeling
field emission triode, phys. simul. model. *Chih-Wen Lu, +, T-ED Oct 98* 2238-2244
Modeling; cf. Circuit modeling; Semiconductor device modeling; Semiconductor process modeling
Mode locked lasers
DFB laser/EAM, ultrashort opt. pulse generation. *Delhaye, J., +, T-ED Oct 98* 2122-2130
MODFET circuits
mixers, noise modeling using uniform noisy line model. *Danneville, F., +, T-ED Oct 98* 2207-2212
MODFET integrated circuits
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A., +, T-ED Jan 98* 338-340
MODFETs
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M., +, T-ED Feb 98* 366-372
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J., +, T-ED Jan 98* 2-8

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
anal. of kink phenomena in InAlAs/InGaAs HEMTs using 2D device simul. *Suemitsu, T.*, + , *T-ED Dec 98* 2390-2399
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G.*, + , *T-ED Dec 98* 2430-2436
enhancement-mode HEMTs lattice-matched to InP. *Mahajan, A.*, + , *T-ED Dec 98* 2422-2429
GaAs/$Al_yGa_{1-y}As$ HEMTs, noise params. *Mateos, J.*, + , *T-ED Sep 98* 2081-2083
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T.*, + , *T-ED Jun 98* 1176-1182
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A.*, + , *T-ED Jan 98* 338-340
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, +, *T-ED Jan 98* 68-77
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu*, + , *T-ED Jan 98* 21-30
$In_yAl_{1-y}As/In_yGa_{1-y}As$ (0.3 ≤ y ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
LF drain current noise behavior of InP based MODFETs in lin. and saturation regime. *van Meer, H.*; + , *T-ED Dec 98* 2475-2482
MODFET design, modulation doped heterojunctions and asymmetric homojunctions. *Karmalkar, S.*, *T-ED Oct 98* 2187-2195
MODFET epitaxial layer struct., 2DEG posn. *Wood, J.*, + , *T-ED Jul 98* 1622-1634
noise modeling in MESFET mixers using uniform noisy line model. *Danneville, F.*, + , *T-ED Oct 98* 2207-2212
PHEMT, short-channel cpd. FET, Monte Carlo RF anal. *Babiker, S.*, + , *T-ED Aug 98* 1644-1652
quasi-2D HEMT model for DC and microwave simul./CAD. *Singh, R.*, + , *T-ED Jun 98* 1165-1169
SPICE MOSFET Level 3-like model. *DasGupta, N.*, + , *T-ED Jul 98* 1494-1500

MODFETs; cf. Power MODFETs

Molybdenum
Mo FEAs, diamond-like C coating effect on emission characts. *Jae Hoon Jung*, + , *T-ED Oct 98* 2232-2237

Moment methods; cf. Galerkin method

Monitoring
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y.*, + , *T-ED Mar 98* 753-755

Monolithic integrated circuits
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung*, + , *T-ED Oct 98* 2251-2254
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B.*, *T-ED Apr 98* 939-946

Monolithic integrated circuits; cf. MMICs

Monte Carlo methods
CRTs, neck charging, Monte Carlo simul. *Hendriks, B.H.W.*, + , *T-ED Aug 98* 1836-1842
GaAs/$Al_yGa_{1-y}As$ HEMTs, noise params. *Mateos, J.*, + , *T-ED Sep 98* 2081-2083
GaAs p^+-i-n^+ APDs, multiplication noise, Monte Carlo model. *Ong, D.S.*, + , *T-ED Aug 98* 1804-1810
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E.*, + , *T-ED Sep 98* 1876-1882
$Ga_{0.52}In_{0.48}P$ diodes, avalanche multiplication and breakdown. *Ghin, R.*, + , *T-ED Oct 98* 2096-2101
$In_yAl_{1-y}As/In_yGa_{1-y}As$ (0.3 ≤ y ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C.*, + , *T-ED Jan 98* 254-260
PHEMT, short-channel cpd. FET, Monte Carlo RF anal. *Babiker, S.*, + , *T-ED Aug 98* 1644-1652
quantum barrier varactors, nonlin. elec. perform., Monte Carlo simul. *Abou-Khalil, M.J.*, + , *T-ED Jul 98* 1399-1406
semicond. simulators, multicomb variance reduction. *Gray, M.G.*, + , *T-ED Apr 98* 918-924
Si:As(P)(B)(BF_2), ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017
Si-Si_yGe_{1-y} MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B.*, + , *T-ED Apr 98* 993-995
SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F.*, + , *T-ED May 98* 1122-1126
n-MOSFET scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876

MOS analog integrated circuits; cf. CMOS analog integrated circuits; MOSFET amplifiers

MOS capacitors
gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang*, + , *T-ED Aug 98* 1684-1689
modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M.*, + , *T-ED Jun 98* 1350-1355
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R.*, + , *T-ED Apr 98* 881-888
SiO_2 ultrathin films, stress induced leakage currents. *Ricco, B.*, + , *T-ED Jul 98* 1554-1560
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S.*, + , *T-ED Feb 98* 494-501
SOI-MOS capacitors, C-V behavior modeling. *Ikraiam, F.A.*, + , *T-ED May 98* 1026-1032
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
ultrathin gate oxide, stress-induced leakage current. *Yung Hao Lin*, + , *T-ED Feb 98* 567-570
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F.*, + , *T-ED Nov 98* 2329-2334

MOS controlled thyristors
base coupled insulated gate thyristor characts. and modeling. *Ajit, J.S.*, *T-ED Feb 98* 543-553
HV thyristor, low switching losses. *Hermansson, W.*, + , *T-ED Apr 98* 957-965

MOS devices
Al/SiO_2/n-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O.*, + , *T-ED Jan 98* 286-292
MOS devices, hole inversion layers, quantization effects. *Hareland, S.A.*, + , *T-ED Jan 98* 179-186

MOS devices; cf. MOS capacitors; MOS controlled thyristors; MOSFETs

MOS digital integrated circuits; cf. CMOS digital integrated circuits; MOS memory integrated circuits

MOSFET amplifiers
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M.*, + , *T-ED Jan 98* 173-178

MOSFET circuits; cf. MOS integrated circuits

MOSFET logic devices; cf. CMOSFET logic devices

MOSFETs
0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Okgure, T.*, + , *T-ED Mar 98* 717-721
accumulation layers in MOSFET, electron/hole mobilities extraction tech. *Chindalore, G.L.*, + , *T-ED Feb 98* 502-511
asymmetric trapezoidal gate devices, DC model. *Shyh-Chyi Wong*, + , *T-ED Jul 98* 1459-1467
biased MOSFET, quantum effects on drain current. *Ip, B.K.*, + , *T-ED Oct 98* 2213-2221
body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh*, + , *T-ED May 98* 1063-1070
BSIM3 non-quasi-static transient model, cct. simul. *Mansun Chan*, + , *T-ED Apr 98* 834-841
BTG SOI MOSFETs, distributed body resist., CMOS ccts. *Workman, G.O.*, + , *T-ED Oct 98* 2138-2145
capacitors, modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M.*, + , *T-ED Jun 98* 1350-1355
capacitors, ultrathin gate oxide, stress-induced leakage current. *Yung Hao Lin*, + , *T-ED Feb 98* 567-570
channel hot electron stress, pos. oxide charge. *Han, K.M.*, + , *T-ED Jul 98* 1624-1627
charge-pumping meas. of MOSFETs, gate sawtooth pulses. *Lai, P.T.*, + , *T-ED Apr 98* 947-952
CMOSFET, fully-depleted SOI technol., thin silicide form. *Liu, H.I.*, + , *T-ED May 98* 1099-1104
CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318
compact LDD MOSFET I-V model based on nonpinned surface pot. *Jang, S.-L.*, + , *T-ED Dec 98* 2489-2498
$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919
$CoSi_2$ implant., elevated n^+/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952
deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262
deep submicron elevated source/drain MOSFET charact., epi facets. *Sun, J.J.*, + , *T-ED Jun 98* 1377-1380
deep submicron MOSFET, drain current model incl. electron vel. overshoot. *Roldan, J.B.*, + , *T-ED Oct 98* 2249-2251

deep submicron SOI MOSFETs, hot carrier effects and lifetime predict. *Shing-Hwa Renn*, + , *T-ED Nov 98* 2335-2342
design methodol. and optim. of gate-driven NMOS ESD protection ccts. in submicron CMOS procs. *Chen, J.Z.*, + , *T-ED Dec 98* 2448-2456
design methodology for manufacturability. *Lu, J.-C.*, + , *T-ED Mar 98* 634-642
direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B.*, + , *T-ED May 98* 1127-1134
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Lou*, + , *T-ED Jun 98* 1317-1323
dual-gate CMOSFETs, polarity depend. gate tunneling currents. *Ying Shi*, + , *T-ED Nov 98* 2355-2360
effective channel length and series resist. extraction methods. *Biesemans, S.*, + , *T-ED Jun 98* 1310-1316
fig.-of-merit for MOSFET perform., appl., scaling, sub-0.25 μm CMOS logic technols. *Chatterjee, A.*, + , *T-ED Jun 98* 1246-1252
floating-body PD SOI MOSFET, switch-off behavior. *Perron, L.M.*, + , *T-ED Nov 98* 2372-2375
Fowler-Nordheim injection, interface trap generation. *Chen, T.P.*, + , *T-ED Sep 98* 1920-1926
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu*, + , *T-ED Apr 98* 797-801
fully-depleted SOI MOSFETs, short-channel effects. *Tsuchiya, T.*, + , *T-ED May 98* 1116-1121
fully-depleted SOI NMOSFET, hot-carrier degrad. *Banna, S.R.*, + , *T-ED Jan 98* 206-212
GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C.*, + , *T-ED Jul 98* 1518-1523
hetero-material gate MOSFET for deep-submicron ULSI technol. *Zhou, X.*, + , *T-ED Dec 98* 2546-2548
HF equiv. cct. params. *Sung, R.*, + , *T-ED Aug 98* 1769-1775
hot carrier degrad., capacitance monitoring. *Esseni, D.*, + , *T-ED Nov 98* 2319-2328
LDD nMOSFET degrad. model. *Liu, S.-S.*, + , *T-ED Jul 98* 1538-1547
LDD n-MOSFETs, self-limiting hot-carrier degrad. *Ang, D.S.*, + , *T-ED Jan 98* 149-159
low-energy BF_2^+ and As-implant layers, characts. and effect 0.15 μm MOSFET perform. *Nishida, A.*, + , *T-ED Mar 98* 701-709
model, cct. simul. *Joardar, K.*, + , *T-ED Jan 98* 134-148
modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Janik, T.*, + , *T-ED Jun 98* 1263-1271
Monte Carlo semicond. simulators, multicomb variance reduction. *Gray, M.G.*, + , *T-ED Apr 98* 918-924
n-channel, scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih*, + , *T-ED Nov 98* 2343-2348
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C.*, + , *T-ED Jan 98* 254-260
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
nMOS transistors, quantum mech. effects, self-consistent 2D model. *Spinelli, A.S.*, + , *T-ED Jun 98* 1342-1349
nonuniformly doped, quantum effects. *Fiegna, C.*, + , *T-ED Apr 98* 877-880
oxide charge trapping/detrapping, GIDL current. *Wang, T.*, + , *T-ED Jul 98* 1511-1517
partially depleted SOI MOSFET, generation lifetime meas. tech. *Hyungcheol Shin*, + , *T-ED Nov 98* 2378-2380
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
p-channel MOS transistors, interface trap dens. reduction, channel-hot-hole stress. *Han, K.M.*, + , *T-ED Jun 98* 1380-1382
plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin*, + , *T-ED Jun 98* 1324-1328
polysilicon interlayered SOI wafer. *Horiuchi, M.*, + , *T-ED May 98* 1111-1115
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T.*, + , *T-ED Jan 98* 299-306
random dopant induced threshold voltage lowering and fluct. in sub-0.1 μm MOSFETs. *Asenov, A.*, *T-ED Dec 98* 2505-2513
reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G.*, + , *T-ED Apr 98* 861-866
Schottky barrier, 2D num. simul. *Chung-Kuang Huang*, + , *T-ED Apr 98* 842-848
shallow silicided p⁺-n jn., reverse leakage current. *Hi-Deok Lee*, + , *T-ED Aug 98* 1848-1850
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K.*, + , *T-ED Apr 98* 809-814
Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee*, + , *T-ED Aug 98* 1737-1744
Si, electron distrib., hot carrier luminesc. meas. *Selmi, L.*, + , *T-ED Apr 98* 802-808
SIMOX, fully-depleted, parasitic bipolar action, BSBT treatment. *Koizumi, H.*, + , *T-ED Apr 98* 933-938
SIMOX MOSFETs, deep submicron N- and P-channel partially and fully depleted unibond, degrad. *Shing-Hwa Renn*, + , *T-ED Oct 98* 2146-2152
Si-Si_xGe_{1-x} MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B.*, + , *T-ED Apr 98* 993-995
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Ohguro, T.*, + , *T-ED Mar 98* 710-716
SOI CMOS devices, sub-0.25 μm technol. *Hsiao, T.C.*, + , *T-ED May 98* 1092-1098
SOI CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M.*, + , *T-ED May 98* 1077-1083
SOI dyn. threshold CMOS inverter, power dissipation. *Wei Jin*, + , *T-ED Aug 98* 1717-1724
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Foxman, J.G.*, + , *T-ED May 98* 998-999
SOI MOSFET, buried body strap, wafer bonding. *Kuehne, S.C.*, + , *T-ED May 98* 1084-1091
SOI MOSFET, continuous compact model. *Sleight, J.W.*, + , *T-ED Apr 98* 821-825
SOI MOSFET devices, interface traps, front-gate charge-pumping method. *Yufun Li*, + , *T-ED Jun 98* 1329-1335
SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F.*, + , *T-ED May 98* 1122-1126
SOI MOSFET, field shield isolation, delay time instabil. *Maeda, S.*, + , *T-ED Jul 98* 1479-1486
SOI MOSFET, microwave freqs., analog modeling. *Raskin, J.-P.*, + , *T-ED May 98* 1017-1025
SOI MOSFET, reoxidized MESA isolation. *Fung, S.K.H.*, + , *T-ED May 98* 1105-1110
SOI MOSFETs, hot carrier degrad., luminesc. monitoring. *Selmi, L.*, + , *T-ED May 98* 1135-1139
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
SOI MOSFETs, partially-depleted, body resist., noise. *Faccio, F.*, + , *T-ED May 98* 1033-1038
SOI N-MOSFETs, hot carrier effects and lifetime prediction. *Shing-Hwa Renn*, + , *T-ED May 98* 1140-1146
SOI RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
nMOS transistor, oxide field stress, interface trap generation. *Chen, T.P.*, + , *T-ED Sep 98* 1972-1977
S^4D- silicided silicon-sidewall source and drain struct., pMOSFET characts. *Yoshitomi, T.*, + , *T-ED Jun 98* 1295-1299
stat. dopant fluctu., modeling. *Stolk, P.A.*, + , *T-ED Sep 98* 1960-1971
stress-induced oxide traps, subthreshold transient current. *Tahui Wang*, + , *T-ED Aug 98* 1791-1796
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chwan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178
submicron MOSFET characts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
submicron MOSFETs, pos. bias temp. instabil. study. *Zhang, J.F.*, + , *T-ED Jan 98* 116-124
substr. dopant profile, inversion layer-to-substr. capacitance. *Chiang, C.T.-T.*, + , *T-ED Aug 98* 1732-1736
surrounding-gate, threshold voltage model. *Auth, C.P.*, + , *T-ED Nov 98* 2381-2383
switching speed meas. for perform. characts. *Jenkins, K.A.*, + , *T-ED Jun 98* 1369-1373
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
thin-film SOI MOSFET, I-V charact., doping effects. *Jurczak, M.*, + , *T-ED Sep 98* 1985-1992
threshold voltages, self-aligned control, tilted ion implant. *Kurata, H.*, + , *T-ED Oct 98* 2161-2166
$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu*, + , *T-ED Jun 98* 1280-1286
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F.*, + , *T-ED Nov 98* 2329-2334

MOSFETs; cf. CMOSFETs; Power MOSFETs

MOS integrated circuits

deep submicron elevated source/drain MOSFET charact., epi facets. *Sun, J.J.*, + , *T-ED Jun 98* 1377-1380

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R.*, + , *T-ED Mar 98* 574-579
TDDB, field accel. model. *Degraeve, R.*, + , *T-ED Feb 98* 472-481
MOS integrated circuits; cf. CMOS integrated circuits
MOS memory integrated circuits
flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park*, + , *T-ED Jun 98* 1361-1368
flash memory read-disturb charact., tunnel oxide stress-induced leakage current. *Saioh, S.*, + , *T-ED Feb 98* 482-486
read-disturb and endurance of SSI-flash E²PROM devices at high operating temps. *De Blauwe, J.*, + , *T-ED Dec 98* 2466-2474
SOI-DRAM, extra LV operation. *Eimori, T.*, + , *T-ED May 98* 1000-1009
MOS memory integrated circuits; cf. CMOS memory integrated circuits
MSM devices
p-Si wafer, MSM photodetectors, trench electrodes. *Li-Hong Laih*, + , *T-ED Sep 98* 2018-2023
submicron MSM photodetectors, diffr. and interf. effects. *Arafa, M.*, + , *T-ED Jan 98* 62-67
Multiplexing; cf. Time division multiplexing
Multiport circuits
smart power appls., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046
Multivalued logic devices
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu*, + , *T-ED Feb 98* 373-379
Multivibrators; cf. Flip-flops

N

Negative resistance devices
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu*, + , *T-ED Feb 98* 373-379
segmented-anode lateral IGBTs, bistability and hysteresis. *Gartner, M.*, + , *T-ED Jul 98* 1575-1579
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276
Neutron radiation effects
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
Neutrons
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
Nitrogen
deep-submicron CMOS transistors, gate engng. *Bin Yu*, + , *T-ED Jun 98* 1253-1262
SiC/SiO_2 interface of 6H-SiC NMOSFETs, N implant activation effect. *Lam, M.P.*, + , *T-ED Feb 98* 565-567
Nitrogen compounds
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
Noble gases; cf. Argon; Xenon
Noise; cf. Circuit noise; Crosstalk; Random noise; Semiconductor device noise; Shot noise; White noise
Noise measurement
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
Nonlinear circuits
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E.*, + , *T-ED Sep 98* 1876-1882
Nonlinear distortion
bipolar transistor epilayer compact models, collector charge description. *de Vreede, L.C.N.*, + , *T-ED Jan 98* 277-285
Nonlinear equations; cf. Polynomials
Nonlinearities
LF drain current noise behavior of InP based MODFETs in lin. and saturation regime. *van Meer, H.*, + , *T-ED Dec 98* 2475-2482
Nonlinearities; cf. Hysteresis
Numerical analysis
Si APDs operated in charge storage mode, num. anal. *Parks, J.W.*, + , *T-ED Feb 98* 394-400
Numerical analysis; cf. Boundary element methods; Finite difference methods; Finite element methods; Galerkin methods; Monte Carlo methods; Transmission line matrix methods

O

Optical bistability
integrated optoelectronic bistable device, transient response. *Zebda, Y.*, + , *T-ED Jan 98* 85-90
Optical communication; cf. Optical fiber communication
Optical communication equipment
DFB laser/EAM, ultrashort opt. pulse generation. *Delhunde, J.*, + , *T-ED Oct 98* 2122-2130
Optical diffraction
submicron MSM photodetectors, diffr. and interf. effects. *Arafa, M.*, + , *T-ED Jan 98* 62-67
Optical fiber communication
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C.*, *T-ED Apr 98* 791-796
Optical films
TFEL devices, multiplication, doped probe layers. *Neyts, K.*, + , *T-ED Apr 98* 768-777
Optical modulation; cf. Electrooptic modulation
Optics; cf. Ultrafast optics
Optimization methods
MOSFET device, design methodology for manufacturability. *Lu, J.-C.*, + , *T-ED Mar 98* 634-642
Optimization methods; cf. Circuit optimization; Least squares methods
Optoelectronic devices; cf. Integrated optoelectronics; Light-emitting diodes; Photodetectors
Oxidation
Al gates, thin oxides, rapid thermal postoxidation annealing. *Chin-Yang Chen*, + , *T-ED Jan 98* 247-253
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei*, + , *T-ED Apr 98* 912-917
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P.*, + , *T-ED Aug 98* 1710-1716
Si, thermal oxid. model for ultrathin SiO_2, rate eqn. approach. *Goranila, S.*, + , *T-ED Jan 98* 336-338
SOI MOSFET, reoxidized MESA isolation. *Fung, S.K.H.*, + , *T-ED May 98* 1105-1110

P

Packaging; cf. Encapsulation; Integrated circuit packaging
Parameter estimation
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Lou*, + , *T-ED Jun 98* 1317-1323
Partial differential equations
biased MOSFET, quantum effects on drain current. *Ip, B.K.*, + , *T-ED Oct 98* 2213-2221
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
$In_yAl_{1-y}As/In_xGa_{1-x}As$ (0.3 ≤ x ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
MOSFET modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Jasik, T.*, + , *T-ED Jun 98* 1263-1271
Partial differential equations; cf. Laplace equations
Particle beams; cf. Electron beams
Passivation
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K.*, + , *T-ED Feb 98* 406-416
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin*, + , *T-ED Jun 98* 1324-1328
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A.*, *T-ED Oct 98* 2131-2137
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P.*, + , *T-ED Aug 98* 1710-1716
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T.*, + , *T-ED Jan 98* 194-199
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai*, + , *T-ED Aug 98* 1784-1790
Permittivity
helical slow-wave cct. vars., effect on TWT cold-test charact. *Kory, C.L.*, + , *T-ED Apr 98* 972-976
MOS capacitors, modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M.*, + , *T-ED Jun 98* 1350-1355
Permittivity measurement
dielec. thin films, RF meas. tech. *Zhengxiang Ma*, + , *T-ED Aug 98* 1811-1816
Personal communication networks
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365
Perturbation methods
bipolar device noise anal., multidimensional phys.-based models. *Bonani, F.*, + , *T-ED Jun 98* 261-269

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Phase noise
LF drain current noise behavior of InP based MODFETs in lin. and saturation regime. *van Meer, H.*, + , *T-ED Dec 98* 2475-2482
Phonons
Si, carrier transport, full-band spherical-harmonics expansion. *Reggiani, S.*, + , *T-ED Sep 98* 2010-2017
Phosphorus
Si:P, ion implant induced damage model. *Tian, S.*, + , *T-ED Jun 98* 1226-1238
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
Phosphorus compounds
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
Photocathodes
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
Photoconducting devices; cf. Phototransistors
Photoconductivity
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
Photodetectors
corrugated quantum well IR photodetectors, polyimide planarization. *Chen, C.-J.*, + , *T-ED Jul 98* 1431-1437
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D.*, + , *T-ED Sep 98* 1890-1895
multiple QW IR photodetectors, transit-time and capture effects. *Ryzhii, V.*, + , *T-ED Jan 98* 293-298
QWIP semicond. device, neg. capacitance. *Ershov, M.*, + , *T-ED Oct 98* 2196-2206
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C.*, *T-ED Apr 98* 791-796
a-Si:H nipiin three-color detectors, transient photocurrent. *Stiebig, H.*, + , *T-ED Jul 98* 1438-1444
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
a-SiC:H multispectral detectors. *Zhu, Q.*, + , *T-ED Jul 98* 1393-1398
p-Si wafer, MSM photodetectors, trench electrodes. *Li-Hong Laih*, + , *T-ED Sep 98* 2018-2023
SQW IR photodetectors, HF perform., high power densities. *Ryzhii, V.*, *T-ED Aug 98* 1797-1803
Photodetectors; cf. Phototransistors; Photovoltaic detectors
Photodiodes; cf. Avalanche photodiodes; p-i-n photodiodes
Photoelectricity; cf. Photoconductivity; Photovoltaic effects
Photolithography
IGBT, shallow emitter ballast. *Venkatesan, V.*, + , *T-ED Jan 98* 329-331
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T.*, + , *T-ED Jan 98* 299-306
Phototransistors
GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha*, + , *T-ED Jan 98* 78-84
integrated optoelectronic bistable device, transient response. *Zebda, Y.*, †, *T-ED Jan 98* 85-90
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C.*, + , *T-ED Jun 98* 1383
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M.*, + , *T-ED Feb 98* 465
Photovoltaic cell fabrication
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T.*, + , *T-ED Jan 98* 194-199
Photovoltaic cell measurements
Si solar cells, high-efficiency, AR coated, STAR fab. proc. *Krygowski, T.*, + , *T-ED Jan 98* 194-199
Photovoltaic cells
GaAs monochromatic PV cells, very high power dens., design and optimization. *Algora, C.*, + , *T-ED Sep 98* 2047-2054
Si, multicrystalline solar cells, fab. and charactn. *Narasimha, S.*, + , *T-ED Aug 98* 1776-1783
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A.*, *T-ED Oct 98* 2131-2137
Si solar cell, minority carrier diffusion length, spectral anal. *Keller, S.*, + , *T-ED Jul 98* 1569-1574
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P.*, + , *T-ED Aug 98* 1710-1716
Si solar cell, sprayed SnO_2 antirefl. coating. *Marques, F.C.*, *T-ED Jul 98* 1619-1622
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai*, + , *T-ED Aug 98* 1784-1790
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429
Photovoltaic detectors
GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha*, + , *T-ED Jan 98* 78-84
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
metal-resist.-semicond. avalanche photodetector operation. *Zappa, F.*, + , *T-ED Jan 98* 91-97
submicron MSM photodetectors, diffr. and interf. effects. *Arafa, M.*, + , *T-ED Jan 98* 62-67
Photovoltaic effects
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
Photovoltaic power systems
GaAs monochromatic PV cells, very high power dens., design and optimization. *Algora, C.*, + , *T-ED Sep 98* 2047-2054
Piezoresistive devices
6H-SiC strain sens. piezoresistors, Wheatstone bridge integrated beam transducers. *Okojie, R.S.*, + , *T-ED Apr 98* 785-790
p-i-n diodes
$Ga_{0.52}In_{0.48}P$ diodes, avalanche multiplication and breakdown. *Ghin, R.*, + , *T-ED Oct 98* 2096-2101
p-i-n photodiodes
GaAs p$^+$-i-n$^+$ APDs, multiplication noise, Monte Carlo model. *Ong, D.S.*, + , *T-ED Aug 98* 1804-1810
GaAs thin p$^+$-i-n$^+$ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
a-Si:H nipiin three-color detectors, transient photocurrent. *Stiebig, H.*, + , *T-ED Jul 98* 1438-1444
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K.*, + , *T-ED Jan 98* 321-325
a-SiC:H multispectral detectors. *Zhu, Q.*, + , *T-ED Jul 98* 1393-1398
Plasma applications
IC mfg., plasma charge damage control. *Aum, P.K.*, + , *T-ED Mar 98* 722-730
n-MOSFETs, reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G.*, + , *T-ED Apr 98* 861-866
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y.*, + , *T-ED Mar 98* 753-755
Plasma CVD
diamond-like C coating, effect on emission charcts. of Mo FEAs. *Jae Hoon Jung*, + , *T-ED Oct 98* 2232-2237
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A.*, *T-ED Oct 98* 2131-2137
Plastic films
corrugated quantum well IR photodetectors, polyimide planarization. *Chen, C.-J.*, + , *T-ED Jul 98* 1431-1437
Platinum
enhancement-mode HEMTs lattice-matched to InP. *Mahajan, A.*, + , *T-ED Dec 98* 2422-2429
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P.*, + , *T-ED Feb 98* 349-360
p-n junctions
abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334
$CoSi_2$ implant., elevated n$^+$/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952
MOSFETs, shallow silicided p$^+$-n jn., reverse leakage current. *Hi-Deok Lee*, + , *T-ED Aug 98* 1848-1850
p$^+$/n-buffer jn., injection currents anal. *Sang-Koo Chung*, *T-ED Aug 98* 1850-1854
Polynomials
bipolar transistor, small-sig. operation anal. and modelling. *Rinaldi, N.F.*, + , *T-ED Aug 98* 1817-1825
Portable radio communications; cf. Personal communication networks
Power amplifiers
4H-SiC JFET, high temp. RF power amp. *Hatfield, C.W.*, + , *T-ED Sep 98* 2072-2074
Power amplifiers; cf. UHF power amplifiers
Power bipolar transistors
HBTs, thermal behavior, emitter finger and substr. config. *Chang-Woo Kim*, + , *T-ED Jun 98* 1190-1195
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
quantifying neutral base recomb. and effects of collector-base jn. traps in UHV/CVD SiGe HBTs. *Niu, G.*, + , *T-ED Dec 98* 2499-2504
smart power applis., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Power bipolar transistors; cf. Millimeter wave power bipolar transistors
Power electronics; cf. Power semiconductor devices
Power FET amplifiers; cf. Millimeter wave power FET amplifiers
Power FETs
$Al_{0.25}Ga_{0.75}As/GaAs$ HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R.*, + , *T-ED Nov 98* 2261-2267
Power FETs; cf. Power MESFETs; Power MODFETs; Power MOSFETs; UHF power FETs
Power integrated circuits
CMOS power ICs, crosstalk isolation struct. *Chan, W.W.T.*, + , *T-ED Jul 98* 1580-1586
dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V.*, + , *T-ED May 98* 1155-1161
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung*, + , *T-ED Oct 98* 2251-2254
smart power appls., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046
Power MESFETs
GaAs SAG p-pocket MESFET, lin. power amp. *Nishihori, K.*, + , *T-ED Jul 98* 1385-1392
Power MODFETs
pHEMTs, power devices, off-state breakdown. *Somerville, M.H.*, + , *T-ED Sep 98* 1883-1889
Power MOSFETs
DMOS transistors, charactn. method for hot-carrier degrad. *Pieracci, A.*, + , *T-ED Aug 98* 1855-1858
quasi-SOI power MOSFET, reversed silicon wafer direct bonding. *Matsumoto, S.*, + , *T-ED Sep 98* 1940-1945
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I.*, + , *T-ED Apr 98* 953-956
Si LDMOSFET, RFIC appls. *Perugupalli, P.*, + , *T-ED Jul 98* 1468-1478
6H-SiC self-aligned NMOSFETs, N implant activation effect on SiC/SiO_2 interface. *Lam, M.P.*, + , *T-ED Feb 98* 565-567
thin-film quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S.*, + , *T-ED Jan 98* 105-109
Power semiconductor devices
p$^+$/n-buffer jn., injection currents anal. *Sang-Koo Chung, T-ED Aug 98* 1850-1854
Power semiconductor devices; cf. Power semiconductor diodes; Power semiconductor switches; Power transistors; Thyristors
Power semiconductor diodes
high-power rectifier using BSIT operation, struct./charact. *Yano, K.*, + , *T-ED Feb 98* 563-565
SiC HV Schottky barrier rectifiers. *Schoen, K.P.*, + , *T-ED Jul 98* 1595-1604
Power semiconductor switches
IGBT dyns. for clamped inductive switching. *Trivedi, M.*, + , *T-ED Dec 98* 2537-2545
IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S.*, + , *T-ED Oct 98* 2222-2231
MOS-controlled HV thyristor, low switching losses. *Hermansson, W.*, + , *T-ED Apr 98* 957-965
Si avalanche shaper devices, transient response, transverse doping. *Jalali, H.*, + , *T-ED Aug 98* 1761-1768
Si IGBTs, punchthrough and nonpunchthrough, ZVS. *Pendharkar, S.*, + , *T-ED Aug 98* 1826-1835
Power semiconductor switches; cf. Insulated gate transistor switches
Power systems; cf. Photovoltaic power systems
Power transistors
dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V.*, + , *T-ED May 98* 1155-1161
IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S.*, + , *T-ED Oct 98* 2222-2231
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung*, + , *T-ED Oct 98* 2251-2254
Power transistors; cf. Power bipolar transistors; Power FETs
Probability
single-electron memory cell designs and charactn., comparative study. *Wasshuber, C.*, + , *T-ED Nov 98* 2365-2371
Probability; cf. Weibull distributions
Process control
DRAM mfg., proc. simplification. *Thakur, R.P.S.*, + , *T-ED Mar 98* 609-619
PROM; cf. EPROM
Protection
CMOS output buffer, dyn. gate floating design, ESD protection. *Hun-Hsien Chang*, + , *T-ED Sep 98* 2076-2078
Pulsed lasers; cf. Mode locked lasers
Pulse inverters
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu*, + , *T-ED Jan 98* 45-53

Q

Q factor
microwave spiral inductors, CMOS technol. *Min Park*, + , *T-ED Sep 98* 1953-1959
Quantum dots
multi-open dots structs., geom. effects on electronic props. *Fagotto, E.A.M.*, + , *T-ED Nov 98* 2361-2364
single-electron memory cell designs and charactn., comparative study. *Wasshuber, C.*, + , *T-ED Nov 98* 2365-2371
Quantum effect semiconductor devices
MOS devices, hole inversion layers, quantization effects. *Hareland, S.A.*, + , *T-ED Jan 98* 179-186
Quantum effect semiconductor devices; cf. MODFETs; Quantum well devices
Quantum theory
biased MOSFET, quantum effects on drain current. *Ip, B.K.*, + , *T-ED Oct 98* 2213-2221
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
$In_xAl_{1-x}As/In_xGa_{1-x}As$ (0.3 ≤ x ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095
MOSFET modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Janik, T.*, + , *T-ED Jun 98* 1263-1271
Quantum well devices
multiple QW IR photodetectors, transit-time and capture effects. *Ryzhii, V.*, + , *T-ED Jan 98* 293-298
Quantum well lasers
AlGaInP/GaInP via. strained quantum well lasers. *Su, Y.-K.*, + , *T-ED Apr 98* 763-767
Quantum wells
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
corrugated quantum well IR photodetectors, polyimide planarization. *Chen, C.-J.*, + , *T-ED Jul 98* 1431-1437
GaAs/AlGaAs MQW long-wavelength snap-shot IR photodetector camera. *Gunapala, S.D.*, + , *T-ED Sep 98* 1890-1895
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu*, + , *T-ED Feb 98* 373-379
QWIP semicond. device, neg. capacitance. *Ershov, M.*, + , *T-ED Oct 98* 2196-2206
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C.*, *T-ED Apr 98* 791-796
SQW IR photodetectors, HF perform., high power densities. *Ryzhii, V.*, *T-ED Aug 98* 1797-1803

R

Radiation detectors; cf. Infrared detectors; Photodetectors
Radiation effects; cf. Extraterrestrial radiation effects; Ion radiation effects; Neutron radiation effects
Radiation hardening
Al gates, thin oxides, rapid thermal postoxidation annealing. *Chin-Yang Chen*, + , *T-ED Jan 98* 247-253
Radio communication; cf. Digital radio; UHF radio communication
Random access memories; cf. DRAM chips; SRAM chips
Random noise
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, 1/f noise. *Vainieia, J.F.*, + , *T-ED Jun 98* 1201-1206
Rapid thermal annealing
Al gates, thin oxides, rapid thermal postoxidation annealing. *Chin-Yang Chen*, + , *T-ED Jan 98* 247-253
corrections to "Analytical model for threshold voltage shift due to impurity penetration through a thin gate oxide" (Sep 97 1386-1392). *Suzuki, K.*, *T-ED Jun 98* 1384
$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919
low-energy BF_2^+ and As-implant layers, charactn. and effect 0.15 μm MOSFET perform. *Nishida, A.*, + , *T-ED Mar 98* 701-709
MOSFET, direct tunneling gate oxide, rmfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
Rapid thermal processing
photothermal proc., proc. integrat. *Singh, R.*, + , *T-ED Mar 98* 643-654
Si solar cell, rapid thermal diffusion and oxid. *Doshi, P.*, + , *T-ED Aug 98* 1710-1716

Rare earth compounds; cf. Terbium compounds
Rayleigh-Ritz methods; cf. Galerkin method
RC circuits
AMLCDs, very large, gate line delay modeling. *Qing Zhang*, + , *T-ED Jan 98* 343-345
Rectifiers; cf. Solid state rectifiers
Relaxation oscillators; cf. Flip-flops
Relaxation processes
MOS capacitors, thin gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang*, + , *T-ED Aug 98* 1684-1689
Reliability; cf. Integrated circuit reliability; Semiconductor device reliability
Reliability testing
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
flash memory read-disturb characts., tunnel oxide stress-induced leakage current. *Satoh, S.*, + , *T-ED Feb 98* 482-486
Resistance
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y.*, + , *T-ED Jan 98* 31-35
Al/SiO_2/n-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O.*, + , *T-ED Jun 98* 286-292
$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J.*, + , *T-ED Nov 98* 2298-2303
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Lou*, + , *T-ED Jun 98* 1317-1323
fig.-of-merit for MOSFET perform., appl., scaling, sub-0.25 μm CMOS logic technols. *Chatterjee, A.*, + , *T-ED Jun 98* 1246-1252
GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu*, + , *T-ED Jun 98* 1213-1218
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
interfacial gate resist. in Schottky-barrier-gate field-effect transistors. *Rohdin, H.*, + , *T-ED Dec 98* 2407-2416
long stripe BJT, 3D base distrib. effects, base resist. at DC. *Ming-Yeh Chuang*, + , *T-ED Feb 98* 439-446
MOSFETs, effective channel length and series resist. extraction methods. *Biesemans, S.*, + , *T-ED Jun 98* 1310-1316
S^{2}D silicided silicon-sidewall source and drain struct., pMOSFET characts. *Yoshitomi, T.*, + , *T-ED Jun 98* 1295-1299
Resistance; cf. Contact resistance
Resistance measurement
bipolar transistors, emitter series resist. from open-collector meas. *Gabl, R.*, + , *T-ED Dec 98* 2457-2465
Resonant tunneling devices
displacement transducer. *Yatsunia, S.*, + , *T-ED Jul 98* 1616-1619
Resonant tunneling transistors
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y.*, + , *T-ED Jan 98* 31-35
Resonators; cf. Cavity resonators
Reviews
thin-film SOS CMOS technol. for microwave cct. appls. *Johnson, R.A.*, + , *T-ED May 98* 1047-1054

S

Scattering parameters
Si LDMOSFET, RFIC appls. *Perugupalli, P.*, + , *T-ED Jul 98* 1468-1478
Schottky barriers
Al Schottky contacts on n-GaSb, tunnelling transport study. *Subekti, A.*, + , *T-ED Oct 98* 2247-2248
interfacial gate resist. in Schottky-barrier-gate field-effect transistors. *Rohdin, H.*, + , *T-ED Dec 98* 2407-2416
MOSFET, Schottky barrier, 2D num. simul. *Chung-Kuang Huang*, + , *T-ED Apr 98* 842-848
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P.*, + , *T-ED Feb 98* 349-360
Schottky diode mixers
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P.*, + , *T-ED Feb 98* 349-360
Schottky diodes
Al/n-GaSb Schottky diodes, tunnelling transport study. *Subekti, A.*, + , *T-ED Oct 98* 2247-2248
degenerately-doped GaAs Schottky diode model applicable for terahertz freq. regime operation. *Gelmont, B.L.*, + , *T-ED Dec 98* 2521-2527
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E.*, + , *T-ED Sep 98* 1876-1882
I-V and C-V characts., correl. study. *Zhu, Y.*, + , *T-ED Sep 98* 2032-2036
SiC HV Schottky barrier rectifiers. *Schoen, K.P.*, + , *T-ED Jul 98* 1595-1604
Semiconductor device breakdown
high-power rectifier using BSIT operation, struct./characts. *Yano, K.*, + , *T-ED Feb 98* 563-565
IGBT, short-cct. perform. *Trivedi, M.*, + , *T-ED Jan 98* 313-320
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu*, + , *T-ED Jan 98* 21-30
thin-film quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S.*, + , *T-ED Jan 98* 105-109
Semiconductor device doping
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
bipolar transistor epilayer compact models, collector charge description. *de Vreede, L.C.N.*, + , *T-ED Jan 98* 277-285
corrections to "Analytical model for threshold voltage shift due to impurity penetration through a thin gate oxide" (Sep 97 1386-1392). *Suzuki, K.*, *T-ED Jun 98* 1384
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G.*, + , *T-ED Dec 98* 2430-2436
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T.*, + , *T-ED Jan 98* 299-306
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi*, + , *T-ED Jun 98* 1272-1279
polysilicon TFTs, excimer laser proc. and grain engng. *Giust, G.K.*, + , *T-ED Apr 98* 925-932
random dopant induced threshold voltage lowering and fluct. in sub-0.1 μm MOSFETs. *Asenov, A.*, *T-ED Dec 98* 2505-2513
Si avalanche shaper devices, transient response, transverse doping. *Jalali, H.*, + , *T-ED Aug 98* 1761-1768
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
thin-film SOI MOSFET, I-V charact., doping effects. *Jurczak, M.*, + , *T-ED Sep 98* 1985-1992
Semiconductor device doping; cf. Semiconductor device ion implantation
Semiconductor device fabrication
enhancement-mode HEMTs lattice-matched to InP. *Mahajan, A.*, + , *T-ED Dec 98* 2422-2429
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
proc. synthesis. *Hosack, H.H.*, + , *T-ED Mar 98* 626-633
Semiconductor device fabrication; cf. Isolation technology; Photovoltaic cell fabrication; Semiconductor device doping; Semiconductor device metallization
Semiconductor device ion implantation
CMOSFET characts. mismatch, influ. of asymmet./symmet. source/drain region. *Okuno, T.*, + , *T-ED Feb 98* 529-537
GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha*, + , *T-ED Jan 98* 78-84
high-power rectifier using BSIT operation, struct./characts. *Yano, K.*, + , *T-ED Feb 98* 563-565
IGBT, shallow emitter ballast. *Venkatesan, V.*, + , *T-ED Jan 98* 329-331
MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S.*, + , *T-ED Jan 98* 334-336
6H-SiC self-aligned NMOSFETs, N implant activation effect on SiC/SiO_2 interface. *Lam, M.P.*, + , *T-ED Feb 98* 565-567
submicron MOSFET characts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
Semiconductor device measurements
accumulation layers in MOSFET, electron/hole mobilities extraction tech. *Chindalore, G.L.*, + , *T-ED Feb 98* 502-511
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8
AlSb/InAs HEMTs, planar Si doping beneath channel, kink-free characts. *Zhao, Y.*, + , *T-ED Jan 98* 341-342
base coupled insulated gate thyristor characts. and modeling. *Ajit, J.S.*, *T-ED Feb 98* 543-553
bipolar transistors, emitter series resist. from open-collector meas. *Gabl, R.*, + , *T-ED Dec 98* 2457-2465
CMOSFET characts. mismatch, influ. of asymmet./symmet. source/drain region. *Okuno, T.*, + , *T-ED Feb 98* 529-537
GaInP/AlGaAs/GaInP double HBTs with zero conduction band spike at collector. *Lye, B.-C.*, + , *T-ED Dec 98* 2417-2421
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
InAlAs/InGaAs/InP E/D-HEMTs, integrat. for high-speed cct. appls. *Mahajan, A.*, + , *T-ED Jan 98* 338-340
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu*, + , *T-ED Feb 98* 373-379
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115

SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542

Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S.*, + , *T-ED Feb 98* 494-501

SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133

a-Si:H buried-channel TFTs, fab. and characts. *Weber, C.*, + , *T-ED Feb 98* 447-452

a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563

submicron MOSFETs, pos. bias temp. instabil. study. *Zhang, J.F.*, + , *T-ED Jan 98* 116-124

thin gate MOSFETs, lateral profiling of hot-carrier-induced oxide charge/interface traps. *Chun Chen*, + , *T-ED Feb 98* 512-520

Semiconductor device measurements; cf. Photovoltaic cell measurements

Semiconductor device mechanical factors

device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G.*, + , *T-ED Dec 98* 2430-2436

Semiconductor device metallization

CMOSFET, fully-depleted SOI technol., thin silicide form. *Liu, H.I.*, + , *T-ED May 98* 1099-1104

CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318

$CoSi_2$ film, polysilicon gate, N_2^+ implant., thermal stabil. *Wein-Town Sun*, + , *T-ED Sep 98* 1912-1919

n-MOSFETs, reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G.*, + , *T-ED Apr 98* 861-866

Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354

$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu*, + , *T-ED Jun 98* 1280-1286

WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T.*, + , *T-ED Nov 98* 2276-2282

Semiconductor device modeling

AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329

AlGaAs/InGaAs/GaAs HFET, hot electron gate current model. *Martinez, E.J.*, + , *T-ED Oct 98* 2108-2115

AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8

AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875

Al/SiO_2/n-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B., T-ED Sep 98* 1903-1911

$Al_{0.7}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J.*, + , *T-ED Nov 98* 2298-2303

anal. of kink phenomena in InAlAs/InGaAs HEMTs using 2D device simul. *Suemitsu, T.*, + , *T-ED Dec 98* 2390-2399

anal. of Si:Ge heterojunction integrated injection logic structs. using stored charge model. *Wainwright, S.P.*, + , *T-ED Dec 98* 2437-2447

base coupled insulated gate thyristor characts. and modeling. *Ajit, J.S., T-ED Feb 98* 543-553

biased MOSFET, quantum effects on drain current. *Ip, B.K.*, + , *T-ED Oct 98* 2213-2221

bipolar device noise anal., multidimensional phys.-based models. *Bonani, F.*, + , *T-ED Jan 98* 261-269

bipolar transistor epilayer compact models, collector charge description. *de Vreede, L.C.N.*, + , *T-ED Jan 98* 277-285

bipolar transistor, small-sig. operation anal. and modelling. *Rinaldi, N.F.*, + , *T-ED Aug 98* 1817-1825

bipolar transistors, small-sig. minority carrier transport. *Finaldi, N.F., T-ED Jul 98* 1501-1510

BTG SOI MOSFETs, distributed body resist., CMOS ccts. *Workman, G.O.*, + , *T-ED Oct 98* 2138-2145

compact LDD MOSFET I-V model based on nonpinned surface pot. *Jang, S.-L.*, + , *T-ED Dec 98* 2489-2498

corrections to "Analytical model for threshold voltage shift due to impurity penetration through a thin gate oxide" (Sep 97 1386-1392). *Suzuki, K., T-ED Jun 98* 1384

deep-submicron bipolar devices, compact vel. overshoot model. *Hsien-Chang Wu*, + , *T-ED Feb 98* 417-422

deep submicron elevated source/drain MOSFET charact., epi facets. *Sun, J.J.*, + , *T-ED Jun 98* 1377-1380

deep submicron MOSFET, drain current model incl. electron vel. overshoot. *Roldan, J.B.*, + , *T-ED Oct 98* 2249-2251

deep submicron SOI MOSFETs, hot carrier effects and lifetime predict. *Shing-Hwa Renn*, + , *T-ED Nov 98* 2335-2342

degenerately-doped GaAs Schottky diode model applicable for terahertz freq. regime operation. *Golmont, B.L.*, + , *T-ED Dec 98* 2521-2527

dielec.-isolated lateral IGBT, collector struct. effect on FBSOA. *Nagapudi, V.*, + , *T-ED May 98* 1155-1161

double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B.*, + , *T-ED May 98* 1127-1134

FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229

fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu*, + , *T-ED Apr 98* 797-801

GaAs/$Al_xGa_{1-x}As$ HEMTs, noise params. *Mateos, J.*, + , *T-ED Sep 98* 2081-2083

GaAs ion-implanted MESFET, opaque gate, opt. controlled charact. *Shubha*, + , *T-ED Jan 98* 78-84

GaAs p^+-i-n^+ APDs, multiplication noise, Monte Carlo model. *Qng, D.S.*, + , *T-ED Aug 98* 1804-1810

GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E.*, + , *T-ED Sep 98* 1876-1882

GaAs thin p^+-i-n^+ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107

$Ga_{0.52}In_{0.48}P$ diodes, avalanche multiplication and breakdown. *Ghin, R.*, + , *T-ED Oct 98* 2096-2101

HBTs, emitter ballasted, thermal stabil. *Adlerstein, M.G., T-ED Aug 98* 1653-1655

HBT, space charge region, Shockley-Read-Hall recomb. current distrib. *Pallares, J.*, + , *T-ED Jan 98* 54-61

HEMT, SPICE MOSFET Level 3-like model. *DasGupta, N.*, + , *T-ED Jul 98* 1494-1500

HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13

HgCdTe large LWIR FPAs, 2D model for operating point shift. *Dhar, V.*, + , *T-ED Feb 98* 487-493

IGBT, short-cct. perform. *Trivedi, M.*, + , *T-ED Jan 98* 313-320

IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S.*, + , *T-ED Oct 98* 2222-2231

InAlAs/InGaAs pnp HBTs, simul. and design. *Datta, S.*, + , *T-ED Aug 98* 1634-1643

$In_xAl_{1-x}As/In_yGa_{1-y}As$ (0.3 ≤ x ≤ 0.6) metamorphic mm-wave HEMTs. *Happy, H.*, + , *T-ED Oct 98* 2089-2095

integrated optoelectronic bistable device, transient response. *Zebda, Y.*, + , *T-ED Jan 98* 85-90

interfacial gate resist. in Schottky-barrier-gate field-effect transistors. *Rohdin, H.*, + , *T-ED Dec 98* 2407-2416

intrinsic polysilicon TFT, anal. grain-barrier height model. *Hsin-Li Chen*, + , *T-ED Oct 98* 2245-2247

lateral bipolar transistors, CMOS proc., SPICE subcircuit model. *MacSweeney, D.*, + , *T-ED Sep 98* 1978-1984

LDD nMOSFET degrad. model. *Liu, S.-S.*, + , *T-ED Jul 98* 1538-1547

LDD n-MOSFETs, self-limiting hot-carrier degrad. *Ang, D.S.*, + , *T-ED Jan 98* 149-159

LED, low current region, remodeling. *Acharya, Y.B.*, + , *T-ED Jul 98* 1426-1430

long stripe BJT, 3D base distrib. effects, base resist. at DC. *Ming-Yeh Chuang*, + , *T-ED Feb 98* 439-446

MESFET and HEMT mixers, noise modeling using uniform noisy line model. *Danneville, F.*, + , *T-ED Oct 98* 2207-2212

MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S.*, + , *T-ED Jan 98* 334-336

metal-resist.-semicond. avalanche photodetector operation. *Zappa, F.*, + , *T-ED Jan 98* 91-97

mm-wave power HBT design, gain perform. anal. model. *Tanaka, S.*, + , *T-ED Jan 98* 36-44

MODFET design, modulation doped heterojunctions and asymmetric homojunctions. *Karmalkar, S., T-ED Oct 98* 2187-2195

Monte Carlo semicond. simulators, multicomb variance reduction. *Gray, M.G.*, + , *T-ED Apr 98* 918-924

MOS accumulation layers, quantization effects. *Hareland, S.A.*, + , *T-ED Jul 98* 1487-1493

MOS capacitors, modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M.*, + , *T-ED Jun 98* 1350-1355

MOS devices, hole inversion layers, quantization effects. *Hareland, S.A.*, + , *T-ED Jan 98* 179-186

MOSFET, BSIM3 non-quasi-static transient model, cct. simul. *Mansun Chan*, + , *T-ED Apr 98* 834-841

MOSFET, GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C.*, + , *T-ED Jul 98* 1518-1523

MOSFET, HF equiv. cct. params. *Sung, R.*, + , *T-ED Aug 98* 1769-1775

MOSFET, hot carrier degrad., capacitance monitoring. *Esseni, D.*, + , *T-ED Nov 98* 2319-2328

MOSFET inversion layer, saturation vel. lowering, modeling. *Shigyo, N.*, + , *T-ED Feb 98* 460-464

MOSFET model, cct. simul. *Joardar, K.*, + , *T-ED Jan 98* 134-148

MOSFET modelling based on Schrodinger/Poisson eqns. soln. and mobility model. *Janik, T.*, + , *T-ED Jun 98* 1263-1271

MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246

MOSFETs, asymmetric trapezoidal gate devices, DC model. *Shyh-Chyi Wong*, + , *T-ED Jul 98* 1459-1467

MOSFET, Schottky barrier, 2D num. simul. *Chung-Kuang Huang*, + , *T-ED Apr 98* 842-848
MOSFETs, effective channel length and series resist. extraction methods. *Biesemans, S.*, + , *T-ED Jun 98* 1310-1316
MOSFETs, surrounding-gate, threshold voltage model. *Auth, C.P.*, +, *T-ED Nov 98* 2381-2383
MOSFET, threshold voltages, self-aligned control, tilted ion implant. *Kurata, H.*, + , *T-ED Oct 98* 2161-2166
MOS transistors, stat. dopant fluctu., modeling. *Stolk, P.A.*, + , *T-ED Sep 98* 1960-1971
multiple QW IR photodetectors, transit-time and capture effects. *Ryzhii, V.*, + , *T-ED Jan 98* 293-298
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih*, + , *T-ED Nov 98* 2343-2348
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C.*, + , *T-ED Jan 98* 254-260
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
nMOS transistors, quantum mech. effects, self-consistent 2D model. *Spinelli, A.S.*, + , *T-ED Jun 98* 1342-1349
OPFET, ion-implanted, modulated freq. and diffusion effects, correction. *Asthana, N.C.*, + , *T-ED Jun 98* 1383
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
PHEMT, short-channel cpd. FET, Monte Carlo RF anal. *Babiker, S.*, + , *T-ED Aug 98* 1644-1652
P-N jn., abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi*, + , *T-ED Jun 98* 1272-1279
quantifying neutral base recomb. and effects of collector-base jn. traps in UHV/CVD SiGe HBTs. *Nix, G.*, + , *T-ED Dec 98* 2499-2504
quantum barrier varactors, nonlin. elec. perform., Monte Carlo simul. *Abou-Khalil, M.J.*, + , *T-ED Jul 98* 1399-1406
quasi-2D HEMT model for DC and microwave simul./CAD. *Singh, R.*, + , *T-ED Jun 98* 1165-1169
QWIP semicond. device, neg. capacitance. *Ershov, M.*, + , *T-ED Oct 98* 2196-2206
random dopant induced threshold voltage lowering and fluct. in sub-0.1 μm MOSFETs. *Asenov, A.*, *T-ED Dec 98* 2505-2513
Schottky barrier diodes, correl., I-V and C-V characts. *Zhu, Y.*, + , *T-ED Sep 98* 2032-2036
Si, amorph. and polycryst. devices, dyn. modeling. *Colalongo, L.*, + , *T-ED Apr 98* 826-833
Si APDs operated in charge storage mode, num. anal. *Parks, J.W.*, + , *T-ED Feb 98* 394-400
Si avalanche shaper devices, transient response, transverse doping. *Jalali, H.*, + , *T-ED Aug 98* 1761-1768
SiGe HBTs, base transit time, doping profiles. *Patri, V.S.*, + , *T-ED Aug 98* 1725-1731
Si IGBTs, punchthrough and nonpunchthrough, ZVS. *Pendharkar, S.*, + , *T-ED Aug 98* 1826-1835
Si LDMOSFET, RFIC appls. *Perugupalli, P.*, + , *T-ED Jul 98* 1468-1478
Si-Si_xGe_{1-x} MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B.*, + , *T-ED Apr 98* 993-995
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamasb, S.*, + , *T-ED Jun 98* 1239-1245
smart power appls., multiterminal bipolar devices, compact model. *Speciale, N.*, + , *T-ED Sep 98* 2037-2046
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
SOI-MOS capacitors, C-V behavior modeling. *Ikraiam, F.A.*, + , *T-ED May 98* 1026-1032
SOI MOSFET, continuous compact model. *Sleight, J.W.*, + , *T-ED Apr 98* 821-825
SOI MOSFET design, floating-body charge effect. *Wei, A.*, + , *T-ED Feb 98* 430-438
SOI MOSFET devices, interface traps, front-gate charge-pumping method. *Yufan Li*, + , *T-ED Jun 98* 1329-1335
SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F.*, + , *T-ED May 98* 1122-1126
SOI MOSFET, microwave freqs., analog modeling. *Raskin, J.-P.*, + , *T-ED May 98* 1017-1025
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
SOI RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
4H-SiC JFET, high temp. RF power amp. *Hatfield, C.W.*, + , *T-ED Sep 98* 2072-2074
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J.*, + , *T-ED Feb 98* 423-429
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
n-HFET, gate current, anal. model. *Martinez, E.J.*, + , *T-ED Oct 98* 2116-2121
SQW IR photodetectors, HF perform., high power densities. *Ryzhii, V.*, *T-ED Aug 98* 1797-1803
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chuan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178
submicron MOSFET characts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
submicron MSM photodetectors, diffr. and interf. effects. *Arafa, M.*, + , *T-ED Jan 98* 62-67
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
thin-film SOI MOSFET, I-V charact., doping effects. *Jurczak, M.*, + , *T-ED Sep 98* 1985-1992
thin gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R.*, + , *T-ED Apr 98* 904-911

Semiconductor device noise

AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Anllo, Y.*, + , *T-ED Jan 98* 31-35
AlSb/InAs HEMTs for LV high-speed appls., fab. and characts. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
APDs, bevel-edge arrays, noise charact. *Gramsch, E.*, *T-ED Jul 98* 1587-1594
bipolar device noise anal., multidimensional phys.-based models. *Bonani, F.*, + , *T-ED Jan 98* 261-269
bulk defect induced LF noise in n^+-p silicon diodes. *Hou, F.-C.*, + , *T-ED Dec 98* 2528-2536
GaAs/Al_xGe_{1-x}As HEMTs, noise params. *Mateos, J.*, + , *T-ED Sep 98* 2081-2083
GaAs FETs, trap props./locations meas. under different bias conditions. *Azhar Iqbal, M.*, + , *T-ED Aug 98* 1663-1670
GaAs p^+-i-n^+ APDs, multiplication noise, Monte Carlo model. *Ong, D.S.*, + , *T-ED Aug 98* 1804-1810
GaAs thin p^+-i-n^+ diodes, avalanche multiplication noise charact. *Li, K.F.*, + , *T-ED Oct 98* 2102-2107
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
LF drain current noise behavior of InP based MODFETs in lin. and saturation regime. *van Meer, H.*, + , *T-ED Dec 98* 2475-2482
LF noise of InP/InGaAs HBTs. *Takanashi, Y.*, + , *T-ED Dec 98* 2400-2406
metal-resist.-semicond. avalanche photodetector operation. *Zappa, F.*, + , *T-ED Jan 98* 91-97
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P.*, + , *T-ED Feb 98* 349-360
SOI MOSFETs, partially-depleted, body resist., noise. *Faccio, F.*, + , *T-ED May 98* 1033-1038

Semiconductor device reliability

0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Ohguro, T.*, + , *T-ED Mar 98* 717-721
AlGaAs/InGaAs/GaAs PHEMT, DC and RF characts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
$Al_{0.25}Ga_{0.75}As$/GaAs HFETs, microwave power appls., hot electron and DX center insensitivity. *Menozzi, R.*, + , *T-ED Nov 98* 2261-2267
deep submicron SOI MOSFETs, hot carrier effects and lifetime predict. *Shing-Hwa Renn*, + , *T-ED Nov 98* 2335-2342
drain-engineered MOSFET, hot-carrier degraded, effective mobility, source-drain resist. *Choon-Leong Low*, + , *T-ED Jun 98* 1317-1323
IGBTs, punchthrough and nonpunchthrough types, electrothermal simul. *Pendharkar, S.*, + , *T-ED Oct 98* 2222-2231
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
MOS devices in CMOS technol., giant isotope effect in hot electron degrad. *Hess, K.*, + , *T-ED Feb 98* 406-416
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
n-MOSFET gate current degrad., model inclu. hot electron induced oxide damage. *Cherng-Ming Yih*, + , *T-ED Nov 98* 2343-2348
n-MOSFETs, channel-engineered, scaling trends for perform. and reliab. *Williams, S.C.*, + , *T-ED Jan 98* 254-260
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
p-channel MOS transistors, interface trap dens. reduction, channel-hot-hole stress. *Han, K.M.*, + , *T-ED Jun 98* 1380-1382
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903

polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin*, + , *T-ED Jun 98* 1324-1328
SIMOX MOSFETs, deep submicron N- and P-channel partially and fully depleted unibond, degrad. *Shing-Hwa Renn*, + , *T-ED Oct 98* 2146-2152
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Ohguro, T.*, + , *T-ED Mar 98* 710-716
SOI MOSFET devices, interface traps, front-gate charge-pumping method. *Yujun Li*, + , *T-ED Jun 98* 1329-1335
SOI MOSFETs, hot carrier degrad., luminesc. monitoring. *Selmi, L.*, + , *T-ED May 98* 1135-1139
SOI MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
SOI N-MOSFETs, hot carrier effects and lifetime prediction. *Shing-Hwa Renn*, + , *T-ED May 98* 1140-1146
SOI RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
a-Si:H layered TFTs, reliab., cond.-band tail width reduction. *GadelRab, S.M.*, + , *T-ED Oct 98* 2179-2186
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
n-MOSFETs, reliab., metal-1 plasma proc. induced hot carrier injection. *El Hassan, M.G.*, + , *T-ED Apr 98* 861-866
submicrometer buried-channel pMOSFETs, pre- and post-stress I-V model. *Chwan-Gwo Chyau*, + , *T-ED Oct 98* 2167-2178
submicron MOSFET charcts. optim., FIB implant. and modelling. *Chih-Chieh Shen*, + , *T-ED Feb 98* 453-459
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354

Semiconductor devices; cf. MSM devices; Piezoresistive devices; Power semiconductor devices; Quantum effect semiconductor devices; Semiconductor diodes; Semiconductor lasers; Transistors

Semiconductor device testing

AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329
AlGaAs/InGaAs/GaAs PHEMT, DC and RF charcts., hot electron degrad. *Borgarino, M.*, + , *T-ED Feb 98* 366-372
charge-pumping meas. of MOSFETs, gate sawtooth pulses. *Lai, P.T.*, + , *T-ED Apr 98* 947-952
DMOS transistors, charactn. method for hot-carrier degrad. *Pieracci, A.*, + , *T-ED Aug 98* 1855-1858
HFETs and MESFETs, Z_{11} impedance tech. for mobility/carrier conc. extract. *Ernst, A.N.*, + , *T-ED Jan 98* 9-13
IGBT, shallow emitter ballast. *Venkatesan, V.*, + , *T-ED Jan 98* 329-331
MOSFET switching speed meas. for perform. charactn. *Jenkins, K.A.*, + , *T-ED Jun 98* 1369-1373
partially depleted SOI MOSFET, generation lifetime meas. tech. *Hyungcheol Shin*, + , *T-ED Nov 98* 2378-2380
p-channel MOS transistors, interface trap dens. reduction, channel-hot-hole stress. *Han, K.M.*, + , *T-ED Jun 98* 1380-1382

Semiconductor device thermal factors

AlGaAs-InGaAs pseudomorphic MODFET, elevated temp. perform. study. *Zurek, S.J.*, + , *T-ED Jan 98* 2-8
IGBT, short-cct. perform. *Trivedi, M.*, + , *T-ED Jan 98* 313-320
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
n-MOSFETs, heavily-doped, effective mobility model. *Villa, S.*, + , *T-ED Jan 98* 110-115
polysilicon TFTs, V_T shift, neg.-bias temp. stress. *Maeda, S.*, + , *T-ED Jan 98* 165-172
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
6H-SiC self-aligned NMOSFETs, N implant activation effect on SiC/SiO_2 interface. *Lam, M.P.*, + , *T-ED Feb 98* 565-567
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takatani, S.*, + , *T-ED Jan 98* 14-20
submicron MOSFETs, pos. bias temp. instabil. study. *Zhang, J.F.*, + , *T-ED Jan 98* 116-124

Semiconductor diodes

bulk defect induced LF noise in n⁺-p silicon diodes. *Hou, F.-C.*, + , *T-ED Dec 98* 2528-2536
p-n jn. diode noise anal., multidimensional phys.-based models. *Bonani, F.*, + , *T-ED Jan 98* 261-269

Semiconductor diodes; cf. Light-emitting diodes; p-i-n diodes; Power semiconductor diodes; Schottky diodes; Varactors

Semiconductor diode switches

a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D.*, + , *T-ED Jan 98* 270-276

Semiconductor epitaxial layers

0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Ohguro, T.*, + , *T-ED Mar 98* 717-721
AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
$CoSi_2$ implant., elevated n⁺/p jn., deep submicron MOSFET. *Jie J. Sun*, + , *T-ED Sep 98* 1946-1952
GaAs MESFETs, epitaxial lift-off. *Morf, T.*, + , *T-ED Jul 98* 1407-1413
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
$In_xGa_{1-x}As$ lin. graded buffer layers, MBE grown, 1/f noise. *Vaitnezia, J.F.*, + , *T-ED Jun 98* 1201-1206
MODFET epitaxial layer struct., 2DEG posn. *Wood, J.*, + , *T-ED Jul 98* 1622-1624
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M.*, + , *T-ED Jun 98* 1287-1294
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365
$n\text{-}Al_{0.3}Ga_{0.8}As/In_{0.35}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
tunneling through ultrathin GaAs $n^{++}\text{-}p^{++}\text{-}n^{++}$ barrier grown by molecular layer epitaxy. *Liu, Y.-X.*, + , *T-ED Dec 98* 2551-2554

Semiconductor films

diamond:B field emitter structs., technol. and charactn. *Dongsung Hong*, + , *T-ED Apr 98* 977-985
double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B.*, + , *T-ED May 98* 1127-1134
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei*, + , *T-ED Apr 98* 912-917
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A.*, *T-ED Oct 98* 2131-2137

Semiconductor films; cf. Semiconductor epitaxial layers

Semiconductor growth

AlGaAsSb-InGaAs-AlGaAsSb QW of HEMT, AlGaAsSb growth effect on 2DEG conc. *Anwar, A.F.M.*, + , *T-ED Jun 98* 1170-1175
AlSb/InAs HEMTs for LV high-speed appls., fab. and charactn. *Boos, J.B.*, + , *T-ED Sep 98* 1869-1875
InAlAs/InGaAs/InAs modulation-doped heterojunction FETs, high-speed mm-wave appls. *Dong Xu*, + , *T-ED Jan 98* 21-30
InGaP/GaAs HBTs, heavily C-doped, buried polycryst. GaAs under base electrode. *Mochizuki, K.*, + , *T-ED Nov 98* 2268-2275
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K.*, + , *T-ED Apr 98* 809-814
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M.*, + , *T-ED Jun 98* 1287-1294
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Ohguro, T.*, + , *T-ED Mar 98* 710-716
$n\text{-}Al_{0.3}Ga_{0.8}As/In_{0.35}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
tunneling through ultrathin GaAs $n^{++}\text{-}p^{++}\text{-}n^{++}$ barrier grown by molecular layer epitaxy. *Liu, Y.-X.*, + , *T-ED Dec 98* 2551-2554

Semiconductor heterojunctions

GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu*, + , *T-ED Jun 98* 1213-1218
interfacial electron transport, effective mass discontinuity. *Grinberg, A.A.*, + , *T-ED Jul 98* 1561-1568
MODFET design, modulation doped heterojunctions and asymmetric homojunctions. *Karmalkar, S.*, *T-ED Oct 98* 2187-2195
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S.*, + , *T-ED Feb 98* 494-501

Semiconductor impurities

MOSFET inversion layer, saturation vel. lowering, modeling. *Shigyo, N.*, + , *T-ED Feb 98* 460-464

Semiconductor-insulator interfaces

polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei*, + , *T-ED Apr 98* 912-917
SiC/SiO_2 interface of 6H-SiC NMOSFETs, N implant activation effect. *Lam, M.P.*, + , *T-ED Feb 98* 565-567
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R.*, + , *T-ED Apr 98* 881-888
SOI-MOS capacitors, C-V behavior modeling. *Ikraiam, F.A.*, + , *T-ED May 98* 1026-1032
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao*, + , *T-ED Sep 98* 1927-1933
thin gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R.*, + , *T-ED Apr 98* 904-911
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F.*, + , *T-ED Nov 98* 2329-2334

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Semiconductor-insulator-semiconductor devices; cf. p-i-n diodes
Semiconductor junctions
MODFET design, modulation doped heterojunctions and asymmetric homojunctions. *Karmalkar, S., T-ED Oct 98* 2187-2195
Semiconductor junctions; cf. p-n junctions; Semiconductor heterojunctions
Semiconductor lasers
DFB laser/EAM, ultrashort opt. pulse generation. *Dellunde, J., + , T-ED Oct 98* 2122-2130
integrated optoelectronic bistable device, transient response. *Zebda, Y., + , T-ED Jan 98* 85-90
Semiconductor lasers; cf. Quantum well lasers
Semiconductor materials
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., + , T-ED Jun 98* 1287-1294
SiGe HBTs, base transit time, doping profiles. *Patri, V.S., + , T-ED Aug 98* 1725-1731
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A., + , T-ED Feb 98* 538-542
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A., + , T-ED Jul 98* 1531-1537
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C., T-ED Apr 98* 791-796
$Si-Si_xGe_{1-x}$ MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B., + , T-ED Apr 98* 993-995
4H-SiC JFET, high temp. RF power amp. *Hatfield, C.W., + , T-ED Sep 98* 2072-2074
4H-SiC thyristors, crit. charge dens. *Levinshtein, M.E., + , T-ED Jan 98* 307-312
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu, + , T-ED Jan 98* 45-53
6H-SiC strain sens. piezoresistors, Wheatstone bridge integrated beam transducers. *Okojie, R.S., + , T-ED Apr 98* 785-790
Semiconductor materials; cf. Amorphous semiconductors; Semiconductor films; Semiconductor superlattices
Semiconductor materials measurements
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501
Semiconductor memories
flash EEPROM, stacked gate mid-channel injection cell. *Kim, D.M., + , T-ED Aug 98* 1703-1709
flash E^2PROMs, SILC-related disturb charact. *de Blauwe, J., + , T-ED Aug 98* 1751-1760
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J., + , T-ED Aug 98* 1745-1750
flash memories, write/erase method, improve read disturb charects. *Endoh, T., + , T-ED Jan 98* 98-104
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V., + , T-ED Jan 98* 224-229
single-electron memory cell designs and charects., comparative study. *Wasshuber, C., + , T-ED Nov 98* 2365-2371
stacked gate mid-channel injection flash EEPROM cell, prog. speed, efficiency. *Kim, D.M., + , T-ED Aug 98* 1696-1702
Semiconductor memories; cf. Bipolar memory integrated circuits
Semiconductor-metal interfaces
Al/n-GaSb Schottky diodes, tunnelling transport study. *Subekti, A., + , T-ED Oct 98* 2247-2248
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P., + , T-ED Feb 98* 349-360
Semiconductor process modeling
deep submicron elevated source/drain MOSFET charact., epi facets. *Sun, J.J., + , T-ED Jun 98* 1377-1380
MESFET, ion-implanted, intrinsic capacit. modeling, profile shape factors. *Rajesh, S., + , T-ED Jan 98* 334-336
$Si:As(P)(B)(BF_2)$, ion implant induced damage model. *Tian, S., + , T-ED Jun 98* 1226-1238
Si, thermal oxid. model for ultrathin SiO_2, rate eqn. approach. *Gorantla, S., + , T-ED Jan 98* 336-338
vias and contacts, diffusion barrier deposition, long throw sputtering. *Smy, T., + , T-ED Jul 98* 1414-1425
Semiconductor superlattices
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T., + , T-ED Jun 98* 1176-1182
Semiconductor switches
$Al/SiO_2/n$-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O., + , T-ED Jan 98* 286-292
$In_xGa_{1-x}As$ step-compositioned quantum well MISIM-like struct., MNDR phenom. *Wen-Chau Liu, + , T-ED Feb 98* 373-379
Semiconductor switches; cf. FET switches; Power semiconductor switches; Semiconductor diode switches
Sensitivity
CMOS act. pixel image sens., fab. in 1.8 V, 0.25 μm technol. *Wong, H.P., + , T-ED Apr 98* 889-894
metal-resist.-semicond. avalanche photodetector operation. *Zappa, F., + , T-ED Jan 98* 91-97
Si APDs operated in charge storage mode, num. anal. *Parks, J.W., + , T-ED Feb 98* 394-400
Short circuit currents
IGBT, shallow emitter ballast. *Venkatesan, V., + , T-ED Jan 98* 329-331
IGBT, short-cct. perform. *Trivedi, M., + , T-ED Jan 98* 313-320
Shot noise
APDs, bevel-edge arrays, noise charact. *Gramsch, E., T-ED Jul 98* 1587-1594
Signal analysis; cf. Spectral analysis
Silicon
0.15-μm buried-channel p-MOSFETs, ultrathin B-doped epitaxial Si layer. *Okguro, T., + , T-ED Mar 98* 717-721
$Al/SiO_2/n$-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O., + , T-ED Jan 98* 286-292
$Al/SiO_2/n$-Si/SiO_2/Al MISIM tunnel transistor, I-V charects. study. *Majkusiak, B., T-ED Sep 98* 1903-1911
carrier transport, BTE, spherical harmonics expansion. *Vecchi, M.C., + , T-ED Jan 98* 230-238
carrier transport, full-band spherical-harmonics expansion. *Reggiani, S., + , T-ED Sep 98* 2010-2017
charge-pumping meas. of MOSFETs, gate sawtooth pulses. *Lai, P.T., + , T-ED Apr 98* 947-952
deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G., + , T-ED Dec 98* 2430-2436
high-performance polycrystalline silicon thin film transistor with silicon nitride gate insulator. *Lee, K.H., + , T-ED Dec 98* 2548-2551
intrinsic polysilicon TFT, anal. grain-barrier height model. *Hsin-Li Chen, + , T-ED Oct 98* 2245-2247
kink-free polycrystalline silicon double-gate elevated-channel thin-film transistors. *Kumar K.P., A., + , T-ED Dec 98* 2514-2520
long stripe BJT, 3D base distrib. effects, base resist. at DC. *Ming-Yeh Chuang, + , T-ED Feb 98* 439-446
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311
multicrystalline solar cells, fab. and charactn. *Narasimha, S., + , T-ED Aug 98* 1776-1783
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S., + , T-ED Apr 98* 895-903
polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A., T-ED Oct 98* 2131-2137
polysilicon buffer LOCOS for isolation of submicron devices, buffer layer struct. *Jong-Ho Lee, + , T-ED Oct 98* 2153-2160
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin, + , T-ED Jun 98* 1324-1328
polysilicon layer LPCVD defined MOSFETs, opt. lithog., matching anal. *Horstmann, J.T., + , T-ED Jan 98* 299-306
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei, + , T-ED Apr 98* 912-917
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi, + , T-ED Jun 98* 1272-1279
polysilicon TFT, Ge-seeded laterally crystallized, vert. integrat. *Subramanian, V., + , T-ED Sep 98* 1934-1939
polysilicon TFTs, excimer laser proc. and grain engng. *Giust, G.K., + , T-ED Apr 98* 925-932
polysilicon TFTs, low field leakage current. *Lui, O.K.B., + , T-ED Jan 98* 213-217
polysilicon TFTs, V_T shift, neg.-bias temp. stress. *Maeda, S., + , T-ED Jan 98* 165-172
Si 0.1-μm delta-doped MOSFET, post-low-energy implanting selective epitaxy. *Noda, K., + , T-ED Apr 98* 809-814
$Si:As(P)(B)(BF_2)$, ion implant induced damage model. *Tian, S., + , T-ED Jun 98* 1226-1238
Si:B MOSFET, boron penetration, Ar ion implant. *Lurng Shehng Lee, + , T-ED Aug 98* 1737-1744
Si, amorph. and polycryst. devices, dyn. modeling. *Colalongo, L., + , T-ED Apr 98* 826-833
Si APDs operated in charge storage mode, num. anal. *Parks, J.W., + , T-ED Feb 98* 394-400
Si avalanche shaper devices, transient response, transverse doping. *Jalali, H., + , T-ED Aug 98* 1761-1768
Si bipolar transistors, $f_t BV_{ceo}$ limit re-eval. *Ng, K.K., + , T-ED Aug 98* 1854-1855

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Si, electron distrib., hot carrier luminesc. meas. *Selmi, L., + , T-ED Apr 98* 802-808
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A., + , T-ED Feb 98* 538-542
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A., + , T-ED Jul 98* 1531-1537
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I., + , T-ED Apr 98* 953-956
Si IGBTs, punchthrough and nonpunchthrough, ZVS. *Pendharkar, S., + , T-ED Aug 98* 1826-1835
Si LDMOSFET, RFIC, appls. *Perugupalli, P., + , T-ED Jul 98* 1468-1478
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501
$Si-Si_xGe_{1-x}$ MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B., + , T-ED Apr 98* 993-995
Si solar cell, minority carrier diffusion length, spectral anal. *Keller, S., + , T-ED Jul 98* 1569-1574
Si solar cells, roles of elec. fields and illumin. levels in passiv. *Yibin Bai, + , T-ED Aug 98* 1784-1790
Si undoped epitaxial channel n-MOSFET grown by UHV-CVD, preheating. *Ohguro, T., + , T-ED Mar 98* 710-716
solar cell, rapid thermal diffusion and oxid. *Doshi, P., + , T-ED Aug 98* 1710-1716
solar cells, high-efficiency, AR coated, fab. proc. *Krygowski, T., + , T-ED Jan 98* 194-199
solar cell, sprayed SnO_2 antirefl. coating. *Marques, F.C., T-ED Jul 98* 1619-1622
a-Si:H buried-channel TFTs, fab. and characts. *Weber, C., + , T-ED Feb 98* 447-452
a-Si:H double act. layer TFT. *Jong Hyun Choi, + , T-ED Sep 98* 2074-2076
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D., + , T-ED Jan 98* 270-276
a-Si:H nipiin three-color detectors, transient photocurrent. *Stiebig, H., + , T-ED Jul 98* 1438-1444
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K., + , T-ED Jan 98* 321-325
a-Si:H solar cells and modules, equiv. cct./anal. model. *Merten, J., + , T-ED Feb 98* 423-429
a-Si:H TFT addressed LCD design, scaling theory. *Tzukada, T., T-ED Feb 98* 387-393
a-Si:H TFTs, unpassivated, bias stress. *Slade, H.C., + , T-ED Jul 98* 1548-1553
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M., + , T-ED Feb 98* 560-563
a-SiC:H multispectral detectors. *Zhu, Q., + , T-ED Jul 98* 1393-1398
a-Si, electron-bombard., amplified MOS imager, image intensifier. *Andoh, E., + , T-ED Apr 98* 778-784
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, + , T-ED Feb 98* 401-405
S^4D silicided silicon-sidewall source and drain struct., pMOSFET characts. *Yoshitomi, T., + , T-ED Jun 98* 1295-1299
TEOS oxide deposited on P in-situ/$POCl_3$ doped polysilicon, RTA in N_2O. *Chyuan-Haur Kao, + , T-ED Sep 98* 1927-1933
thermal oxid. model for ultrathin SiO_2, rate eqn. approach. *Gorantla, S., + , T-ED Jan 98* 336-338
thin-film quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S., + , T-ED Jan 98* 105-109

Silicon alloys

deep-submicron CMOS transistors, gate engng. *Bin Yu, + , T-ED Jun 98* 1253-1262
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G., + , T-ED Dec 98* 2430-2436
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M., + , T-ED Jun 98* 1287-1294
SiGe HBTs, base transit time, doping profiles. *Pairi, V.S., + , T-ED Aug 98* 1725-1731
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A., + , T-ED Feb 98* 538-542
Si/Ge_xSi_{1-x} HBTs, Ge ion implant. *Lombardo, S.A., + , T-ED Jul 98* 1531-1537
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
SiGe waveguide avalanche detectors operating at λ=1.3 μm, theory. *Herbert, D.C., T-ED Apr 98* 791-796
Si/Si-Ge/Si heterostruct. valence band discont., MOS capacitor admittance spectrosc. *Takagi, S., + , T-ED Feb 98* 494-501
$Si-Si_xGe_{1-x}$ MOSFETs, model for electron vel. overshoot effects. *Roldan, J.B., + , T-ED Apr 98* 993-995
a-SiGe high-speed IR sens. *Jyh-Jier Ho, + , T-ED Sep 98* 2085-2088

Silicon compounds

$Al/SiO_2/n$-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O., + , T-ED Jan 98* 286-292
$Al/SiO_2/n$-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B., T-ED Sep 98* 1903-1911
high-performance polycrystalline silicon thin film transistor with silicon nitride gate insulator. *Lee, K.H., + , T-ED Dec 98* 2548-2551
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei, + , T-ED Apr 98* 912-917
SiC HV Schottky barrier rectifiers. *Schoen, K.P., + , T-ED Jul 98* 1595-1604
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
SiO_2 thin gate oxide of MOS capacitors subjected to stresses, trapped charge distribs. *Rodriguez, R., + , T-ED Apr 98* 881-888
SiO_2 ultrathin films, stress induced leakage currents. *Ricco, B., + , T-ED Jul 98* 1554-1560
SiO_2, ultrathin, thermal growth in O_2, rate eqn. approach. *Gorantla, S., + , T-ED Jan 98* 336-338
Si, polycryst. solar cells, low temp. PECVD Si_3N_4. *Elgamel, H.E.A., T-ED Oct 98* 2131-2137
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamash, S., + , T-ED Jun 98* 1239-1245
4H-SiC JFET, high temp. RF power amp. *Hatfield, C.W., + , T-ED Sep 98* 2072-2074
4H-SiC thyristors, crit. charge dens. *Levinshtein, M.E., + , T-ED Jan 98* 307-312
6H-SiC digital CMOS logic ICs operating on 5-V power supply. *Sei-Hyung Ryu, + , T-ED Jan 98* 45-53
6H-SiC self-aligned NMOSFETs, N implant activation effect on SiC/SiO_2 interface. *Lam, M.P., + , T-ED Feb 98* 565-567
6H-SiC strain sens. piezoresistors, Wheatstone bridge integrated beam transducers. *Okojie, R.S., + , T-ED Apr 98* 785-790
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, + , T-ED Feb 98* 401-405

Silicon on insulator technology

body-contacted SOI MOSFET struct., DRAM appl. *Yo-Hwan Koh, + , T-ED May 98* 1063-1070
BTG SOI MOSFETs, distributed body resist., CMOS ccts. *Workman, G.O., + , T-ED Oct 98* 2138-2145
CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O., + , T-ED Jan 98* 125-133
CMOS devices, sub-0.25 μm technol. *Hsiao, T.C., + , T-ED May 98* 1092-1098
CMOSFET, fully-depleted SOI technol., thin silicide form. *Liu, H.J., + , T-ED May 98* 1099-1104
CMOSFETs, floating body effects, BESS source struct. *Horiuchi, M., + , T-ED May 98* 1077-1083
deep submicron SOI MOSFETs, hot carrier effects and lifetime predict. *Shing-Hwa Renn, + , T-ED Nov 98* 2335-2342
double-gate SOI MOSFET, semicond. film thickness effects. *Majkusiak, B., + , T-ED May 98* 1127-1134
DRAM, extra LV operation. *Eimori, T., + , T-ED May 98* 1000-1009
drive-in gate controlled hybrid transistor. *Ru Huang, + , T-ED Sep 98* 2079-2081
dyn. threshold CMOS inverter, power dissipation. *Wei Jin, + , T-ED Aug 98* 1717-1724
floating-body PD SOI MOSFET, switch-off behavior. *Perron, L.M., + , T-ED Nov 98* 2372-2375
fully-depleted SOI CMOS, analog appls. *Colinge, J.-P., T-ED May 98* 1010-1016
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu, + , T-ED Apr 98* 797-801
fully-depleted SOI MOSFETs, short-channel effects. *Tsuchiya, T., + , T-ED May 98* 1116-1121
fully-depleted SOI NMOSFET, hot-carrier degrad. *Banna, S.R., + , T-ED Jan 98* 206-212
lateral IGBT in thin SOI for HV high speed power IC. *Ying-Keung Leung, + , T-ED Oct 98* 2251-2254
LV high-dens. SOI DRAM, design issues. *Fossum, J.G., + , T-ED May 98* 1055-1062
MOS capacitors, C-V behavior modeling. *Ikraiam, F.A., + , T-ED May 98* 1026-1032
MOSFET, buried body strap, wafer bonding. *Kuehne, S.C., + , T-ED May 98* 1084-1091
MOSFET, continuous compact model. *Sleight, J.W., + , T-ED Apr 98* 821-825
MOSFET design, floating-body charge effect. *Wei, A., + , T-ED Feb 98* 430-438
MOSFET devices, interface traps, front-gate charge-pumping method. *Yujun Li, + , T-ED Jun 98* 1329-1335
MOSFET, electron transport, Monte Carlo simul. *Gamiz, F., + , T-ED May 98* 1122-1126

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

MOSFET, field shield isolation, delay time instabil. *Maeda, S.*, + , *T-ED Jul 98* 1479-1486
MOSFET, microwave freqs., analog modeling. *Raskin, J.-P.*, + , *T-ED May 98* 1017-1025
MOSFET, polysilicon interlayered SOI wafer. *Horiuchi, M.*, + , *T-ED May 98* 1111-1115
MOSFET, reoxidized MESA isolation. *Fung, S.K.H.*, + , *T-ED May 98* 1105-1110
MOSFETs, hot carrier degrad., luminesc. monitoring. *Selmi, L.*, + , *T-ED May 98* 1135-1139
MOSFETs, opp.-channel-based injection of hot-carriers. *Ioannou, D.E.*, + , *T-ED May 98* 1147-1154
MOSFETs, partially-depleted, body resist., noise. *Faccio, F.*, + , *T-ED May 98* 1033-1038
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
quasi-SOI power MOSFET, reversed silicon wafer direct bonding. *Matsumoto, S.*, + , *T-ED Sep 98* 1940-1945
RESURF devices, surface field distrib., anal. model. *Sang-Koo Chung*, + , *T-ED Jun 98* 1374-1376
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G.*, + , *T-ED May 98* 998-999
n-MOSFET scaling, hot carrier trends, full-band Monte Carlo investig. *Duncan, A.*, + , *T-ED Apr 98* 867-876
N-MOSFETs, hot carrier effects and lifetime prediction. *Shing-Hwa Renn*, + , *T-ED May 98* 1140-1146
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D.*, + , *T-ED May 98* 1039-1046
thin-film quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S.*, + , *T-ED Jan 98* 105-109
thin-film SOI MOSFET, I-V charact., doping effects. *Jurczak, M.*, + , *T-ED Sep 98* 1985-1992
thin-film SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A.*, + , *T-ED May 98* 1047-1054
$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu*, + , *T-ED Jun 98* 1280-1286

SIMOX
MOSFETs, deep submicron N- and P-channel partially/fully depleted unibond, degrad. *Shing-Hwa Renn*, + , *T-ED Oct 98* 2146-2152
MOSFETs/SIMOX, fully-depleted, parasitic bipolar action, BSBT treatment. *Kotzumi, H.*, + , *T-ED Apr 98* 933-938
partially depleted SOI MOSFET, generation lifetime meas. tech. *Hyungcheol Shin*, + , *T-ED Nov 98* 2378-2380
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M.*, + , *T-ED Jan 98* 173-178
ultra-thin-film FD CMOS/SIMOX devices, parasitic bipolar action suppress. by Ar ion implant. *Ohno, T.*, + , *T-ED May 98* 1071-1076

Simulation
random dopant induced threshold voltage lowering and fluct. in sub-0.1 μm MOSFETs. *Asenov, A.*, *T-ED Dec 98* 2505-2513

Simulation; cf. Circuit simulation

Slow wave structures
helical slow-wave cct. vars., effect on TWT cold-test charact. *Kory, C.L.*, + , *T-ED Apr 98* 972-976
helical TWT slow-wave cct., cold-test model. *Kory, C.L.*, + , *T-ED Apr 98* 966-971
helix slow-wave struct. *D'Agostino, S.*, + , *T-ED Jul 98* 1605-1613

Solar power generation; cf. Photovoltaic power systems

Soldering
advanced IC packaging and chip scale package develop. *Anjoh, I.*, + , *T-ED Mar 98* 743-752

Solid lasers; cf. Semiconductor lasers

Solid state rectifiers
high-power rectifier using BSIT operation, struct./charact. *Yano, K.*, + , *T-ED Feb 98* 563-565
SiC HV Schottky barrier rectifiers. *Schoen, K.P.*, + , *T-ED Jul 98* 1595-1604

Space charge
MODFET design, modulation doped heterojunctions and asymmetric homojunctions. *Karmalkar, S.*, *T-ED Oct 98* 2187-2195
MOSFET, channel hot electron stress, pos. oxide charge. *Han, K.M.*, + , *T-ED Jul 98* 1624-1627
P-N jn., abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334
TFEL devices, multiplication, doped probe layers. *Neyts, K.*, + , *T-ED Apr 98* 768-777

Space charge limited conduction
GaAs p⁺-i homojunction far-IR detectors, emitter layer conc. effects. *Wenzhong Shen*, + , *T-ED Aug 98* 1671-1677
HBT, space charge region, Shockley-Read-Hall recomb. current distrib. *Pallares, J.*, + , *T-ED Jan 98* 54-61

Special issues and sections
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R.*, + , *T-ED Mar 98* 574-579
SOI integrated circuits and devices (special issue). *T-ED May 98* 998-1161
SOI integrated circuits and devices, special issue intro. *Fossum, J.G.*, + , *T-ED May 98* 998-999

Spectral analysis
Si solar cell, minority carrier diffusion length, spectral anal. *Keller, S.*, + , *T-ED Jul 98* 1569-1574

Spectroscopy
SiGe/Si p-i-n photodiodes grown by select. epitaxy, photocurrent spectrosc. *Vonsovici, A.*, + , *T-ED Feb 98* 538-542

Spectroscopy; cf. Mass spectroscopy

SPICE
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329
AMLCDs, very large, gate line delay modeling. *Qing Zhang*, + , *T-ED Jan 98* 343-345
BTG SOI MOSFETs, distributed body resist., CMOS cets. *Workman, G.O.*, + , *T-ED Oct 98* 2138-2145
field emission triode, phys. simul. model. *Chih-Wen Lu*, + , *T-ED Oct 98* 2238-2244
FLOTOX EEPROM, macromodel develop. for SPICE-based simul. *Noren, K.V.*, + , *T-ED Jan 98* 224-229
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu*, + , *T-ED Apr 98* 797-801
HEMT, SPICE MOSFET Level 3-like model. *DasGupta, N.*, + , *T-ED Jul 98* 1494-1500
lateral bipolar transistors, CMOS proc., SPICE subcircuit model. *MacSweeney, D.*, + , *T-ED Sep 98* 1978-1984
MOSFET, HF equiv. cct. params. *Sung, R.*, + , *T-ED Aug 98* 1769-1775
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
P-N jn., abrupt, space-charge generation-recomb. current model. *Gaci, A.*, + , *T-ED Jan 98* 331-334
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
a-Si:H nipiin three-color detectors, transient photocurrent. *Stiebig, H.*, + , *T-ED Jul 98* 1438-1444

Sputter etching
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
gate oxides, plasma proc. damage, TDDB meas. *Eriguchi, K.*, + , *T-ED Jan 98* 160-164
InAlAs-InGaAs-InP HEMTs, selectively dry etched, LF noise props. *Duran, H.C.*, + , *T-ED Jun 98* 1219-1225
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You*, + , *T-ED Jan 98* 239-246
a-Si:H TFTs, wet-etched/dry-etched , reliab. and perform. comparison. *GadelRab, S.M.*, + , *T-ED Feb 98* 560-563
$n\text{-}Al_{0.7}Ga_{0.3}As/In_{0.25}Ga_{0.75}As$ HJFETs, two-step dry-etching, selective MOMBE. *Wada, S.*, + , *T-ED Jun 98* 1183-1189
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D.*, + , *T-ED May 98* 1039-1046
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y.*, + , *T-ED Mar 98* 753-755

Sputtering
AlGaAs/InGaAs fully-self-aligned Y-shaped gate HJFET. *Wada, S.*, + , *T-ED Aug 98* 1656-1662
Bi(-Sb)-Te thermopile IR detector lin. array. *Foote, M.C.*, + , *T-ED Sep 98* 1896-1902
CMOS transistor, cobalt salicide technol. *Inoue, K.*, + , *T-ED Nov 98* 2312-2318
a-Si:H buried-channel TFTs, fab. and charact. *Weber, C.*, + , *T-ED Feb 98* 447-452
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T.*, + , *T-ED Nov 98* 2349-2354
vias and contacts, diffusion barrier deposition, long throw sputtering. *Smy, T.*, + , *T-ED Jul 98* 1414-1425
ZnS:TbOF TFEL devices, RF magnetron sputtering. *Wang, C.W.*, + , *T-ED Apr 98* 757-762

Sputtering; cf. Sputter etching

SRAM chips
CMOS ccts., cosmic ray neutron-induced soft errors. *Tosaka, Y.*, + , *T-ED Jul 98* 1453-1458
C-switch cell for LV and high-dens. SRAMs. *Kuriyama, H.*, + , *T-ED Dec 98* 2483-2488
μPs, high-perform., logic technol. *Bohr, M.T.*, + , *T-ED Mar 98* 620-625

Stability
Mo FEAs, diamond-like C coating effect on emission characts. *Jae Hoon Jung, + , T-ED Oct 98* 2232-2237
single-electron memory cell designs and characts., comparative study. *Wasshuber, C., + , T-ED Nov 98* 2365-2371
Si_3N_4-gate pH ISFET, threshold volt. instabil. model. *Jamasb, S., + , T-ED Jun 98* 1239-1245
a-Si:H neg. differential resist. device, modeling and realization. *Caputo, D., + , T-ED Jan 98* 270-276
submicron MOSFETs, pos. bias temp. instabil. study. *Zhang, J.F., + , T-ED Jan 98* 116-124
Stability; cf. Circuit stability
Statistics
DRAM mfg., proc. simplification. *Thakur, R.P.S., + , T-ED Mar 98* 609-619
MOSFETs, effective channel length and series resist. extraction methods. *Biesemans, S., + , T-ED Jun 98* 1310-1316
thin gate oxide breakdown, rel., electron trap gen. and stat. props. *Degraeve, R., + , T-ED Apr 98* 904-911
Stereo vision
twisted NLC cells, stereoscopic displays. *Okada, H., + , T-ED Jul 98* 1445-1452
Stochastic processes
GSI, stochastic wire-length distrib. *Davis, J.A., + , T-ED Mar 98* 580-589
GSI, stochastic wire length distrib. *Davis, J.A., + , T-ED Mar 98* 590-597
Strain
device param. optim. of strained Si channel SiGe/Si n-MODFETs using 1D charge control model. *Halkias, G., + , T-ED Dec 98* 2430-2436
Strain measurement
6H-SiC strain sens. piezoresistors, Wheatstone bridge integrated beam transducers. *Okojie, R.S., + , T-ED Apr 98* 785-790
Stress
flash memory read-disturb characts., tunnel oxide stress-induced leakage current. *Saioh, S., + , T-ED Feb 98* 482-486
IC design eval., use of hierarchical reliab. anal. *Riege, S.P., + , T-ED Oct 98* 2254-2257
MOS capacitors, ultrathin gate oxide, stress-induced leakage current. *Yung Hao Lin, + , T-ED Feb 98* 567-570
MOS flash EEPROM, tunnel gate oxide degrad., const. Fowler-Nordheim current stress. *Young-Bog Park, + , T-ED Jun 98* 1361-1368
Submillimeter wave diodes
degenerately-doped GaAs Schottky diode model applicable for terahertz freq. regime operation. *Gelmont, B.L., + , T-ED Dec 98* 2521-2527
Superlattices; cf. Semiconductor superlattices
Surface charging
CRTs, neck charging, Monte Carlo simul. *Hendriks, B.H.W., + , T-ED Aug 98* 1836-1842
MOSFET, plasma ashing proc.-induced oxide degrad., simul. model. *Kuo-Feng You, + , T-ED Jan 98* 239-246
thin gate oxide degrad. during fab. of advanced CMOS ULSI ccts., anal. *Kim, S.U., T-ED Mar 98* 731-736
wafer plasma-induced charging eval., SCA and PDM tools. *Karzhavin, Y., + , T-ED Mar 98* 753-755
Surface treatment
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T., + , T-ED Apr 98* 815-820
oxide chem.-mech. polishing, metal-fill patterning. *Stine, B.E., + , T-ED Mar 98* 665-679
polysilicon oxides, thermal growth on polished polysilicon films. *Tan Fu Lei, + , T-ED Apr 98* 912-917
i-AlGaAs/n-GaAs HIGFET, gate leakage current gen., reverse-voltage stress. *Takaiani, S., + , T-ED Jan 98* 14-20
Surface treatment; cf. Etching
Switches
floating-body PD SOI MOSFET, switch-off behavior. *Perron, L.M., + , T-ED Nov 98* 2372-2375
Switches; cf. Semiconductor switches

T

Telephony; cf. Cordless telephone systems
Terbium compounds
ZnS:TbOF TFEL devices, RF magnetron sputtering. *Wang, C.W., + , T-ED Apr 98* 757-762
Testing; cf. Integrated circuit testing; Manufacturing testing; Memory testing; Reliability testing; Semiconductor device testing
Thermal factors; cf. Integrated circuit thermal factors; Rapid thermal processing; Semiconductor device thermal factors; Thermoresistivity
Thermionic emission
interfacial electron transport, effective mass discontinuity. *Grinberg, A.A., + , T-ED Jul 98* 1561-1568
Thermoresistivity
$Al_{0.3}GaAs$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., + , T-ED Nov 98* 2298-2303
power HBTs, thermal behavior, emitter finger and substr. config. *Chang-Woo Kim, + , T-ED Jun 98* 1190-1195
Thin film capacitors
SiN capacitors in GaAs IC proc., reliab. assess. *Yeats, B., T-ED Apr 98* 939-946
Thin film transistors
C-switch cell for LV and high-dens. SRAMs. *Kuriyama, H., + , T-ED Dec 98* 2483-2488
high-performance polycrystalline silicon thin film transistor with silicon nitride gate insulator. *Lee, K.H., + , T-ED Dec 98* 2548-2551
intrinsic polysilicon TFT, anal. grain-barrier height model. *Hsin-Li Chen, + , T-ED Oct 98* 2245-2247
kink-free polycrystalline silicon double-gate elevated-channel thin-film transistors. *Kumar K.P., A., + , T-ED Dec 98* 2514-2520
polysilicon CMOS TFT, plasma ion implant. hydrogenation source. *Shu Qin, + , T-ED Jun 98* 1324-1328
polysilicon TFT, gate-overlapped LDD, large area AMLCD appls. *Kwon-Young Choi, + , T-ED Jun 98* 1272-1279
polysilicon TFT, Ge-seeded laterally crystallized, vert. integrat. *Subramanian, V., + , T-ED Sep 98* 1934-1939
polysilicon TFTs, excimer laser proc. and grain engng. *Giust, G.K., + , T-ED Apr 98* 925-932
polysilicon TFTs, low field leakage current. *Lui, O.K.B., + , T-ED Jan 98* 213-217
polysilicon TFTs, V_T shift, neg.-bias temp. stress. *Maeda, S., + , T-ED Jan 98* 165-172
quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S., + , T-ED Jan 98* 105-109
Si, amorph. and polycryst. devices, dyn. modeling. *Colalongo, L., + , T-ED Apr 98* 826-833
SiGe TFT optimization, amorph. precursor charact., AMLCDs. *Subramanian, V., + , T-ED Aug 98* 1690-1695
SOI MOSFET, electron transport, Monte Carlo simul. *Gamiz, F., + , T-ED May 98* 1122-1126
SOS CMOS technol. for microwave cct. appls., review. *Johnson, R.A., + , T-ED May 98* 1047-1054
a-Si:H buried-channel TFTs, fab. and characts. *Weber, C., + , T-ED Feb 98* 447-452
a-Si:H double act. layer TFT. *Jong Hyun Choi, + , T-ED Sep 98* 2074-2076
a-Si:H layered TFTs, reliab., cond.-band tail width reduction. *GadelRab, S.M., + , T-ED Oct 98* 2179-2186
a-Si:H TFT addressed LCD design, scaling theory. *Tsukada, T., T-ED Feb 98* 387-393
a-Si:H TFTs, thick-layered etched-contact devices, phototransistors and image sens. *GadelRab, S.M., + , T-ED Feb 98* 465
a-Si:H TPTs, unpassivated, bias stress. *Slade, H.C., + , T-ED Jul 98* 1548-1553
a-Si:H TFTs, wet-etched and dry-etched, reliab./perform. comparison. *GadelRab, S.M., + , T-ED Feb 98* 560-563
poly-Si/poly-SiC_x heterojn. TFTs, struct. and characts. *Kwangsoo Choi, + , T-ED Feb 98* 401-405
Three-dimensional displays
twisted NLC cells, stereoscopic displays. *Okada, H., + , T-ED Jul 98* 1445-1452
Thyristor applications
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charcts. *Ming-Dou Ker, T-ED Apr 98* 849-860
Thyristors
p⁺/n-buffer jn., injection currents anal. *Sang-Koo Chung, T-ED Aug 98* 1850-1854
4H-SiC thyristors, crit. charge dens. *Levinshtein, M.E., + , T-ED Jan 98* 307-312
Thyristors; cf. MOS controlled thyristors
Time division multiplexing
DFB laser/EAM, ultrashort opt. pulse generation. *Delhunde, J., + , T-ED Oct 98* 2122-2130
Tin compounds
Si solar cell, sprayed SnO_2 antirefl. coating. *Marques, F.C., T-ED Jul 98* 1619-1622
Titanium
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T., + , T-ED Nov 98* 2276-2282
Titanium compounds
Ti SALICIDE proc., preamorphization implant., CMOS technol. *Qiuxia Xu, + , T-ED Sep 98* 2002-2009
$TiSi_2$ self-aligned Ti silicide technol. using Ge implant., thin-film SOI MOSFETs. *Ping Liu, + , T-ED Jun 98* 1280-1286
$TiSi_2$, silicidation proc. in CMOS fab., 2D effects. *Dah-Bin Kao, + , T-ED Jan 98* 187-193

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Transducers
reson. tunneling displacement transducer. *Vatannia, S.*, + , *T-ED Jul 98* 1616-1619
Transducers; cf. Microsensors
Transient analysis
Al-based thin films, resist. transients and activation energy meas. *Yassine, A.M.*, + , *T-ED Nov 98* 2375-2378
floating-body PD SOI MOSFET, switch-off behavior. *Perron, L.M.*, + , *T-ED Nov 98* 2372-2375
GaAs FETs, trap props./locations meas. under different bias conditions. *Azhar Iqbal, M.*, + , *T-ED Aug 98* 1663-1670
MOSFET, BSIM3 non-quasi-static transient model, cct. simul. *Mansun Chan*, + , *T-ED Apr 98* 834-841
partially depleted SOI MOSFETs, generation-recomb. transient effects. *Munteanu, D.*, + , *T-ED Aug 98* 1678-1683
SOI CMOS devices and ccts., phys. modeling of temp. depend. *Workman, G.O.*, + , *T-ED Jan 98* 125-133
Transient analysis; cf. Circuit transient analysis
Transient response
AlGaAs/GaAs HBT, burn-in test, SPICE simul. *Sheu, S.*, + , *T-ED Jan 98* 326-329
integrated optoelectronic bistable device, transient response. *Zebda, Y.*, + , *T-ED Jan 98* 85-90
Si APDs operated in charge storage mode, num. anal. *Parks, J.W.*, + , *T-ED Feb 98* 394-400
Si avalanche shaper devices, transient response, transverse doping. *Jalali, H.*, + , *T-ED Aug 98* 1761-1768
Transistors
SOI drive-in gate controlled hybrid transistor. *Ru Huang*, + , *T-ED Sep 98* 2079-2081
Transistors; cf. Bipolar transistors; FETs; Insulated gate bipolar transistors; Phototransistors; Power transistors; Thin film transistors; Tunnel transistors
Transition metal compounds; cf. Cobalt compounds; Titanium compounds; Tungsten compounds
Transition metals; cf. Gold; Molybdenum; Platinum; Titanium
Transmission line matrix methods
VLSI metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui*, + , *T-ED Feb 98* 380-386
Traveling wave tubes
helical TWT, interact. impedance. *Kory, C.L.*, + , *T-ED Sep 98* 2063-2071
helix TWTs, nonlin. Eulerian hydrodynamical anal. *Datta, S.K.*, + , *T-ED Sep 98* 2055-2062
Tungsten compounds
p-MOSFETs with WSi_x and polysilicon gates, hot-carrier degrad. *Ang, D.S.*, + , *T-ED Apr 98* 895-903
WSi/Ti/SiO_2/InGaP/GaAs small-scaled HBTs, high-speed low-current operation. *Oka, T.*, + , *T-ED Nov 98* 2276-2282
Tunneling
Al/n-GaSb Schottky diodes, tunnelling transport study. *Subekti, A.*, + , *T-ED Oct 98* 2247-2248
Al/SiO_2/n-Si/p-Si MIS switch, I-V curve rel., oxide thickness. *Pettersson, P.O.*, + , *T-ED Jan 98* 286-292
Al/SiO_2/n-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B., T-ED Sep 98* 1903-1911
DRAM cells, ultrathin dielec., storage times. *Romanenko, A.Y.*, + , *T-ED Jan 98* 218-223
dual-gate CMOSFETs, polarity depend. gate tunneling currents. *Ying Shi*, + , *T-ED Nov 98* 2355-2360
flash E^2PROMs, SILC-related disturb charact. *de Blauwe, J.*, + , *T-ED Aug 98* 1751-1760
flash E^2PROMs, steady-state SILC, quantitat. model. *de Blauwe, J.*, + , *T-ED Aug 98* 1745-1750
flash memories, write/erase method, improve read disturb charact. *Endoh, T.*, + , *T-ED Jan 98* 98-104
GaAs p⁺-i homojunction far-IR detectors, emitter layer conc. effects. *Wenzhong Shen*, + , *T-ED Aug 98* 1671-1677
GaSb/AlSb/InAs/GaSb/AlSb/InAs broken-gap interband tunneling structs. *Meng Hwang Liu*, + , *T-ED Jun 98* 1213-1218
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R.*, + , *T-ED Nov 98* 2291-2297
MOS capacitors, modeled tunnel currents for high dielec. const. dielec. *Vogel, E.M.*, + , *T-ED Jun 98* 1350-1355
MOS capacitors, thin gate oxide relax. phenom., Fowler-Nordheim tunneling stress. *Kow-Ming Chang*, + , *T-ED Aug 98* 1684-1689
MOS devices, intrinsic oxide breakdown, trap-generation characts., SILC. *Sakakibara, K.*, + , *T-ED Jun 98* 1336-1341
MOSFET, direct tunneling gate oxide, mfg. *Momose, H.S.*, + , *T-ED Mar 98* 691-700
MOSFET, Fowler-Nordheim injection, interface trap generation. *Chen, T.P.*, + , *T-ED Sep 98* 1920-1926
MOSFET, GIDL, three-terminal band-trap-band tunneling model. *Guo, J.-C.*, + , *T-ED Jul 98* 1518-1523
MOSFET, oxide charge trapping/detrapping, GIDL current. *Wang, T.*, + , *T-ED Jul 98* 1511-1517
n-MOSFETs, correl., hot-carrier-induced interface states and GIDL current increase. *Lai, P.T.*, + , *T-ED Feb 98* 521-528
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
SQW IR photodetectors, HF perform., high power densities. *Ryzhii, V., T-ED Aug 98* 1797-1803
TFEL devices, multiplication, doped probe layers. *Neyts, K.*, + , *T-ED Apr 98* 768-777
tunneling through ultrathin GaAs n^{++}-p^{++}-n^{++} barrier grown by molecular layer epitaxy. *Liu, Y.-X.*, + , *T-ED Dec 98* 2551-2554
ultrathin oxide layers, gate and substr. current props. after soft breakdown. *Crupi, F.*, + , *T-ED Nov 98* 2329-2334
Tunnel transistors
Al/SiO_2/n-Si/SiO_2/Al MISIM tunnel transistor, I-V characts. study. *Majkusiak, B., T-ED Sep 98* 1903-1911
Tunnel transistors; cf. Resonant tunneling transistors

U

UHF amplifiers
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T.*, + , *T-ED Jun 98* 1176-1182
UHF amplifiers; cf. UHF FET amplifiers; UHF power amplifiers
UHF bipolar transistors
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
SiGe base bipolar transistors for wireless multi-GHz telecomm. systs. *Kondo, M.*, + , *T-ED Jun 98* 1287-1294
UHF communication; cf. UHF radio communication
UHF FET amplifiers
RF MOSFET amp., on-chip inductor, SIMOX wafer. *Harada, M.*, + , *T-ED Jan 98* 173-178
UHF FETs
GaAs/InGaAs/GaAs dual-gate pseudomorphic double-hetero HEMT, Pt buried gates, PDC std. *Tanimoto, T.*, + , *T-ED Jun 98* 1176-1182
GaAs SAG p-pocket MESFET, lin. power amp. *Nishihori, K.*, + , *T-ED Jul 98* 1385-1392
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I.*, + , *T-ED Apr 98* 953-956
UHF FETs; cf. UHF power FETs
UHF integrated circuits
0.15-μm RF CMOS technol. compatible, logic CMOS for LV operation. *Saito, M.*, + , *T-ED Mar 98* 737-742
suspen. SOI struct. for advanced 0.1 μm CMOS RF devices. *Hisamoto, D.*, + , *T-ED May 98* 1039-1046
UHF power amplifiers
GaAs SAG p-pocket MESFET, lin. power amp. *Nishihori, K.*, + , *T-ED Jul 98* 1385-1392
InGaP/GaAs HBT power amps., matching techs. for distort./lin. improve. *Iwai, T.*, + , *T-ED Jun 98* 1196-1200
Si high-power MOSFET for 1.9 GHz cellular telephone amp. *Yoshida, I.*, + , *T-ED Apr 98* 953-956
UHF power FETs
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365
UHF radio communication
n-AlGaAs/InGaAs/n-AlGaAs power heterojunction FETs, pers. digital cellular appls. *Yamaguchi, K.*, + , *T-ED Feb 98* 361-365
UHF transistors; cf. UHF bipolar transistors; UHF FETs
Ultrafast electronics
InAlAs-InGaAs-InP MODFET, ultra-high-speed, opt. effect. *Mitra, H.*, + , *T-ED Jan 98* 68-77
Ultrafast optics
DFB laser/EAM, ultrashort opt. pulse generation. *Dellunde, J.*, + , *T-ED Oct 98* 2122-2130
Ultra-large-scale integration
hetero-material gate MOSFET for deep-submicron ULSI technol. *Zhou, X.*, + , *T-ED Dec 98* 2546-2548
plasma charge damage control in advanced IC mfg. *Aum, P.K.*, + , *T-ED Mar 98* 722-730
thin gate oxide degrad. during fab. of advanced CMOS ULSI ccts., anal. *Kim, S.U., T-ED Mar 98* 731-736

V

Vacuum microelectronics
diamond:B field emitter structs., technol. and charactn. *Dongzung Hong*, + , *T-ED Apr 98* 977-985

field emission triode, phys. simul. model. *Chih-Wen Lu, + , T-ED Oct 98* 2238-2244
Mo FEAs, diamond-like C coating effect on emission charscts. *Jae Hoon Jung, + , T-ED Oct 98* 2232-2237
single- and double-gate race-track-shaped field emitter structs., charactn. *Baoping Wang, + , T-ED Feb 98* 554-559
a-Si:H p-i-n photodetector, photosensitive field emitter. *Sawada, K., + , T-ED Jan 98* 321-325
Vapor deposition
Pt-InGaAs Schottky contacts, fab. by in situ plated and evap. Pt, anal. *Marsh, P., + , T-ED Feb 98* 349-360
Si_3N_4 films, gate dielec. *Ma, T.P., T-ED Mar 98* 680-690
Vapor deposition; cf. CVD
Varactors
$Al_{0.7}GaAs_{0.3}$-GaAs planar heterostruct. barrier varactor diodes, self-heating effects. *Stake, J., + , T-ED Nov 98* 2298-2303
GaAs Schottky diode varactor freq. doublers, design. *Lipsey, R.E., + , T-ED Sep 98* 1876-1882
InGaAs/InAlAs/AlAs step-like heterostruct. barrier varactors. *Havart, R., + , T-ED Nov 98* 2291-2297
quantum barrier varactors, nonlin. elec. perform., Monte Carlo simul. *Abou-Khalil, M.J., + , T-ED Jul 98* 1399-1406
Very-large-scale integration
deep-submicron bipolar devices, compact vel. overshoot model. *Hsien-Chang Wu, + , T-ED Feb 98* 417-422
fully-depleted SOI MOSFET model, self-heating and source/drain resist. effects. *Man-Chun Hu, + , T-ED Apr 98* 797-801
hierarchical reliab. anal. for cct. design eval. *Riege, S.P., + , T-ED Oct 98* 2254-2257
metallization, temp. cycling effects on electromigr. behavior under pulsed current stress. *Xiang Gui, + , T-ED Feb 98* 380-386
multilevel interconnections, 3D capacitances, BFEM model. *Hsin-Ming Hou, + , T-ED Jan 98* 200-205
process integration and manufacturability (special issue). *T-ED Mar 98* 574-755
process integration and manufacturability, special issue intro. *Singh, R., + , T-ED Mar 98* 574-579
submicron CMOS technol., output ESD protection, lateral SCR devices, triggering charscts. *Ming-Dou Ker, T-ED Apr 98* 849-860
vias and contacts, diffusion barrier deposition, long throw sputtering. *Smy, T., + , T-ED Jul 98* 1414-1425
Voltage
microengineered electrostatic quadrupole lens, design and fab. *Syms, R.R.A., + , T-ED Nov 98* 2304-2311

W

Wafer bonding
MOSFET, polysilicon interlayered SOI wafer. *Horiuchi, M., + , T-ED May 98* 1111-1115
quasi-SOI power MOSFET, reversed silicon wafer direct bonding. *Matsumoto, S., + , T-ED Sep 98* 1940-1945
SOI MOSFET, buried body strap, wafer bonding. *Kuehne, S.C., + , T-ED May 98* 1084-1091
thin-film quasi-SOI power MOSFET fab. by reversed Si wafer direct bonding. *Matsumoto, S., + , T-ED Jan 98* 105-109
Weibull distributions
MOS ICs, TDDB, field accel. model. *Degraeve, R., + , T-ED Feb 98* 472-481
White noise
AlGaAs/GaAs/AlGaAs mm-wave LNA, reson. tunneling transistors. *Ando, Y., + , T-ED Jan 98* 31-35

X

Xenon
Ta gate MOS devices, gate oxide reliab. improve. using Xe plasma sputter deposition. *Ushiki, T., + , T-ED Nov 98* 2349-2354

Y

Yield estimation
Al selective CVD via plugs, planarized multilevel interconnection, CMP. *Amazawa, T., + , T-ED Apr 98* 815-820

Z

Zinc compounds
ZnS:TbOF TFEL devices, RF magnetron sputtering. *Wang, C.W., + , T-ED Apr 98* 757-762